MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781

/4037124/4035273

Fax :

24044532/4024068 /4023516

Email

jdwater@mpcb.gov.in

Visit At : http://mpcb.gov.in



Kalpataru Point, 3rd & 4th floor, Sion-Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E),

Mumbai - 400 022

Red/LSI

Date: 26/03/2015

Consent No: Format 1.0/BO/JD(WPC)/EIC No. - RD -3054-15/E/CC- 3567

To,

M/s. RIA CETP Co. Op. Society Ltd. (12.5 MLD) Plot No. 9/11, MIDC Dhatav, Tal. Roha

Raigad, Maharashtra

Roha - 402 116.

Subject: Consent to Establish for Upgradation and Expansion of Common Effluent Treatment Plant under RED category.

Your application: CE1309000534.

Dated: 24/09/2013

For: Consent to Establish for Upgradation and Expansion of CETP under RED

category.

under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The Consent to Establish is granted for a period up to: Commissioning of the unit or 5 years period whichever is earlier.
- 2. The actual capital investment of the industry is Rs. 25.91 Crs. [Total CI is Rs. 38.41 Crs.]. (As per the C.A. Certificate submitted by industry)

3. The Consent is valid for the treatment of -

Sr. No.	Treatment Facility	Maximum Quantity	UOM
1.	Common Effluent Treatment Plant –	12.50	MLD
	Industrial effluent to be treated.		

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr.	Description	Permitted quantity of discharge	Standards to be achieved	Disposal
1.	Trade effluent Treatment	12.50 MLD	As per Schedule –I	Into saline zone specified by NIO through closed pipeline.
2.	Domestic effluent	3.5 CMD	As per Schedule -I	Into saline zone specified by NIO through closed pipeline.

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.	Description of stack / source	Number of Stack	Standards to be achieved
1	D.G Set (750 KVA)	01	As per Schedule –II

6. Conditions about Non Hazardous Wastes:

M/s. RIA CCUP Co. On. Society Ltd. (12.5 MLD). SRO Rajaud LI/I/R/L/94.110000	Page 1 of 9.

Sr.	Type Of Waste	Quantity & UoM	Treatment	Disposal			
N.A							

7. Conditions under Hazardous Waste (M, H & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No	o Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Chemical Sludge from	34.3	25.00	MT/D		CHWTSDF,
	waste water treatment.					Taloja

- 8. The applicant shall install the online pH meter, flow meter and TOC analyzer and shall develop the website.
- 9. The applicant shall obtain the Environmental Clearance as per the EIA Notification, 2006 and amendments thereto.
- 10. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 11. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 12. Project Proponent shall carry-out feasibility study including the study of final disposal point and the disposal point is to be decided as per the suggestions by NIO before commissioning of the unit.

For and on behalf of the Maharashtra Pollution Control Board

Dr. P. Anbalagan, IAS Member Secretary

Received Consent fee of

Sr. No.	Amount (Lac)	DD. No.	Date	Drawn On
1.	75100/-	324992	24/07/2013	Bank of Maharashtra

Copy to:

- 1. Regional Officer Raigad and Sub-Regional Officer-Raigad- II MPCB, They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. EIC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) Al As per your application, you have proposed Common Effluent Treatment Plant (ETP) with the design capacity of 12.50 MLD.
 - B] The Consent is valid for collection, storage and treatment of Industrial and Domestic Effluent conforming to the inlet standards specified hereunder:-

Parameters	Standards prescribed by Board (If any)
	Limiting Concentration in mg/l,
	except for pH & Temperature
pH	5.5 to 9.0
Temperature	45 °C
Oil & Grease	20
Phenolic Compounds	5.0
Ammonical Nitrogen (as N)	50
Cyanide (as CN)	2.0
Hexavalent Chromium (as	2.0
Cr ⁺⁶)	
Total Chromium (as Cr)	2.0
Copper (as Cu)	3.0
Lead (as Pb)	1.0
Nickel (as Ni)	3.0
Zinc (as Zn)	15
Arsenic (as As)	0.2
Mercury (as Hg)	0.01
Cadmium	1.0
Selenium (as Se)	0.05
Fluoride (as F)	15
Boron (as B)	2.0
Radioactive Materials-	10-7
a) Alpha Emiters,Hc/mL	
b) Beta Emiters, He/mL	10-8
	pH Temperature Oil & Grease Phenolic Compounds Ammonical Nitrogen (as N) Cyanide (as CN) Hexavalent Chromium (as Cr+6) Total Chromium (as Cr) Copper (as Cu) Lead (as Pb) Nickel (as Ni) Zinc (as Zn) Arsenic (as As) Mercury (as Hg) Cadmium Selenium (as Se) Fluoride (as F) Boron (as B) Radioactive Materials- a) Alpha Emiters, Hc/mL

In case of SSI Unit BOD of Maximum of 1000 mg/l and COD of maximum 2500 ng/l will be allowed.

Note: A'l small Scale Units generating effluent quantity more than 25 m³/day and Medium & Large Scale Units irrespective of the quantity of effluent will have to achieve the standards as prescribed in the letter Consent issued to them individually under the Water (P & CP) Act 74, Air (P & CP) Act 1981, Hazardous Waste (M, H & TM) Amendment ereto before discharging the effluent into CETP.

C] Tree ment and disposal for combined Industrial and Domestic effluent.

Tree ment: The CETP authority shall provide comprehensive treatment system of consisting of primary / secondary and/or tertiary treatment as is wear and with reference to influent quality for strong stream and weak

stream and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards:

Sr No.	Parameters	Standards prescribed by Board (If any)
i	I. Compulsory	Limiting Concentration in mg/1, except
	Parameters	for pH
01	рН	5.5 to 9.0
02	Temperature	45^{0}
<u></u>		Ambient at discharge point
03	BOD 3 Days 27 Deg.C	100
	Suspended Solids	100
05	COD	250
06	Oil & Grease	10
07	Total Residue Chlorine	01
08	Ammonical Nitrogen (as N)	50
09	T.K.N	100
10	Arsenic (as As)	0.2
11	Mercury (as Hg)	0.01
12	Lead (as Pb)	0.1
13	Cadmium (as Cd)	2.
14	Chromium Total (as Cr)	2
15	Copper (as Cu)	3
16	Zinc (as Zn)	15
17	Selenium (as Se)	0.05
18	Nickel (as Ni)	5
19	Cyanide (as CN)	0.2
20	Fluoride (as F)	15
21	Sulphide (as S)	5
22	Phenolic Compound (as	5
	C ₆ H ₅ OH)	
23	Hexavalent Chromium (As	0.1
	Cr+6)	
24	Pesticides .	Absent
25	Boron (as B)	Nil
26	Chlorides	Nil
27	Sulphate	Nil
28	Dissolved Solids (inorganic)	
29	Color	100 Pt-Co Unit.

Note:-

- i) All efforts should be made to remove colour and unpleasant odour.
- ii) If the CETP is not able to achieve the outlet parameters, then all the members and the said Society would be individually and jointly responsible and liable for legal actions under the provisions of sections 47 of the Water (Prevention & Control of Pollution) Act, 1974.
- D] Disposal: The treated effluent shall be connected to the sewerage system (Closed Pipeline) and finally discharge into Marine Coastal Area, at a point specified by National Institute of Oceanography (NIO).

- 2) A] As per your consent application, you have proposed treatment facility for the Domestic effluent.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) Suspended Solids. Not to exceed 100 mg/l. (2) BOD 3 days 27°C. Not to exceed 100 mg/l.

- C] Disposal: The treated effluent shall be connected to the sewerage system (Or sed Pipeline) and finally discharge into Marine Coastal Area, at a print specified by National Institute of Oceanography (NIO).
- The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. n	Purpose for water consumed	Water consumption quantity (CMD)
1.	todustrial Cooling, spraying in mine pits or boiler	Nil
2.	nestic purpose	5.0
3.	cessing whereby water gets polluted & utants are easily biodegradable	120
4.	cessing whereby water gets polluted & lutants are not easily biodegradable and are	Nil

4) The ant shall provide Specific Water Pollution control system as per the conditions of Eli 986 and rule made there under from time to time/ Environmental Clearance.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

Sr.	Stack	APC System	Height in	Type of	Quantity	-S %	SO_2
No.	Attached To	The second secon	Mtrs.	Fuel	& UoM		Kg/Day
1	D.G. Set (750 KVA) – 1 Nos.		*6.0	HSD	100 Lit./Hr	1.0%	1.4

(*Above the roof of the building in which it is installed)

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time.
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

	Y	
Particulate matter	Not to exceed	150mg/Nm ³ .
	L	

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III Details of Bank Guarantees

Proposit Bank Guarantee:

Sr. No	Consent (C to E/O/R)	BG Guarantee	Submission Period	Consent conditions	Compliance period	Validity
1	C to E	Rs.5.0 Lakhs	15 Days	Compliance of obtaining Environmenta 1 Clearance and consent conditions	Commissioning of the unit or 5 years period whichever is earlier	30.09.2019

Schedule-IV General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of made and sewage effluents, air emissions and humanious waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 11) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 12) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 13) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 14) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 15) Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust

M/s. RIA CETP Co. Op. Society Ltd. (12.5 MLD), SNO Raigad I I/L/R/L/94110000

Page 8 of 9.