

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068 /4023516
Email : enquiry@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E),
Mumbai - 400 022

Consent order No: -Format 1.0/BO/AS(T)/TN-5605-15/A/GEN- 3283 Date-20/03/2015

To,
M/s UPL Ltd.,
Plot No. E-51/1, 51/2, 52, MIDC Tarapur,
Tal. & Dist. Palghar, Pin - 401 506.

Subject: Consent to Operate/RED/LSI category.

Ref: 1. Earlier Consent granted vide no. Format 1.0/BO/AS(T)/TN-5508-15/A/GEN-1449 dtd. 05/02/2015.

Your application Dated: 06/02/2015

For: Grant of Consent to Operate (150225FT0098)

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization/renewal under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period from 30/01/2015 upto 30/04/2016.
2. The capital investment of the industry is Rs. 24.85 Cr (As per C.A. Certificate submitted by industry).
3. The Consent is valid for the manufacture of-

Sr. No.	Product Type	Product Name	Maximum Quantity & UOM
1	Inorganic Chemicals	Phosphorus Trichloride (PCl ₃)	75 MT/M
2		Phosphorus Oxychloride (POCl ₃)	50 MT/M
3		Phosphorus Acid Crystals	10 MT/M
4		Phosphorus Acid (60% Solution)	4 MT/M
5		Di-Potassium Hydrogen Phosphate (DHP)	5 MT/M
6		Tri Phenyl Phosphate (TPP)	20 MT/M
7		Ammonium Sulphate	300 MT/M
8		Potassium Chloride Solid/ Solution (KCl)	125 MT/M
9	Pesticide Technical	Metribuzin	140 MT/M
10		Triazinone	137 MT/M
11		Acephate (Tech)	10 MT/M
12		Di Chloyvos	5 MT/M
13		Glyphosate(Tech)	5 MT/M
14		Chlomazone	25 MT/M
15		Sulfosulfuron(SF 10)	23 MT/M
16		Pyrazosulfuron Ethyl	7 MT/M
17		Bensulfuron Methyl	5 MT/M
18		Metsulfuron Methyl	5 MT/M
19	Pesticide Formulation	Glyphosate 41% SL (formulation)	75 MT/M
20		Metribuzin 70% WDG	150 MT/M
21	Recovered HCl (30%)		100 MT/M

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	36.3	As per Schedule -I	CETP
2.	Domestic effluent	1.8	As per Schedule -I	Overflow from Soak pit shall be used for gardening within premise

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. No.	Description of stack / source	Number of Stack	Standards to be achieved
1	Boiler	2	As per Schedule -II
2	Process Vents	4	As per Schedule -II
3	DG Sets (250 & 500 KVA)	2	As per Schedule -II

6. Conditions under Hazardous Waste (M,H & TM) Rules, 2008 for treatment and disposal of hazardous waste:

1) The Industry shall handle hazardous wastes as specified below:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Distillation residue	20.3	117	MT/Y	-	CHWTSDF
2	Discarded containers	33.3	400	Nos./Y	-	Sale to MPCB Authorized party
3	ETP sludge	34.3	300	Kg/M	-	CHWTSDF
4	30% NaHS Solution	C-13 (Schedule-II)	5.6	KLtrs/D	-	Sale to MPCB Authorized party or at CHWTSDF

7. Conditions about Non Hazardous Wastes:

1) The Industry shall handle hazardous wastes as specified below:


Sr. No.	Type Of Waste	Quantity	UOM	Disposal
1	Coal/Briquette/Bio-mass/Rice Husk Ash	2.0	MT/D	By sale to Brick Manufacturers

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. The existing pollution load of the industry shall not exceed with the proposed change in product-mix.
11. The applicant shall ensure that their production shall be restricted to the generation of effluent as promised by you to the TEPS-CETP by reducing total daily generation of TEPS-CETP with voluntary closure in a staggered manner so as to restrict total generation of TEPS-CETP in a time bound manner to 25 MLD each day. The validity of the bank guarantee of Rs. 2.5 lakhs furnished towards compliance of this condition in the Board shall be extended upto 31/08/2016 after its expiry.
12. The applicant shall not carry out any excess production or produce new products without consent of the Board and without an Environment Clearance wherever it requires. The validity of the bank guarantee of Rs. 2.5 lakhs furnished towards compliance of this condition in the Board shall be extended upto 31/08/2016 after its expiry.
13. The applicant shall operate and maintain existing ETP effectively and remove all the bypasses, whereby the mode of disposal prescribed in the consent order is not followed. The validity of the bank guarantee of Rs. 2.5 lakhs furnished towards

compliance of this condition in the Board shall be extended upto 31/08/2016 after its expiry.

14. The applicant shall segregate strong COD stream/ solvent stream from the discharge into CETP and treat high COD stream so as to achieve the standard for disposal into sewerage line of CETP.
15. The applicant shall not discharge any effluent in any other source other than the CETP sewerage drain for further treatment and disposal. The validity of the bank guarantee of Rs. 1.0 lakhs furnished towards compliance of this condition in the Board shall be extended upto 31/08/2016 after its expiry.
16. The applicant shall make provision for operation & maintenance of flow meter and online pH meter/separate energy meter to pollution control devices. The validity of the bank guarantee of Rs. 1.0 lakhs furnished towards compliance of this condition in the Board shall be extended upto 31/08/2016 after its expiry.
17. The applicant shall properly collect, transport & regularly dispose off the hazardous waste to CHWTSDF, in compliance of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008 and keep proper manifest thereof. The validity of the bank guarantee of Rs. 1.0 lakhs furnished towards compliance of this condition in the Board shall be extended upto 31/08/2016 after its expiry.
18. The applicant shall provide lock & key arrangement for treated industrial effluent.
19. This Consent is issued with the overriding effect on earlier Consent issued vide Consent No. Format 1.0/BO/AS(T)/TN-14/R-A/GEN-5846 dtd. 20/06/2014; amendment vide letter No. BO/AS(T)/Amend/CC-3230 dtd. 08/08/2014 and Consent No. Format 1.0/BO/AS(T)/TN-5508-15/A/GEN-1449 dtd. 05/02/2015.
20. This Consent is issued based on the agreement between M/s Punjab Chemicals and Crop Protection Ltd. & M/s UPL Ltd. dtd. 14/03/2014 and MIDC's Sub-letting permission issued to M/s Punjab Chemicals and Crop Protection Ltd. vide letter No. MIDC/TRP/E-51/1, E-51/2 & E-52/1204 dtd. 07/03/2014.
21. This Consent is issued as per the "Assessment of Pollution Load" carried out & certified by Dr. Babasaheb Ambedkar Technological University vide letter No. DBATU/Chem/CW/UPLL/PVB dtd. 27/01/2015 and based on self assessment made by you and submitted in Board's prescribed format. If any violation and/or submission of misleading information are noticed, then the Consent issued under MoEF's Product-mix Circular dtd. 14/12/2006 will stand automatically cancelled and you have to follow the procedure of EIA Notification 2006 and amendments thereof for obtaining Environmental Clearance.

For and on behalf of the
Maharashtra Pollution Control Board


(P.K. Mirashe)
Assistant Secretary (Tech.)

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	Rs. 600/-	003553	03/02/2015	Axis Bank
2	Rs. 15,000/-	002100	13/11/2014	Axis Bank
3	Rs. 30,000/-	002115	03/12/2014	Axis Bank
4	Rs. 50,000/-	264887	03/01/2014	Dena Bank
5	Rs. 50,000/-	264888	03/01/2014	Dena Bank

Copy to:

1. Regional Officer and Sub-Regional Officer-Tarapur-I, M.P.C.B., Thane.
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
"M/s UPL Ltd." SRO Tarapur 1/1/R/M/69802000

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you are provided Effluent Treatment Plant (ETP) of Capacity 42 CMD consisting of primary, secondary & tertiary treatment.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr No.	Parameters	Standards prescribed by Board (If any)
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
01	pH	5.5 to 9.0
02	Oil & Grease	10 mg/l.
03	BOD (3 days 27°C)	30 mg/l.
04	Total Dissolved Solids	2100 mg/l.
05	Bioassay Test	90% survival of fish after first 96 hrs in 100% effluent.
	II Additional Parameters	
06	Total Suspended Solids	100 mg/l.
07	COD	250 mg/l.
08	Phenol and Phenolic compounds as C ₆ H ₅ OH	1 mg/l.
09	Phosphate	5 mg/l.
10	Sulphur	30 mg/l.

- C) The treated effluent shall be recycle up to maximum extent and remaining shall be discharged into CETP for further treatment. In no case effluent shall find its way for outside factory premises.
- 2) A] As per your consent application, you have provided septic tank followed by soak pit for the treatment of 1.8 CMD of sewage.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) Suspended Solids.	Not to exceed	100	mg/l.
(2) BOD 3 days 27°C.	Not to exceed	100	mg/l.
 - C] The treated sewage shall be utilized/ applied on land for gardening within premise.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system and or extension or addition thereto.
 - 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
 - 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water Cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	110.9

2.	Domestic purpose	3.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	42.66
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	---
5.	Others	---
	i) Gardening	10.0

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

Maharashtra Pollution Control Board

Handwritten signature

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

- As per your application, you have proposed to install/ provided the Air pollution control (APC) system and also proposed to erect / erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Qty. & UoM	S %	SO ₂ Kg/Day
1	D.G. Set (250 KVA)	--	3.1 (above roof)	LDO	500	8	16
2	D.G. Set (500 KVA)	--	3.1 (above roof)		Ltrs/day		
3	Boilers - I	Dust Collector	40	Coal (985 Kg/hr) or Biomass/ Briquette / Rice Husk (2,460 Kg/hr)		118	236
4	Boilers-II (4 TPH) Standby	--	30	FO	125 Ltrs/hr	118	236
6	PC13-I	Scrubber	0.3 (above roof)				
7	PC13-II	Scrubber	0.15 (above roof)				
8	Triazinone Plant	Scrubber	3.0 (above roof)				
9	Acephate-IV	Scrubber	3.0 (above roof)				

(Oil fired boiler shall be kept standby and operated only in case when the other boiler is not in operation)

- The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³
SO ₂ (Boiler)	Not to exceed	236 Kg/day
H ₂ S	Not to exceed	5.0 Kg/day
Chlorine	Not to exceed	5.0 Kg/day
CH ₃ Cl	Not to exceed	20.0 Kg/day
HBr	Not to exceed	5.0 Kg/day
SO ₂ (process)	Not to exceed	50.0 kg/day
HCl	Not to exceed	20.0 Kg/day

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.

4. Guidelines for Fugitive Emissions Control:

- Fugitive Emissions over reactors formulations areas, centrifuges, chemical loading, transfer areas etc. are to be collected through hoods and ducts by induced drafts and controlled by providing scrubber/dust collector.
- Scrubber needs to be installed for canalized emissions so as to control fugitive emissions and are operated continuously. In addition, organic gaseous emissions (odour and toxic) be routed through activated carbon beds (adsorption) or to thermal oxidizer and for dust.
- Emphasis shall be given to solvents management / solvent loss prevention.
- Enclosures to chemicals storage area, collection of emissions from loading of raw materials, in particular solvents through hoods and ducts by induced draft, and control by scrubber/dust collector are to be ensured.
- Vapour balancing, Nitrogen blanketing ISO tanks etc. to be adopted, besides special care needs to be taken for control in respect of odours chemicals.

- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III

Details of Bank Guarantees in force

Sr. No	BG Imposed for C to O/ Directions	Amt. of BG Imposed	Submission Period	Purpose of BG	Compliance period	Validity Date
1	Restart Directions issued vide letter No. MPCB/AST/T S-RS/B-5058 dtd. 01/11/13	Rs. 2.5 lakhs	Existing	Condition (a) towards reducing total daily effluent generation in a staggered manner	Continuous	Extend upto 31/08/16 after expiry
2		Rs. 2.5 lakhs	Existing	Condition (b) towards not carry out any excess production or produce new products without consent of the Board and without an Environment Clearance wherever it requires	Continuous	Extend upto 31/08/16 after expiry
3		Rs. 2.5 lakhs	Existing	Condition (c) towards operate and maintain existing ETP effectively	Continuous	Extend upto 31/08/16 after expiry
5		Rs. 1.0 lakhs	Existing	Condition (e) towards not to discharge any effluent in any other source other than the CETP	Continuous	Extend upto 31/08/16 after expiry
6		Rs. 1.0 lakhs	Existing	Condition (f) towards make provision for operation & maintenance of flow meter and online pH meter/separate energy meter to pollution control devices	Continuous	Extend upto 31/08/16 after expiry
7		Rs. 1.0 lakhs	Existing	Condition (g) towards proper H.W. Management and to keep proper record of manifest	Continuous	Extend upto 31/08/16 after expiry

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories, and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules, 2008, which can be recycled/processed / reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 13) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

- 17) Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 18) The industry should not cause any nuisance in surrounding area.
- 19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20) The applicant shall maintain good housekeeping.
- 21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 25) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 26) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 27) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.
- 28) **The industry shall recycle/reprocess/reuse/recover hazardous waste as per the provision contained in the HW(M,H & TM) Rules 2008, which can be recycled/ processed/ reused/ recovered and only waste which has to be incinerated shall go to incineration and waste which cannot be used for land filling and cannot be recycled/ reprocessed etc. should go for that purpose in order to reduce load on incineration and landfill site/ environment.**

-----0000-----

