MAHARASHTRA POLLUTION CONTROL BOARD

Phone

4010437/4020781

/4037124/4035273

Fax

24044532/4024068 /4023516

Email Visit At enquiry@mpcb.gov.in

http://mpcb.gov.in



Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E), Mumbai - 400 022

Infrastructure /Orange/LSI Consent order No: BO/RO-HQ/EIC- NG-12479-15/CE/CC- 👙 🦂 🤼

Date- House

To,

M/s. N. I. T. Nagpur,

"Residential Cum Commercial Project"

Kh. No. 54 Coty, S. No. 173, Mauza - Wathoda,

Sheshnagar, Middle ring road, Nagpur.

Sub: Consent to Establish for Building/Construction project in ORANGE category.

Ref: 1) Minutes of Consent Committee meeting held on 19/03/2015.

Your application: CE1503000450 Dated: 16/03/2015

For: Consent to Establish for Building/Construction project

under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, Π ,III & IV annexed to this order:

1. The consent to establish is granted for a period up to:- Commissioning of the project or five years whichever is earlier.

The proposed capital investment of the project is Rs. 99.15 Crs. (As per undertaking submitted by project proponent) for development of land/ plot as new construction activities for construction of Residential cum commercial project named as M/s. N. I. T. Nagpur, "Residential Cum Commercial Project" Kh. No. 54 Coty, S. No. 173, Mauza - Wathoda, Sheshnagar, Middle ring road, Nagpur on Total Plot Area of 13365.206 Sq. Mtrs and Total Construction BUA of 44299.783 Sq. Mtrs laclading utilities as per construction commencement certificate issued by local body.

2. Conditions under Water (P&CP), 1974 Act for discharge of eifluent:

Sr.	Description		Standards to be achieved	Disposal
1	Trade effluent	NIL	NA	NA
2.	Domestic effluent	247.0	As per	60% shall be reused & recycled and
-			Schedule -I	remaining shall be disonerged at
į				municipal sewer.

Conditions under Air (P& CP) Act, 1981 for air emissions: Standards to be achieved Number of Stack Description of stack / Sr. no. source As per Schedule -H DG Set (40 KVA) * 6 1.___ As per Schedule -H DC Set (30 KVA) * 6

"M/s. N. i. f. Nagrae 1 1 1 % vict Complexy", SRO Nagpur94/0/1./194 :6000"

4. onditions under Municipal Solid Waste (Management and Handling) Rule, 2000:

Sr.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1 no.	Biodegradable	448.0 Kg/day	Composting	Used as Manure
2	Non- Riodegradable	672.0 Kg/day	Segregate and Hand over to local body for recycling	

5. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of

hazardous waste:	
Sr No. Type Of Waste	ategory Quantity UOM Treatment. Disposal
	Nil

- 6. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 7. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 8. The applicant shall submit an affidavit in Board's prescribed format within 15 days regarding compliance of conditions of EC and C to E.
- 9. The Applicant shall install OWC before applying for consent to operate.
- 10. The applicant shall adopt environment friendly technology in development of the project.

For and on behalf of the Maharashtra Pollution Control Board

> Dr. P. Anbaiagan (IAS) Member Secretary

Re	ceived Consent fee o	of –		
ST	Amount(Rs.)	DD No.	- Date	Drawn Cr.
770				and the state of t
1.	125100/-	434079	13/03/2015	Union Bank

Copy to:

- Regional Officer -Nagpur and Sub-Regional Officer- f, Nagpur, 19808,
 - They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purpose

Terms & conditions for compliance of Water Pollution Control: 1) A] As per your application, you have proposed to provide Sewage Treatment Plant (STP)

- with the design capacity of 275 CMD. B] The Applicant shall operate the effluent treatment plant (STP) to treat the sewage so as
- to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board		
		Limiting Concentration in mg/l, except for pH		
01	BOD (3 days 27oC)	30		
02	Suspended Solids	50		
03	COD	100		
04	Residual Chlorine	1ppm		

- C) The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, firefighting, on land for gardening etc and remaining shall be discharged in to the municipal sewerage system.
- D) Project proponent shall operate STP for five years from the date of obtaining occupation certificate.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made there under for various entogory of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

Sr.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	00
2.	Domestic purpose	322
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	Cu
4.	Processing whereby water gets polluted & pollutants are not easily blodegradable and are toxic	00

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install the Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Sr.	Stack	APC	· Height	Type of	Quantity	S:%	SO ₂
		5 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	. ಕ್ರೂಚಿಕೆಯ ಎರಡಿಕೆ ಎಸ್. ಎಕ್. ಪಡೆದ ಬಲಿಕೆ	Fuel	The second secon	7	Kg/Day:
01.	DG Set (40	Acoustic	4.0*				ALL STREET, ST
02.	KVA) * 6 DG Set (30	Enclosure Acoustic	4 0*	Diesel	72 Ltr/hr		
02.	KVA) * 6	Enclosure	1.0			£.,.	

^{*} Above roof of the building in which it is installed.

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Π	Particulate	Not to exceed	150 mg/Nm ³ .	
1	matter			47% N. Y.

- 3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
- 4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5. Conditions during construction phase

a	During construction phase, applicant shall provide temporary sewage disposal and MSW facility for staff and worker quarters.
b	During construction phase, the ambient air and noise quality should be closely monitored to achieve Ambient Air Quality Standards and Noise by the project proponent through MoEF approved laboratory.
С	Noise generating activity shall be carried out during day time only.

No. 18 F. T. Maspur (Residential Complex)*, SRO Nagpur/LTO/I Television (Sept. 2 of 6)

Schedule-III Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1.	Consent	Rs.	15 Days	Towards	Up to	Up to commissioni
	to Establish	5 lakhs		compliance of consent conditions	commissioning	ng
		1	1	+	4	1
			g .			
						, Au
l						
1					<u></u>	
				•		
			3			
<u> </u>						
			tal month (BBR)			
	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\					
i						

Fig. 8. N. L.T. Nagpur, (Russdenrind Complex C., SRO Nagpurd EO/2, 15476000) Page 5 arc

Schedule-IV

General Conditions:

The following general conditions shall apply as per the type of the industry.

- The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
 - The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and environmental protection Act 1986 and Municipal Solid Waste (Management & Handling) Rule 2000 and E-Waste (Management & Handling Rule 2011.
- Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak

Conditions for D.G. Set

hours.

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
- d) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use

D.G. Set shall be operated only in case of power failure.

- The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set
- The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Municipal Solid Waste (Management & Handling) Rule 2000 & E-Waste (M & H) Rule
- Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the 7) consent conditions the draft can be downloaded from the official web site of the MPCB.
- The industry shall submit official e-mail address and any change will be duly informed to the MPCB.

The treated sewage shall be disinfected using suitable disinfection method.

- 10) The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed. Form V>
 hoar the provision of rule 14of the Environmental (Protection) Second Amended rule 1992.
- The applicant shall obtain Consent to Operate from Mahagashi, a Pollution Control Board before commissioning of the project.