

MAHARASHTRA POLLUTION CONTROL BOARD

Phone: 4010437/4020781 /4037124/4035273
 Fax: 24024532/4024068 /4010410
 Email: enquiry@mpcb.gov.in
 Website: http://mpcb.gov.in

Kulpatar Point 3rd & 4th floor Sion Matunga
 Sion Road No. 8, Opp. Cine Planet Cinema Near
 Sion Metro Station (E),
 Mumbai - 400 032

Consent Order No. - Format 1.0/BO/RO-cell/IR-Navi-mumbai/Revalid/CAC- 4037124
 Date: 15 Nov 2014

To:
 M/s. New Found Properties & Leasing Pvt. Ltd.,
 Plot no. C-30, Block "G", Opp. SIDBI,
 Bandra Kurla Complex, Bandra (E),
 Mumbai-400 051.

Subject: Revalidation of Consent to Establish for IT Park in RED category.

Ref:

1. Earlier Consent to Establish granted vide no. BO/RO(P&P)/ EIC No. NM-1221/08/E/CC-51 dated 20/02/2009
2. Environmental clearance granted by GoI vide no- 21-432/2007-IA,III dated 5.2.2008 and letter of validity extended for further 5 years by GoM vide no. 21-432/2007-IA,III dated 13.5.2013
3. Your application approved in 26th CAC meeting of 2014-15 held on 24.2.2015

Your application CE1411000146

Dated: 15 Nov 2014

For: Revalidation of Consent to Establish

under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The revalidation of consent to establish is granted for a period upto commissioning of the project or 4.2.2018 (as per EC revalidation) whichever is earlier.
2. The capital investment of the IT Park is Rs. 681.61 Crs. (As per Undertaking submitted by PP)
3. The Consent is valid for IT Park named as M/s. New Found Properties & Leasing Pvt. Ltd., Gen 2/1/D, Gen 2/1/E, Gen 2/1/F of TTC MIDC Area, Navi Mumbai on total plot area of 237807.23 sq.m. & total BUA of 416221 sq.m. including utilities as per commencement certificate issued by local body

1. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	Nil	--	--
2.	Domestic effluent	2701	As per Schedule - I	60 % recycle and remaining to be discharge in Municipal sewer

2. Conditions under Air (P&CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	DG Set (2x1500 KVA)	2	As per Schedule - II
2.	DG Set (2x1250 KVA)	2	

Conditions under Municipal Solid Waste (Management and Handling) Rule, 2000:

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1	Biodegradable	0.57	Ton/Day	Biocomposting	Manure
		11.53	Kg/Day		Recycled

Conditions under Hazardous Waste (M. H & T M) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	E-waste					Sale to Authorised recycler

8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
10. PP shall submit the affidavit within 15 days in the prescribed format regarding the compliance of conditions of EC and C to E.
11. The applicant shall comply with the conditions stipulated in Environmental clearance granted by GoI vide no- 21-432/2007-IA.III dated 5.2.2008 and letter of validity extended for further 5 years by GoM vide no. 21-432/2007-IA.III dated 18.5.2013.

For and on behalf of the
Maharashtra Pollution Control Board

(Dr. P. Anbalagan, IAS)
Member Secretary

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	1353320	110478	23 Sep 2014	Axis Bank
2	9900	110879	01 Nov 2014	Axis Bank
3	296000	111050	24 Nov 2014	Axis Bank

Copy to:

1. Regional Officer - Navi Mumbai and Sub-Regional Officer- Navi Mumbai I, MPCB, Navi Mumbai. They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

Schedule 1

Terms & conditions for compliance of Water Pollution Control:

Treatment Plants (STPs) with the design capacity of 180 CMD each for 15 nos. of bldg.

B) The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board
		Limiting Concentration in mg/l, except for pH
01	BOD (3 days 27oC)	30
02	Suspended Solids	50
03	COD	100
04	Residual Chlorine	1ppm

C) The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, firefighting, Agriculture, on land for gardening etc and remaining shall be discharged in to the municipal sewerage system.

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made there under for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	460
2.	Domestic purpose	1712
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1878
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	00

Schedule II

Terms & Conditions for compliance of Air Pollution Control

1. As per your application, you have proposed to erect following stack (s) and to observe the following fuel pattern:-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UOM	S-%	SO ₂ Kg/Day
1.	DG Set (2x1500 KVA)	Acoustic enclosure	15 mtrs each	LDO	5500L/VD	1.8	198
2.	DG Set (2x1250 KVA)		12 mtrs each				

*= above roof of the building in which it is installed

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
--------------------	---------------	--------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule III
Details of Bank Guarantees

Sl. No.	Description of Bank Guarantee	Amount of BG	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent to establish (revalidation)	Rs. 10 lakh	Within 15 days of issue of consent	Towards compliance of consent conditions	Commissioning of the project or 19.2.2019 whichever is earlier.	19.2.2019

SRO NAVI MUMBAI

Schedule IV

Conditions during construction phase:

- a) During construction phase, applicant shall provide temporary sewage disposal and MSW facility for staff and work quarters.
- b) Air and noise levels during construction phase should be closely monitored to achieve Ambient Air Quality standards and Noise by the project proponent through MofK approved laboratory.
- c) Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 8) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 9) **The applicant shall obtain Consent to Operate from Board before commissioning of the project.**
- 10) **The industry shall comply with the E- waste (M & H) Rules, 2012.**
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 14) Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for maximum 25 dB (A) rise from background level and the ambient noise standards whichever is on higher side. A noise survey/assessment with insertion loss measurements should be carried out. The average amount of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measure.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 15) The industry should not cause any nuisance in surrounding area.
 - 16) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
 - 17) The applicant shall maintain good housekeeping.
 - 18) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
 - 19) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
 - 20) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
 - 21) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
 - 22) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
 - 23) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

-----0000-----

(Faint signature or stamp)