

MAHARASHTRA POLLUTION CONTROL BOARD

Office: Maharashtra Pollution Control Board, Maharashtra State, Matunga
 20, Sion Road, Sion, Mumbai - 400 022
 Phone: 2220 2222, 2220 2223
 Fax: 2220 2224, 2220 2225
 E-mail: mpcb@mahapolbo.org
 Website: www.mahapolbo.org



Consent to Operate No. BO/POI-II/EIC No. PN-163-09/O/CC 79 dtd 20.02.2010 20157 & 20028 140000 **4561** 21/04/2015

To,
 M/s. KSB Pumps Ltd (PVT).
 M/s. SRO Pimpri Chinchwad,
 Pimpri

Subject: Renewal of Consent to Operate with increased CI in RED category.
 1) Earlier Consent granted on said plant No. BO/POI-II/EIC No PN-163-09/O/CC 79 dtd 20.02.2010.
 2) Your application approved in CAU meeting held on 25.03.2015.

Your application:- CE1408000621 & CR1411000175.
 Dated: 12.08.2014 & 30.10.2014

Your application for renewal of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Waste (Management & Handling) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent is granted for a period from 01.11.2014 to 30.04.2016.
- The actual capital investment of the industry is Rs. 82.6 Crs. (Existing Unit:- Rs. 52.25 Cr + Expansion C.I. Rs. 30.35 Cr i.e total CI is Rs. 82.6 Cr as per C.A. Certificate submitted by industry).
- The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity
1	Centrifugal Pumps	7,158 Nos./Year
2	Centrifugal Pumps (Only for Labeling, Packing & Invoice)	22,842 Nos./Year

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	1.0	As per Schedule -I	Reuse/recycle and remaining on land for gardening
2.	Domestic effluent	50	As per Schedule -I	On land for gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of source	Number of Stack	Standards to be achieved
1	Process Stack	4	As per Schedule -II
2	DG set	4	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

Sl. No.	Description	Quantity	Unit	Frequency	Disposal Method
1.	Spent oil	5.1	KL	Year	CHWTSDF
2.	Waste Paint & residue	21.1	MT	Year	CHWTSDF
3.	Waste/residue containing oil	5.2	MT	Year	CHWTSDF
4.	Waste residue	23.1	MT	Year	CHWTSDF
5.	Process residue & waste	28.1	MT	Year	CHWTSDF
6.	E waste	31.1	MT	Year	Sale to authorized re-processor
7.	Chemical Sludge	34.3	MT	Year	CHWTSDF
8.	Discarded Containers/Barr els	33.3	Nos.	Year	Sale to authorized re-processor
9.	Asbestos containing residues	15.1	MT	Year	CHWTSDF

7. Conditions under Hazardous Waste (MH & CM) Rules, 2008 for treatment and disposal of hazardous waste:

Sl. No.	Description	Quantity	Unit	Frequency	Disposal Method
1.	Spent oil	5.1	KL	Year	CHWTSDF
2.	Waste Paint & residue	21.1	MT	Year	CHWTSDF
3.	Waste/residue containing oil	5.2	MT	Year	CHWTSDF
4.	Waste residue	23.1	MT	Year	CHWTSDF
5.	Process residue & waste	28.1	MT	Year	CHWTSDF
6.	E waste	31.1	MT	Year	Sale to authorized re-processor
7.	Chemical Sludge	34.3	MT	Year	CHWTSDF
8.	Discarded Containers/Barr els	33.3	Nos.	Year	Sale to authorized re-processor
9.	Asbestos containing residues	15.1	MT	Year	CHWTSDF

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. Industry shall submit an affidavit within one month stating that the production quantity and capacity of the machinery of the industry not increased due to increased capital investment.

For and on behalf of the
Maharashtra Pollution Control Board

(Dr. P. Anbalagan, IAS)
Member Secretary

Received Consent fee of -

Sl. No.	Amount (Rs.)	DD. No.	Date	Drawn On
1.	Rs. 75,100/-	080540	07.08.2014	Central Bank of India
2.	Rs. 1,25,100/-	033903	20.10.2014	HDFC Bank
3.	Rs. 62,400/-	035726	15.04.2015	HDFC Bank

Copy to:

1. Regional Officer -Pune- Sub-Regional Officer-Pimpri Chinchwad-They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website up-dation purposes.

Scheduled

Terms & conditions for compliance of Water Pollution Control

2) A] The Applicant shall provide a combined Effluent Treatment Plant (ETP) cum Sewage Treatment Plant (STP) with the design capacity of 60 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Limiting Concentration in mg/l, except for pH
01.	pH	5.5-9.0
02.	Oil & Grease	10
03.	BOD (3 days 27oC)	100
04.	Total Dissolved Solids	2100
05.	Suspended Solids	100
06.	COD	250
07.	Chloride	600
08.	Sulphate	1000

C] The industry shall reuse & recirculate 50% treated effluent in process and remaining shall be used on land for gardening/Plantation after confirmation of above standards. There shall not be any discharge outside the factory premises.

2) A] As per your application, you have provided the combined Effluent Treatment Plant (ETP) cum Sewage Treatment Plant (STP) with the design capacity of 60 CMD.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1)	Suspended Solids. Not to exceed	50	mg/l.
(2)	BOD 3 days 27oC. Not to exceed	10	mg/l.
(3)	COD Not to exceed	100	mg/l.

C] The treated domestic effluent shall be used on land for gardening purpose after confirmation of above standards. There shall not be any discharge outside the factory premises.

D] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.

3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall

obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

- 4) The primary duty of the Board of pollution control system is to ensure compliance of standard laid down of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sl. No.	Category of water discharge	Rate of cess (₹/MB)
1.	Industrial Cooling, spraying in mine pits or boiler feed	Nil
2.	Domestic purpose	55
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.0
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	Nil

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Schedule II
Terms & conditions for compliance of Air Pollution Control

.....
 In your application, you have provided details of pollution control (APC)

No.	Particulars	Material	Quantity	Material	Capacity	No.	Value
1.	DG Sets (500 KVA x 2 Nos.)	--	2 mtr each	HSD	100 Lit/hr	1	91.2
2.	DG Sets (580 KVA x 2 Nos.)	--	2 mtr each	HSD	150 Lit/hr	1	72
3.	Assembly Paint Booth No 1	Scrubber	10	---	---	---	---
4.	Assembly Paint Booth No 2	Scrubber	10	---	---	---	---
5.	Assembly Paint Booth No 3	Scrubber	12	---	---	---	---
6.	Assembly Paint Booth No 4	Scrubber	12	---	---	---	---

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
--------------------	---------------	--------------------------

- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

[Handwritten signature]

General Conditions:

- 1) The applicant shall provide facilities for collection of environmental samples and samples for trade analysis, for air emissions and hazardous waste, as per services rendered in this regard.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide access to the chimney/(s) and facilities such as ladder platform etc. for monitoring the air emissions and the same shall be open for inspection round for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as B 1, B 2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 8) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity (in case of Consent to establish).
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing input and output of chemicals used for treatment shall be maintained.

Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

- a) Industry should provide acoustic treatment for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - e) Industry should make efforts to bring down noise level due to DG set outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 19) The industry should not cause any nuisance in surrounding area.
- 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 21) The applicant shall maintain good housekeeping.
- 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

-----0000-----