

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781  
/4037124/4035273  
Fax : 24044532/4024068 /4023516  
Email : ast@mpcb.gov.in  
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga  
Scheme Road No. 8, Opp. Cine Planet Cinema, Near  
Sion Circle, Sion (E),  
Mumbai - 400 022

Consent order No :- BO/AST/E/EIC NO.AD-16020-1/CC - 4523

Date- 20/04/2015

To,  
M/s Mylan Laboratories Ltd.,  
H-12 & 13 ,MIDC Waluj ,  
Aurangabad.

Subject: Consent to Operate in Orange category LSI  
Ref : 1. Consent to operate granted on 11/02/2013.  
2. Consent to Establish granted on 22/07/2014  
3. Minutes of CC meeting held on 03/03/2015.

Your application :- : CR1411000485

Dated: :29/11/2014

For: 1st operate for expansion along with renewal and amalgamation of consent under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent is granted for a period up to 30/04/2016.
- The total capital investment of the industry is Rs. 415.63 Cr. As per CA certificate submitted by industry)
- The Consent is valid for the manufacture of -

Sr. No.	Product/By-Product Name	Maximum Quantity in Crore Nos./M
1.	Tablets	80
2.	Capsules	60

- Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (GM/D)	Standards to be followed	Best Practicable
1.	Trade effluent	275.0	As per Schedule - I	CETP
2.	Domestic effluent	75.0	As per Schedule - I	CETP

- Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. No.	Description of the source	Standards to be followed
1	Process Emission (7 Nos.)	As per Schedule - I
2	DC S/S (1000 KVA x 3)	As per Schedule - II
3	DG S/S (1000 KVA x 1)	As per Schedule - II
4	Steam Boiler (12 Nos.)	As per Schedule - II

29/11/2014

6. Conditions under Hazardous Waste (M, H & T M) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	5.1 Used /spent oil	5.1	12.00	KL/A	Nil	Sale to authorized recycler
2	15.2 Asbestos Containing waste	15.2	600	Kg/A	Nil	CHWTSDF
3	28.1 Insulation waste, glass wool, thermocol waste, Vials from quality control, discarded PPE	28.1	17.400	MT/A	Nil	CHWTSDF
4	28.3 off-specification drugs	28.3	180	MT/A	Nil	CHWTSDF/ Cement factory for Co-Processing
5	28.4 Date-expired, discarded and off-specification drugs / medicines	28.4	600	MT/A	Nil	CHWTSDF/ Cement factory for Co-Processing
6	28.5 Spent organic solvents	28.5	120	KL/A	Nil	CHWTSDF
7	33.3 Discarded containers / barrels / liners	33.3	12000	No./A	In house	Sale to authorized recycler
8	33.3 Discarded Liners / Polybags contaminated with hazardous chemicals / waste	33.3	60	MT/A	In house	Sale to Authorized recycler after decontamination / CHWTSDF
9	34.2 Toxic metal-containing spent resins from water purification	34.2	3.60	MT/A	Nil	CHWTSDF
10	34.3 Chemical sludge from waste water treatment	34.3	360	MT/A	Nil	CHWTSDF
11	35.1 Filters and filter material which have organic liquid	35.1	360	No/A	Nil	CHWTSDF
12	E-Waste	-	6.00	MT/A	Nil	Sale to authorized E-waste recycler/ re-processor
13	Discarded Tube lights	-	600	Nos./A	Nil	Sale to authorized E-Waste recycler / re-processor
14	Discarded batteries	-	180	Nos./A	Nil	Sale to authorized recycler/re-processor


Conditions under Non-Hazardous Solid Wastes for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Fly Ash Boiler	-	2400.00	Tons/A	In Brick mfg.	
2	PVC/PVDC/Alum. Foil	-	5.00	Tons/A		By Sale to authorized recycler

3	Glass Scrap	48.0	MT/A	By Sale to authorized recycler
4	G I Scrap	28.40	MT/A	By Sale to authorized recycler
5	Aluminum Scrap	8.40	MT/A	By Sale to authorized recycler
6	M.S. Scrap	72.00	MT/A	By Sale to authorized recycler
7	Wooden Scrap	96.00	MT/A	By Sale
8	Plastic Scrap	25.20	MT/A	By Sale to authorized recycler
9	Corrugated Drums/Fiber drums	48000	No/A	By Sale to authorized recycler
10	Garbage	360.0	MT/A	By Sale to authorized recycler
11	Corrugated Boxes/Paper Waste	120.0	MT/A	By Sale to authorized recycler
12	Clean Plastic/HDPE drums	72000	Nos/A	By Sale to authorized recycler

8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

For and on behalf of the  
Maharashtra Pollution Control Board

  
(Dr. P. Anbalagan, IAS)  
Member Secretary

Copy to:

1. Regional Officer -MPCB, Aurangabad and Sub-Regional Officer - MPCB, Aurangabad-I They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

Received Consent fee of -

Sl. No.	Amount (Rs.)	DD No.	Date	Bank/Br.
1	666500/-	782367	07/11/2014	HDFC Bank
2	100/-	782377	29/10/2014	HDFC Bank

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have proposed to upgrade existing Effluent Treatment Plant up to capacity of 275 CMD consisting of primary, secondary and tertiary treatment.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.no	Parameter	Standards prescribed by Board
1	pH	5.5 to 9.0
2	Oil & Grease	10 mg/l
3	Suspended Solids	100 mg/l.
4	BOD 3 days 27 ° C	30 mg/l.
5	COD	250 mg/l.
6	TDS	2100 mg/l.
7	Sulphate	1000 mg/l
8	Chloride	600 mg/l

C) Treated effluent shall be recycled to maximum end & remaining shall be discharge to CETP, MIDC Waluj.

- 2) A] The Applicant shall install sewage treatment system of capacity 75 CMD so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

- (1) Suspended Solids. Not to exceed 100 mg/l.
- (2) BOD 3 days 27°C. Not to exceed 100 mg/l.


B] 30 CMD Treated sewage shall be used for gardening & remaining shall be discharge to CETP, MIDC Waluj.

- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or/and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling and boiler feed	288
2.	Domestic purpose	00
3.	Processing whereby water gets polluted &	200

4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	Nil
5.	Gardening	10

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.



Environmental Clearance

**Schedule-II**

**Terms & conditions for compliance of Air Pollution Control:**


1. As per your application, you have proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APCS	Height in Mtrs	Type of Fuel	Quantity	Unit	SO <sub>2</sub> Kg/Day
1	Process Vents (17 Nos.)	Stack & Scrubber	15.00	---	---	---	---
2	DG Set -- 1500 KVA x 3 Nos.	Stack	30	HSD	360	Ltr/Hr.	172
3	DG Set -- 500 KVA x 1	Stack	30	HSD	120	Ltr/Hr.	57.6
4	Steam Boiler	Stack	42	FO	5.0	KL/Day	450
5	Steam Boiler			Briquettes	15.0	MT/Day	432

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .
--------------------	---------------	--------------------------


3. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance/CREP guidelines.
4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipments.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary)



Schedule-III

Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to O	5 lakh	15 days	Towards Operation & maintenance of pollution control system	30/04/2016	30/08/2016



POLLUTION CONTROL BOARD

## Schedule-IV

### General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 3) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 4) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 5) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 6) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 7) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 8) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 9) The applicant shall make an application for renewal of consent at least 60 days before the date of expiry.
- 10) Industry shall strictly comply with the Water (P&CP) Act, 1971, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules, 1986 which are available on MPCB website([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 11) The industry shall constitute an Environmental cell with qualified staff/personnel to day to day compliance of consent conditions towards Environment Protection.
- 12) Separate drainage system shall be provided for collection of trade and sewage effluents. The collection outlets shall be provided at the end of the collection system which shall be connected to the sewer line. No effluent shall be returned to the

