

MUMBAI AIR AND WATER POLLUTION CONTROL BOARD

Office No. 20181
 Phone No. 268771
 Fax No. 2623476
 Website: www.mawpcb.org



Regional Office
 1st floor, Shiv Mulani
 1st Floor, Chandra Cinema, Near
 T. Nagar

Consent order No/Format 1.0/BO/CAC-cch/EIC-MU-6590-14/E/CAC. 458)
 Date: 22/04/2015

To,
 M/s. Saifee Burhani Upliftment Trust,
 B/43, 19th floor, Hussaini Tower, Raudat Tahera Street,
 Bhendi Bazaar, Mumbai-400003

Subject: Consent to Establish for residential and commercial Building Construction project under Redevelopment scheme in Grange category.

- Ref :
1. Environmental Clearance granted vide no. SEAC-2010/C.R-531/T.C.-2 dated 3.5.2013.
 2. Your application approved in 1st CAC meeting of 2015-16 held on 15.4.2015.

Your application: CE1502000501
 Dated: 10 Feb 2015

For: Consent to Establish for Building/Construction project under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M. H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period up to commissioning of the project of 5 years whichever is earlier.
2. The proposed capital investment of the project is Rs. 2945 Crs (As per undertaking submitted by project proponent)
3. The Consent to Established is valid for construction of redevelopment project (residential cum commercial) of M/s. Saifee Burhani Upliftment Trust on plot bearing C.T.S. no. C.S. No. 3571 to 3576, 1/3572, 3577 to 3592, 3601 to 3616, 1/3609, 4394,4396, 3671 to 3677, 1/3673, 3653 to 3670, 3638 to 3652, 1/3643, 1/3644, 1/3652, 3628 to 3637, 1/3626, 3627, 4186 to 4198, 4179 to 4184, 4199 to 4220, 4232 to 4250, 4251 to 4263, 4280 to 4291, 1/4281, 4275 to 4279, 4292 to 4298, 1/4299, 4300, 4303 to 4305, 4306, 1/4308, 4309, 4310, 4312 to 4314, 1/4309, 4315 to 4326, 4264 to 4268, 4270 to 4272, 4273, 4274, 4161 to 4178, 4221 to 4231, 1/4227, 4327 to 4341, 4342,4343,4358,4361 of Bhuleshwar Division in C-Ward, situated at Maulana Shaukatali road, S.V.P. road, mutton street & Ebrahim Rehmatullah road known as Bhendi Bazaar, Mumbai 400003 on total plot area of 66264.74 sq.m. and total construction built up area 707275.67 sq.m. (FSI+ Non-FSI) including utilities and services as per construction commencement certificate issued by local body.

1. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	0.00	NA	NA
2.	Domestic effluent	3413.00	As per Schedule -I	60 % recycle and remaining discharge to municipal sewer

7. Conditions under Air (Prevention and Control of Pollution) Act, 1986 for air emissions:

S. No.	Type of Waste	Quantity	GoM	Treatment	Disposal
2	DG Set (320 KVA)	3		As Per Schedule -II	
3	DG Set (250 KVA)	1		As Per Schedule -II	
4	DG Set (380 KVA)	1		As Per Schedule -II	
5	DG Set (200 KVA)	1		As Per Schedule -II	
6	DG Set (750 KVA)	1		As Per Schedule -II	

8. Conditions under Municipal Solid Waste (Management and Handling) Rule, 2000:


S. No.	Type of Waste	Quantity	GoM	Treatment	Disposal
1	Biodegradable Waste	8982.00	Kg/Day	OWC or other suitable latest technology	Manure
2	Non-Biodegradable Waste	4439.00	Kg/Day	Segregated	Handed over to MCGM
3	STP Sludge	501.00	Kg/Day	As actual	Manure

9. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste

S. No.	Type of Waste	Quantity	GoM	Treatment	Disposal

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. PP shall submit the affidavit within 15 days in the prescribed format regarding the compliance of conditions of EC and C to E.
11. The applicant shall comply with the conditions stipulated in Environmental clearance granted by GoM vide no. SEAC-2010/CR-531/TC-2 dated 3.5.2013.

For and on behalf of the
Maharashtra Pollution Control Board


(Dr. P. Anbalagan, IAS)
(Member Secretary)

Received Consent fee of -

S. No.	Amount (Rs.)	DD. No.	Date	Drawn On
1	5890100	368308	05 Feb 2015	Standard Chartered Bank

Copy to:

Regional Officer, Mumbai and Sub-Regional Officer MPCB, Mumbai-I -- They are directed to ensure the compliance of the consent conditions.

1. Chief Accounts Officer, MPCB, Mumbai.
2. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control

from the total design capacity at 4768 CMD.

- E) The Applicant shall operate the effluent treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, which are as following.

Sr No.	Parameters	Standards prescribed by board
		Limiting Concentration in mg/l, except for pH
01	BOD (3 days 27oC)	30
02	Suspended Solids	50
03	COD	100
04	Residual Chlorine	1ppm

- C) The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, firefighting, on land for gardening etc and remaining shall be discharged in to the municipal sewerage system.
- D) Project proponent shall operate STP for five years from the date of obtaining occupation certificate.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made there under for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	3839.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

Schedule-II

Form for compliance of Air Pollution Control

1. As per your application you have proposed to install the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern:-

No.	Capacity (KVA)	Acoustic enclosure	Height (m)	Fuel Type	Capacity (kg/hr)	Height (m)	Ratio	Capacity (kg/hr)
1	DG set (180 KVA)	Acoustic enclosure	2.7*	Diesel/LDO	29.5	kg/hr	1/1.5	14.18/25.5
2	DG Set (320 KVA x 3)		3.6* each		52.5 each			25.2/45.36
3	DG Set (250 KVA)		3.2*		41			19.68/35.42
4	DG Set (380 KVA)		3.9*		62.3			29.9/53.8
5	DG Set (200 KVA)		2.8*		32.8			15.74/28.33
6	DG Set (750 KVA)		5.5*		123			59.04/106.27

* Above roof of the building in which it is installed or the nearest tallest building.

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.


Particulate matter	Not to exceed	150 mg/Nm ³ .
--------------------	---------------	--------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



Statement of
Financial Performance

Sl. No.	Particulars (to be E/S/R)	Amount (Rs.)	Period (to be specified)	Particulars (to be specified)	Amount (Rs.)	Period (to be specified)
1	C to E	Rs. 10 lakh	Within 15 days of issue of consent	Toward compliance of consent and conditions of COU or 5 years and EC whichever is earlier		Five years + 4 months



RECEIVED BY THE BOARD OF DIRECTORS

Schedule-IVConditions during construction phase

- a) The applicant shall provide separate building for staff and worker quarters.
- b) During construction phase, the ambient air and noise quality shall be strictly monitored to achieve Ambient Air Quality Standards and Noise by the project proponent through MOEF approved laboratory.
- c) Noise generating activity shall be carried out during day time only.

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 8) **The industry shall comply with the E- waste (M & H) Rules, 2012.**
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) **The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity.**
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution



control system. A register showing consumption of chemicals used for treatment should be maintained.

14) Conditions for D.G. Set

- a) Noise level of the D.G. set shall not exceed the permissible limit as prescribed by the Government of Maharashtra.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 15) The industry should not cause any nuisance in surrounding area.
- 16) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 17) The applicant shall maintain good housekeeping.
- 18) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 19) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 20) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 21) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 22) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 23) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt/16.11.2009 as amended.

