

## MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010467/4020781  
 4057124/4035273  
 4010530/4024068/4025512  
 Email : [info@mpcb.gov.in](mailto:info@mpcb.gov.in)  
 Website : [www.mpcb.gov.in](http://www.mpcb.gov.in)

Office : Plot No. 2, 4th floor, Shiv Matruje  
 Building, 6, Opp. Cine Planet Cinema, Near  
 Shiv Matruje Building, 6, Opp. Cine Planet Cinema, Near  
 Shiv Matruje Building, 6, Opp. Cine Planet Cinema, Near

Consent under Rule - Formated by BOARD OF P&CP, M. H & T M, 1974 Act. 4582  
 Date: 22/04/2015

To:  
 M/s. USV Limited,  
 Plot no: D-115, MIDC, TTC Industrial Area,  
 Shirwane Navi Mumbai.

Subject: Renewal of Consent to Operate with increased CI under Red category.  
 Ref : 1. Earlier Consent granted vide no. BO/PAMS/O/BIC no.NM-2279-11 /CC-25 dated: 22/02/2011.  
 2. Your application approved in CAC meeting held on 15.04.2015

Your application: CR1501000276  
 Dated: 03/01/2015


For: Renewal of Consent to Operate with increased CI under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period from 30.01.2015 to 30.04.2019.
2. The actual capital investment of the industry is Rs.96 crs. (As per CA Certificate submitted by industry)
3. The Consent is valid for the manufacture of -

Sr. No.	Product/By Product Name	Maximum Quantity
1	R&D Activity/Pilot plant/Biotech Products (Filgrastim, Peg-Filgrastim and Somatropin)	5 kg/day

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	52	As per Schedule -I	CETP
2.	Domestic effluent	7	As per Schedule -I	



5. Conditions under Air (Prevention) Act, 1981 for air emissions:

Sr.	Description of Waste	Number of Stack	Standards to be achieved
1	...	...	As per Schedule II
2	...	...	As per Schedule II
3	DCM (750 KV)	...	As per Schedule II

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Disposal
1	Glass Bottles	30 Kg/M	By Sale
2	Paper Carbon	50 Kg/M	
3	Paper plastic waste	50 Kg/M	
4	wood	20 Kg/M	

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UoM	Treatment	Disposal
1	Used Oil	5.1	90.00	Ltrs/M	-	Sale to authorized recycler
2	Wastes/residue containing oil	5.2	5.00	Kg/M	-	CHWTSDF
3	Residues and wastes*	28.1	11.00	MT/M	-	CHWTSDF
4	Discarded containers / barrels / liners	33.3	35	Nos/M	-	sale to authorized party after decontamination
5	Flue gas cleaning residue*	34.1	200.00	Kg/M	-	CHWTSDF
6	Toxic metal-containing residue from water purification	34.2	50.00	Kg/M	-	CHWTSDF
7	Chemical sludge from waste water treatment	34.3	100.00	Kg/M	-	CHWTSDF
8	Chromium sludge from cooling water treatment	34.5	10.00	Kg/M	-	CHWTSDF

2. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
3. This consent should not be considered as a guarantee from obtaining necessary pollution permit from any other Governmental authorities.

and on behalf of the  
Maharashtra Pollution Control Board

(Dr. P. Anbalagan, IAS)  
Member Secretary

Received Consent fee of -

Sr. No.	Amount (Rs.)	Sl. No.	Date	Drawn On
1	75000.00	299320	30/12/2014	Deutsche Bank
2	625000.00	297481	19/11/2014	Deutsche Bank
3	100.00	297482	19/11/2014	Deutsche Bank

The balance fees of Rs 93750/- shall be considered at the time of next renewal.

Copy to:

1. Regional Officer -Navi Mumbai and Sub-Regional Officer-SRO Navi Mumbai MPCB, Navi Mumbai They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

Schedule I

Schedule I - Standards for Compliance of Water Pollution Control.

1) A] As per your submission, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 60 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (if any)
		Limiting Concentration in mg/l, except for pH
01	pH	Between 5.5 to 9.0
02	Oil & Grease	10
03	BOD (3 days 27°C)	100
04	Suspended Solids	100
05	COD	250
06	TDS	2100
07	% Sodium	60%
08	Chloride	600
09	Sulphate	1000

C) The treated effluent shall be discharge to the CETP.

2) A.] As per your consent application, you have provided septic tank and soak pits and overflow is connected to ETP.

B] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.

3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or/and extension or addition thereto.

4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.



5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1986 and as amended, by installing water treatment plant with the following and other provisions as mentioned in the following table:

Sr. no.	Purpose for water treatment	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in some pits or boiler feed	27.00
2.	Domestic purpose	8.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	50.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

*[Handwritten signature]*

*[Faint watermark text: WATER POLLUTION]*

Schedule II

Details of Equipments for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following meter pattern-

No.	Equipment	System	Capacity	Fuel	Capacity	Height	Location
1	Boiler (2 nos) 1 stand-by)	Stack	30	FO	1000 Kg/D	45	90
2	Process stack	Acid mist scrubber	15	NA	NA	NA	NA
3	D.G.Set (750 KVA)	Stack	6.50	HSD	150 Kg/Hr	1	72

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:


Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .
Acid Mist	Not to exceed	35 mg/Nm <sup>3</sup>

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

*[Handwritten Signature]*

Annexure III  
Benchmarks Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Subsided on Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	5 Lakhs	15 days	O and M Pollution Control System	30.04.2019	30.08.2019



Schedule

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and analysis of trade and sewage effluents, rain water and hazardous waste to the satisfaction of the Board for the purpose rendered in this behalf.
- 2) If the "MFM" pipeline is broken/overloading chamber, in such cases industry shall not allow the near created effluent may collect in the tank to be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 13) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.





- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluent from the factory.
- 16) The applicant shall install a separate meter showing the consumption of water for a separate building or industrial effluent treatment plant and the same shall be maintained.
- 17) Conditions for D.G. Set
- noise from the D.G. set should be controlled by providing an acoustic enclosure by treating the room acoustically.
  - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 15 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 18) The industry should not cause any nuisance in surrounding area.
- 19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20) The applicant shall maintain good housekeeping.
- 21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end, with the Environment Statement.
- 22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

—0000—

