# MAHARASHTRA POLITITION CONTROL BOARD

Faone : Aparem - 200 cm Mont 19- in object Requataru Point Brd & 4th floor For 17 - Scheme Road No. 8 One Che chang such a la la Son Circle Sion (E).

East Local

The state of the s

RRD/LSI

Ta.

MI/s. Shri Gurndatta Sugar Ud., G. No. 61, A/p - Takliwadi,

Tal. Shirol, Dist. Kolhapur.

Subject: Connect to Establish for expansion of 2400 TCD Sugar unit under RED category.

Ref

: I. Consent to Operate granted by the Board to the existing unit vide no. BO/CAC CELL/EIC-KP-15741-14/R/CAC-10200 dtd. 04.11.2014.

2. Minutes of CAC meeting held on 28.11.2014 & 15.04.2015.

Your application: CE1407000465. Dated: 04.07.2014.

For: Consent to Establish for expansion of 2400 TCD Sugar unit under RED category, under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent is granted for a period up to Upto commissioning of the unit or 5 yrs. whichever is earlier.
- The capital investment of the expansion is Rs. 38.19 Cr. & Capital investment of the existing sugar & Co-gen unit is Rs. 159.07 Cr. (As per the C. A. certificate submitted by industry)
- 3. The Consent is valid for the manufacture of -

	Ste No.	Pyonna / By-Ryonna) Name	Maximum Quantity in MT/M
į	1	Sugar	8969
Ì	2	Pressmud	2690
	3	Molasses	2690
	4	Baggase	18967

(The cane crushing Capacity of Sugar Industry shall not exceed 2400 TCD)

: Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	225	As per Schedule -l	On land for Gardening.
2.	Domestic effluent	Nil	NA	NA

M/s. Shra Gwadatta Sugar Ltd., SRO Kolhapin /1/R/L/052/48600

Page Lof 9

Annahous and the CP Act. 1981 for governission to the continuis to be an action of the continuis to be an action of the continuity of the

Above menous a policie are existing Holland & Industrial and Assembly from those Rollars.

conditions about For Hazardous Wastes:

	Two Of Waste	Quantity & Treatment	Disposal
i faki.		UoM	
1	ETP Sludge	2.8 MT/M -	Used as Manure

Conditions under Hazardous Waste (MB & TM) Rules, 2008 for treatment and disposal of hazardous waste:

An Arresta di maderia	والمؤلف للدراء بعمو فيستقدم أرواءها والمحارب فيعوره	ولا يرافيد الوجودية بالقرابية والرزاء الماد دواست	والمناورة والمسيورة فالمناوة والأوارية	yan biga was barbarana	and all remembers arranged the	to billion the comment
			(医复数医复杂类) 医前线点		·	TO BE SEED A SECTION OF THE SECTION
1 20x 1 x 1		Haddidd Halling Salain (1984)	New Mind Committee in the		The second secon	and the contract of the contra
process wants	of the that was to assume that were consumingly		and the second	and the second		
Barrie Allegania	<ul> <li>Potential of Control of Control</li></ul>	State of the second state of the second	and the relation of the beauty	PER	Annual Commence of the Commenc	
EL TELEFOLI MEDIANO		and the same and the same and the same		Committee of the Commit		1 2 2 2 2 2 2 2
1 . 1	9.3 37.73 . 11	1 - 1	0.11	L A 1713	Adixod with	Fired in boiler
1 1 1	Lised/ Spent off	10.1	$\cup$ . $\circ$	177.1	MINGG WILL	1 3 Hear III Donier
1 7	cane con a discount and	1				
1 1		!			Bagasse	
		į t		1	: Dagabet	
1 1				L		

- The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10. Sub Regional Officer reported that industry has carried out excess crushing without obtaining Consent of the Board and violated the Environmental Laws. Hence industry shall submit the resolution from the industry's Board within a 15 days stating that they have exceeded the crushing and violated the provisions of Environmental Laws & in future they will not do such violations.
- H. Industry shall not operate expansion activity without obtaining Consent to Operate for expansion, from Board.
- 12. Industry shall comply the Directions of the CPCB issued vide dtd. 05.02.2014 & 02.03.2015 regarding installation of online monitoring system and shall install online effluent quality monitoring system for the parameters flow, pH, BOD, COD & TSS by 30.06.2015 and shall connect, upload the online effluent monitoring data at MPCB and CPCB server & submit the Bank Guarantee of 100% of the cost of online monitoring system for ensuring timely installation of the online monitoring system by 30.06.2015.

For and on behalf of the Maharashtra Pollution Control Board

> (Dr. P. Anbalagan, IAS.) Member Secretary

Received Consent fee of -

ISTER	Amounu(RSV)	EDD TO	Dake	Drawn On
1	Rs. 75000/-	277565	17.06.2014	Federal Bank.
$\sqrt{2}$	Rs. 100/-	277584	23.06.2014	Federal Bank.

M/s-Shri Gurudatta Sugar Ltd., SRO Kolhapur/I/R/L/05248000

Page Zof 9

top5					
, ,	1 2875 0	5.3 5.2 2 2 5.5	4 5 5	 A	OO

Regional Officer Mitter to the anteque & Sub-Regional Officer, M.P.C. Board Rathman. They are discount to the compliance of the consent conditions.

3. CAC desk- for record & website application purposes.

M/s. Shri Garedatta Sugar Ltd., SRO Kolhopur/I/R/L/05248000

Page 30f 9

### Privacios <u>(2011), anacei Water Poliniton Compa</u>

6) Co. Applicant shall operate the effluent treatment plant (EFF) to treat the trade collision so as to achieve the following standards prosecibled by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	; ar ameters	Standards prescribed by Board (it any)		
		Limiting Concentration in mg/l, except for pH		
01	pН	5.5-9.0		
02	Oil & Grease	10		
03	B. O. D.	160		
04	C. O. D.	253		
05	T. D. S.	2100		
06	Chlorides	600		
07	Sulphates	1000		
08	Suspended Solid	100		

- C) The treated effluent 225 CMD of shall be disposed on own land of 39.39 acres for gardening/irrigation.
- D] CREP conditions for Sugar Factory
- i. Operation of ETP shall be started at least one month before starting of cane crushing to achieve desired MLSS. So as to meet prescribed standards from day one the operation of mill.
- ii. Waste water generation shall be reduced to 100 liters per tone of cane crushed.
- iii. Industry shall achieve zero discharge into in land surface water bodies.
- iv. 15 days storage capacity tank shall be provided for treated effluent to take care of no demand for irrigation.
  - E] Industry to make necessary arrangement to cover the effluent collection system and to avoid the ingress of Bagasse other material.
  - F] Industry shall provide flow meter at Inlet of ETP of Sugar & Co-Gen Units, and to maintain the record with data logging system.
- 2) As per your consent application, Sewage generation from the expansion activity is NIL.
- 3) The industry shall have bilateral agreement with the farmers on whose land the treated effluent is used for irrigation purposes and a copy of the agreements with validity shall be submitted to the Regional/Sub-Regional Office of the Board.
- 4) The industry shall create Environmental Cell by appointing an Environmental Engineer. Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.

#### 5) CONDITIONS FOR MOLASSES STORAGE:

(i) The molasses shall be properly collected and stored in steel tanks which shall be leak proof. At no stage of handling of molasses, there shall be leakage or spillage.

M/s-Shri Guradatta Sugar Ltd., SRO Kolhapur/I/R/L/05248000

Page 4of 9

- The expanity of the six for those or on molasses shall be such that it will take core of (11)
- bumper predictions of the long of molasses exceeds the precided with the control of water one of the control of the precided with the for accidental discusses of a consequency taken the lanes some or provided in the consequence. same within Lietory premises
- Destruction of undarround in Hejeral shall not be done without specific permission in writing from the authorized officer of the Board. Intimation of intention to destroy or dispose of the melasses study be given to the Board at least 15 (fifteen) days in advance of registered post total a infimation to the Sub-Regional officer and Regional officer of the Board under whose jurisdiction the factory is situated.
- The storage tanks shall be kept in good conditions all the year round with adequate (V) maintenance. The tanks size and capacity per cm, height, total capacity in tones shall be displayed prominently near /on the tank.
- The face conditions shall be in addition to and not in designation of the provisions contained in the "Bombay Molasses Rules, 1955" and "Maharashtra Molasses Storage and Supply Regulation, 1965"
- 6) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. ne	o. Purpose for water consumed	Water consumption quantity (CMD)
1.	industrial Cooling, spraying in mine pits or boiler feed	22 <b>5.00</b>
2.	Domestic purpose	000.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	500.00
F	Processing whereby water gets polluted & pollutants are not easily biodegradable and are	-
	toxic	

7) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

M/s. Shri Garudatta Sugar Ltd., SRO Kolhapur/1/R/L/05248000

Page 5of 9

#### Schooling

terms & conditions in rangelimber of Air Politica Control

the constraint also proposed to erect following the kell and to observe the inflowing fuel pattern-

					\$17/651.500
1. Boiler (70 TPH)	Wet Serubber	65	Bagasse	271	0.2 % 1084
2. Boiler (40 TPH)	ESP	V.	177040000	MT/D.	

Above mentioned Boilers are existing & industry will utilize these Boilers for steam. Fuel consumption for existing unit is 876 MT/D & for the expansion consumption is 271 MT/D. Hence total feed consumption after expansion will be 1147 MT/D

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- 3. The applicant shall operate and maintain above mentioned air pollution centrol system, so as to achieve the level of pollutants to the following standards:

Particulate Not to exceed	150 mg/Nm <sup>3</sup> .	
matter		_

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

## Details or punk quarantees

Sr.		Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
		145. 10/-		conditions of Consent to Establish.	Obaman	1 Vear
2.	la mara esta esta esta esta esta esta esta est	Rs. 2/-	15 days	Submission of Board Resolution as per Consent condition no. 10.	15 days.	1 Year
3.	expansio n.	100% of the cost of online monitorin g system	15 days	installation of online monitoring system as per the Directions of CPCB.	30.06.1015	) Year

### Schedule W General Conditions.

will provide theirs for eather than it and a time of complex and samples of and the state of the same of t an agginieu punits and some part of the

ivoluni

. i... if propitor offluent quality, stack emissions and ambient air quality monthly quarterly.

the mentered shall provide ports in the charmey for and facilities such as ladder, platform and the manutering the air emissions and the same shall be open for inspection toland for use of the Bourd's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.

Whenever due to any accident or other enforcement or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Points and account of Directorate of Health Services, Department of Explosives, Inspectorate of Sectories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control

production to abide by terms and conditions of this consent.

The firm shall submit to this office, the 30th day of September every year, the 6) Environmental Statement Report for the financial year ending 31st Abarch in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.

The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision

contain in the HW(MH&TM) Rules 2008, which can be recycled

/processed/reused/recovered and only waste which has to be incinerated shall go to 8) incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.

The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and 9) submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.

An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.

The applicant shall obtain Consent to Operate from Maharashtra Pollution 11) Control Board before actual commencement of the Unit/ Activity.

Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).

Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

14) Neither storm water nor discharge from other premises shall be allowed to mix with the

effluents from the factory.

The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

Conditions for D.G. Set

a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

M/s Shri Garudatta Sugar Ltd., SRO Kolhapur/I/R/L/05248000

- b) including a particle product which we are control of noise. The abundance presented around the action of the second for minimum 25 dB (A) was grown before morning the colors of making the individual production of the morning the colors of making the residual production of the making the making the colors of the colors of the making the colors of the
  - msertion loss will be defined from the control of t
- c) Industry classic make offerts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- i) Installation of Dei Sea must be saverly in compliance with recommendations of Dei Sea manufactures.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- e) The applicant should not cause any nuisance in the surrounding area due to operation of
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.
- 27) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
- 28) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

----0000----

M/s. Shri Gurudatta Sugar Ltd., SRO Kolhapur/I/R/1./05248000

Page 9of 9