MAHARASHTRA POLLUTION CONTROL BOARD

Phone

4010437/4020781

/4037124/4035273

Fax Email 24044532/4024068 /4023516

enquiry@mpcb.gov.in

Visit At :

http://mpcb.gov.in

MAHARASHIRA

Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near

Sion Circle, Sion (E), Mumbai - 400 022

Consent order No: - format1.0/BO/AST/EIC.No-RD-2953-15/Raigad/R/CC- 4923 Date-29/04/2015

To,

Unichem Laboratories Ltd, Plot No-99, MIDC Dhatay, Tq-Roha, Dist-Raigad, Maharashtra, India.

Subject: Consent to Operate RED category.

: 1. Earlier Consent granted vide No:-BO/PAMS/R/EICNO.RD-2236-11/CC-496 Dtd-24/07/2012 valid upto-31/12/2014.

2. Your application for renewal of consent, dated: 16/10/2014.

3. Minutes of CC meeting held on dtd:-10/04/2015.

For: Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

The consent is granted for a period from 31/12/2014 to 31/12/2015.

The actual capital investment of the industry is Rs.70.98 Crs. (As per CA Certificate submitted by industry).

The Consent is valid for the manufacture of-

31 7/0	Products	Maximum Qhaming Standing
1_	Metronidazole IP/BP/EP/USP	269.00
2	Zolmitriptan	0.02
3	Bisoprolol Fumerate EP/USP	8.00
4	Bendroflumethiazide IP/BP/EP/USP	2.00
5	Meloxicam BP/EP/USP	5,00
6	Amlodipine Maleate	3.00
7	Tizanidine HCL. IP/USP	0.05
8	Clonidine HCL/ IP/BP/EP/USP	0.03
9	Donepezil Hydrochloride IP/USP	0.23
10	Buprenorphine HCL IP/BP/EP/USP	0.03
11	Brimonidico Partrate	0.02
12	Labetalol Hydrochloride JP/BP/EP/USP	5.00
_13	Aripiprazole	0.20
14	Fenofibrate EP/USP	
15	Rizatriptan Benzoate	5.()()
16	Lacidipine BP	0.01
17	Tamsulosin Hydrochloride LP/EP/USP	0.02
10	Pramipexole Dihydrochloride Monohydrate EP/USP	0.02

19	Tiagabine Hydrochloride USP	0.02
20	Hydrochlorothiazide IP/BP/EP/USP	60.00
21	Tolterodine Tartarate	0.05
22	Amlodipine Besylate IP/BP/LP/USP	20.00

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr.	D			
or.	Description	Permitted quantity	Standards to be	Disposal
no.		of discharge CMD)	achieved	Disposar
1.	Trade effluent		As per Schedule -I	CEUD
2.	Domestic			
1	effluent		As per Schedule -I	CETP
			I	

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Elite Boiler / Thermic Fluid Heater	1	As per Schedule -II
2.	Thermic Fluid Heater/ steam pack	1	As per Schedule -II
3	Thermic Fluid Heater/	1	As per Schedule -II
$\frac{4.}{2}$	DG Set (180 KvA)	1	As per Schedule -II
$\frac{5}{c}$	DG Set (750 KvA)	1	As per Schedule -II
6	Scrubbers	13	As per Schedule -II

6. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

E CONTRACTOR O				'A.,		
.⇔ 101	Type Of Waste	Centeranty	(Preside	e iskalika	Dication	Distost
2	Used /spent oil Date-expired, discarded and off-specification drugs	5.1 28.3	1.00	MT/A MT/A	and the state of t	Sale/CHWTSDF CHWTSDF
3	Spent mother liquor	28.4	2.00	MT/A		CHWTSDF
4	Spent organic solvents	28.5	260.00	MTVA		CHWTSDF/ Sale to Authorised Parties
5	Discarded containers / barrels / liners	33.3	4000.00	Nos/A		Sale to Authorised Parties
6	Flue gas cleaning residue	84.1	1.00	MT/A		CHWTSDF
7	Toxic metal- containing residue from water purification	34.2	0.50	MT/A		CHWTSDF
3	Chemical Studies from White verter	34.3	18.00	NEE/A		CHWTSDF
		i		:	1	

Page 2 of 9

	treatment				
9	Filters and filter material which have organic liquid		0.50	MT/A	 CHWTSDF
10	Wastes/residue containing oil	5.2	1.00	MT/A	Sale/CHWTSDF
11	Distillation residues	20.3	3.00	MT/A	 CHWTSDF
12	Residues and wastes	28.1	15.00	MT/A	 CHWTSDF
13	Spent catalyst / spent carbon	28.2	20.00	MT/A	 CHWTSDF

- 7. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities
- 9. Industry shall carry out Solvent recovery Study from Reputed institute within three months period and shall achieve BOD parameter standards to 30 mg/l instead of 100 mg/l within six months period.

For and on behalf of the Maharashtra Pollution Control Board

> (Dr. P. Anbalagan, IAS) Member Secretary

Received Consent fee of-

trace consent tee to	1	v	
Asin (manage Reco)			
	The second second	7 7 7 7 7 7 7 7	
	Compression of Compression Com	Date of the Books and refer spaces	2860 142
Landing the second seco		Professional Contract of the C	
Large Control of the			
	1.72		
770100		The state of the s	v. 54,225 v. 534
± 1 ± 550100	1029610	07/13/00	7000
1330100	1940010	$\perp Z(I) \perp I/201A \rightarrow R_{out} = e = x$	
Withouddition for at Di		27/11/2014 Bank of India	- 1
"The addition for "CD:	1 10 00 0		1

"The addition fee of Rs.140, 000 on the increase in C.I from 2011 till date and one year fee (1.0 lakh) upto-31/12/2015 is recovered from above fee paid balance Rs.3, 10,000/- with the Board will be considered while granting further renewal of consent.

Copy to:

- 1. Regional Officer -Raigad and Sub-Regional Officer-Raigad-II MPCB- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website Updation purpose a

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 300.0 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and

Rules made there under from time to time, whichever is stringent.

Sr N	o.Parameters	Standards prescribed by Board.
	I. Compulsory Parameter	ers Limiting Concentration in mg/l, except for pH
01	рН	6.5 to 8.5
02	Suspended Solids	100
03	BOD (3 days 27 °C)	30
04	COD	250
05	Oil & Grease	10
06	Sulphate	1000
07	Chlorides	600
08	% Sodium	60%
09	TAN	50 3

C) The treated effluent shall be recycled to maximum extent in the process and remaining 48 CMD shall be discharge to CETP for further treatment & disposal.

A] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) Suspended Solids.

Not to exceed

mg/l.

BOD 3 days 27oC. (2)

Not to exceed

100 mg/l.

B] The treated sewage shall be soaked in a soak pit, which shall be got cleaned periodically. The treated sewage shall be disposed to CETP.

3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or extension or addition thereto.

4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and

safety of the operation thereof.

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess

returns in Form-I and other provisions as contained in the said act

	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	80.0
2.	Domestic purpose	30.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	100
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	
5.	Gardening/irrigation/plantation	00

6) The Applicant shall provide Specific Water Pollation control system as per the conditions of EF Act, 1936 and rule made there under from time to thee/ Environmental Clearance / CREP guidelines.

Schedule-II TARME & conditions for compliance of Air Pollution Controls

1. As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

CICCU	a ionowing stack	(s) and to (observe the	following fue	l pattern-		
	Simmer	7,417	Haga	Algres of	Coremona.	ik-	3(6)
27/(1	Elite Boiler	The North Continue	STATE WATER	Hinch	ik dingara	MH 22	Teach
1	James Donce	Jouack	35.0each	F.O	250 ltrs/hr	4.5	540
	Thermic Fluid		Year or many				
	Heater						
2	Thermic Fluid		21.0each	F.O	80 ltr/hr	$\frac{1}{4.5}$	172.8
	Heater/ steam						1.2.0
3	pack						ļ
13	Thermic Fluid	stack	23.0	F.O	50 ltr/hr	4.5	43.2
4	Heater/		-				
l 4F	DG Set (180 KVA)	Closed	3.5	Diesel	40 ltr/hr		
		enclosur		10000			
5	DG Set (750	es					
1	DG Set (750 KVA)	Closed	3.5	Diesel	130 ltr/hr		
İ	1X V 2-X)	enclosur					
6	Plant S-6	es Scrubber	11				
	1 14110 5-0	Scrubber	Above	NA	NA	NA	NA
7	Plant S-7	Scrubber	roof	I with			
	T Rette S-,	Strubber	Above	NA	NA	NA	NA
8	Plant S-8	Scrubber	roof 10.0	1 373			
9	Plant S-9	Scrubber	3.0	NA.	NA	NA	NA
10	Plant S-10	Scrubber	3.0	NA	NA	NA	NA
11	Plant S-11	Scrubber		NA	NA	NA	NA
	T terror to TT	Scrubber	Above	NA	NΛ	NA	NA
12	Plant S-12	Scrubber	Above	NT N			
		Detubbet	Above "roof	NA	NA	NA	NA
13	Plant S-13	Scrubber	Above	A 7 4			
		Serubbet	roof	NΛ	NA	NΑ	NA
14	Plant S-14	Scrubber	Above	NA -			
		·	roof	IN/A	NA	NA	NA
15	Plant S-15	Scrubber	Above	NA	37.1		
		SCITTODEL	roof	ENZ)	NA	NA	NA
16	Plant S-16	Scrubber	Above	NA	NT.		
		20140001	roof	TA57	NA	NΛ	NA
17	Plant S-17	Scrubber	Above	NA	NYA	- ;	
			roof	TAT7	NA	NA	NA
18	Plant S-18	Scrubber		XIA	NTA	. 7 4	
			rooi		NA	NΛ	NA
			~ OOT	i	1		1

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.

M.S. Onleithern Endamentary 2012

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

 Particulate matter
 Not to exceed
 150 mg/Nm³.

 HCL/Acid Mist
 Not to exceed
 35 mg/Nm³

 SO_{2(process)}
 Not to exceed
 50 ppm

 NOx/NH₃
 Not to exceed
 50 ppm

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Programme 1

Schedule-III Details of Bank Guarantees to be submitted

Sr. No.	Consent (C to /O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	5.0 lakh	15 days	For Solvent recovery Study from Reputed institute within three months period	31/07/2015	30/11/2015
2	C to R	5.0 lakh	15 days	Against O & M of pollution control systems and compliance of consent condition.	31/12/2015	30/04/2016

• The above Bank Guarantee shall be submitted at Regional office, MPC Board.

As the there had a man and the had been a second to the se

Schedule-IV

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M.H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 12) Industry-shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 13) The industry should comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Wastes (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in a provided provided collection system.

Per Kadi

16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

18) Conditions for D.G. Set

a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.

Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.

e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use

D.G. Set shall be operated only in case of power failure.

g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G.

The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel

19) The industry should not cause any nuisance in surrounding area.

20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6

21) The applicant shall maintain good housekeeping.

22) The applicant shall bring minimum 33% of the available open land under green coverage. plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.

23) The non-hazardous solid waste acting in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shail

take necessary permissions from civic authorities for disposal of solid waste.

24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

25) The industry shall ensure that forcivity emissions from the activity are controlled so us to maintain clean and safe environment in and around the factory premises.

26) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).

27) The industry shall submit official e-mail address and any change will be duly informed to

28) The industry shall achieve the National Ambient Air Quality (Landard) prescribed vide Government of India, Notification dt. 16.11.2009 as amended.