

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068 /4023516
Email : enquiry@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema, Near
Sion Circle, Sion (E),
Mumbai - 400 022

Consent order No: B.O/MPCB/AST/EIC.No-RD-2920-15/HOD-0472

Date- 15/04/2015

To,

Asai Vishwa Specialty Chemicals Pvt Ltd,
Plot No-N-6, Additional MIDC, Patalganga,
Vill:-Kasap,Tq- Panvel, Dist:-Raigad.

Subject : Consent to Establish in RED Category.

Ref : Your application for consent Dated: 08/01/2015.

For: Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted period upto commissioning of the unit OR Five years (from the date of grant of Consent) whichever is earlier.
2. The actual capital investment of the industry is 2.44 Cr (As per C.A Certificate submitted by industry).
3. Consent is valid for the manufacture of -

Sr No	Product Name	Capacity in MT/Month
1.	Dorzolamide	0.2
	& its intermediates as	
1.1	2-Bromothiophene	1.4
1.2	6-methyl-5,6-dihydro-4H-thieno[2,3-b]thiopyran-4-one (Racemic DKS or Chiral DKS)	0.3
1.3	6-methyl-4-oxo-5,6-dihydro-4H-thieno[2,3-b]thiopyran-2-sulfonamide (Racemic or Chiral DZM5)	0.25
1.4	N-[(6-methyl-7,7-dioxido-2-sulfamoyl-5,6-dihydro-4H-thieno[2,3-b] thiopyran-4-yl)acetamide (Racemic or Chiral DZM7)	0.2
2.	Brinzolamide	0.05
	& its intermediates as	
2.1	2,5-Dichlorothiophene	0.45
2.2	2,5-Dichloro-3-acetylthiophene	0.45
2.3	3-(bromoacetyl)-5-chlorothiophene-2-sulfonamide (BZ3)	0.125
2.4	(4S)-4-hydroxy-2-(3-methoxypropyl)-3,4-dihydro-2H-thieno[3,2-e][1,2]thiazine-6-sulfonamide 1,1-dioxide (BZ7)	0.045
3.	5-Chlorothiophene-2-carboxylic acid	0.1
4.	Glimepiride	0.3
	& its intermediates as	
4.1	3-ethyl-4-methyl-2-oxo-N-[2-(4-sulfamoylphenyl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide (Glimepiride Sulfonamide)	0.3

5.	Ezetemibe	0.05
6.	Olmestartan	0.45
7.	Clopidogrel	1.250
	& its intermediates as	
7.1	6,7-dihydrothieno[3,2-c]pyridin-5(4H)-yl(phenyl)acetonitrile	0.65
7.2	2-(6,7-dihydrothieno[3,2-c]pyridin-5(4H)-yl)-2-phenylacetamide	0.60
8.	Montelukast	0.25
	& its intermediates	
8.1	1-{3-[(E)-2-(7-chloroquinolin-2-yl)ethenyl]phenyl}-3-hydroxy-3-phenyl propyl benzoate	0.1
8.2	1-{3-[(E)-2-(7-chloroquinolin-2-yl)ethenyl]phenyl}-3-[2-(2-hydroxypropan-2-yl)phenyl]-1-phenylpropan-1-ol	0.075
9.	Atorvastatin	0.45
	& its intermediates	
9.1	4-Methyl-3-oxo-N-phenyl-2-(phenylmethylene) pentamide	0.18
9.2	4-Fluoro-[2-methyl-1-oxopropyl]-2-oxo-N-diphenyl benzene butane amide	0.15
Total :		8.375 MT/M
NOTE : The total production capacity shall not exceed 8.375 MT/M.		

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	13.50	As per Schedule -I	To CETP Patalganga by authorized tankers only.
2.	Domestic effluent	1.5	As per Schedule -I	On land for gardening.

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1	Boiler	1	As per Schedule -II
2	Scrubber	3	As per Schedule -II
3	D.G.Set[125 KVA]	1	As per Schedule -II

6. **Conditions about Non Hazardous Wastes:**

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Metal, wood, Paper scrap	As and when generated		Sale to Authorised Party


7. **Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:**

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	5.1 Used /spent oil	10.00 ltrs/M	—	Sale to Authorized Party

2	31.3 Chemical sludge from waste water treatment	300.00 kg/M	CHWTSDF
	20.3 Distillation residue	5000 kg/M	CHWTSDF
4	20.2 Spent solvents	1000.00 Ltrs/M	Sale/Reuse/ Recycle in process

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. The applicant should not take any effective steps for implementation of the project before obtaining consent to operate from MPC Board and Environmental Clearance as per EIA Notification 2006 and amendments thereto.
11. As per Para 2 of EIA notification dated-14/09/2006, the effective steps include starting of any construction work or preparation of land by the project management. However as clarified by the MoEF vide office memorandum no. J-1103/41/2006-1A.II(I); Dated-19/8/2010, fencing of the site to protect it from getting encroached & construction of temporary shed(s) for the guard(s) & acquisition of land shall not be treated as an effective steps.

For and on behalf of the
Maharashtra Pollution Control Board


(P.K.Mirashe)

Assistance Secretary (Technical)

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	15000	081723	30/06/2014	HDFC Bank
2	100	968572	04/08/2014	DNS Bank

Copy to:

1. Regional Officer Raigad and Sub-Regional Officer-Raigad -I, MPCB: - They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have proposed to install Effluent Treatment Plant (ETP) with the design capacity of 20.0 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
01	pH	5.5-9.0
02	Colour Hazen Unit	400.0
03	Suspended Solids	100.0
04	BOD 1[(3 days at 27oC)]	100.0
06	COD	250
07	Oil and Grease	10.0
08	Phenolics as C ₆ H ₅ OH	1.0
09	Cadmium as Cd	0.2
10	Copper as Cu	2.0
11	Manganese as Mn	2.0
11	Lead as Pb	0.1
12	Mercury as Hg	0.01
13	Nickel as Ni	2.0
14	Zinc as Zn	5
15	Chromium as Cr ⁶⁺	0.1
16	Total Chromium	2.0
17	Bio-assay Test	90% survival in 96 hours.

C) *The treated effluent shall be recycled to maximum extent in the process, excess if any shall be discharge to CETP Patalganga through authorized tankers having GPS system. Industry shall follow the manifesto system for disposal of effluent to CETP, also detail record of disposal of effluent shall be maintained. In no case effluent shall find its way for gardening/outside factory premises.*

2)

A] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

- | | | | | |
|-----|-------------------|---------------|-----|-------|
| (1) | Suspended Solids. | Not to exceed | 100 | mg/l. |
| (2) | BOD 3 days 27oC. | Not to exceed | 100 | mg/l. |

B] The treated sewage shall be soaked in a soak pit, which shall be got cleaned periodically, excess if any sewage shall be disposed on land for gardening/irrigation.

3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	6.0
2.	Domestic purpose	2.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	14.50
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
1	Boiler	---	15.00	LDO	1000 ltrs/day	1.8	36.0
2	Process reactor (3 Nos)	Scrubber	3.00 each	--	---	---	---
3	D G Set 125 KVA	----	3.50	HSD	300 ltrs/day	--	--

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
SO ₂ From process	Not to exceed	50.0 mg/Nm ³
HCL/Acid Mist	Not to exceed	35.0 mg/Nm ³
Ammonia	Not to exceed	10.0 mg/Nm ³

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III
Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date

Maharashtra Pollution Control Board



Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity (in case of Consent to establish).
- 13) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 14) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 15) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 16) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the

- pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 17) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
 - 18) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
 - 19) The industry should not cause any nuisance in surrounding area.
 - 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
 - 21) The applicant shall maintain good housekeeping.
 - 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
 - 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
 - 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
 - 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
 - 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
 - 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
 - 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd: - 16.11.2009 as amended.