

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068 /4023516
Email : enquiry@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema, Near
Sion Circle, Sion (E),
Mumbai - 400022

Consent order No: Format 1.0 BO/CAC Cell/EIC no TN-5412-14/O & amalgamation/CAC- 6283
Date- 27/05/2015

To,
M/s. Dosti Corporation (Vihar),
Lawrence & Mayo House, 1st floor, 276.
Dr. D.N. Road Fort,
Mumbai-400 001.

Subject: Consent to Operate (part) for 3 Sale building and amalgamation with Renewal of Consent to Operate for 13 sale buildings and club house (vihar) (without MMRDA buildings) i.e. total 16 Sale buildings and club house in Orange category.

Ref :

1. EC accorded by GoM vide no. SEAC2010/CR.501/TC.2 dtd 16.05.2011.
2. Consent to Establish granted vide no. BO/RO(HQ)/Thane/CE/CC-102 dated 23.6.2011.
3. Previous Consent to Operate granted vide no. Format 1.0 BO/CAC Cell/EIC no TN-5134-14/R/CAC-9658 dated 18.10.2014.
4. Your application approved in 24th CAC meeting of 2014-15 held on 21.1.2015

Your application CO1408000026

Dated: 2.8.2014

For: Consent to Operate (part) for 3 sale buildings under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period from 1.4.2014 up to 30.11.2016.
2. The capital investment of the project (16 Sale buildings and club house) is Rs. 314 Crs (i.e. Rs. 238 crs as per previous C to O and Rs. 76 crs as per CA certificate submitted by project proponent) and total CI of project is Rs. 450 crs as per previous C to O.
3. The Consent to Operate is valid for 16 Sale buildings and club house "Dosti Vihar" of M/s. Dosti Corporation (Vihar) on plot bearing S. no. 144/1A, 145(pt), 146/5(B), 146/6(B), 148/1B, 148/2B, 148/3, 148/7, 148/8B, 149/2B, 149/3/2, 149/3/4, 149/4/1, 149/4/3, 150/2, 150/4, 150/5, 152/2, 152/4, 166/1/1, 165/4, 165/5, 169, 170, 171/1(pt), 171/1(pt), 171/2 to 9, 172/1, 172/2, 173A/1 of vill-Panchpakhadi, Thane on total plot area of 57198 sq.m. and built up area 168360.89 sq.m. (FSI+ non-FSI) (excluding MMRDA buildings) out of total BUA of 260233 sq.m. (FSI+Non-FSI) including utilities and services as per occupation certificate issued by local body.

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	0.00	NA	NA
2.	Domestic effluent	784.00	As per Schedule -I	60% recycle and remaining discharge to municipal sewer

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. No.	Description of stack/source	Number Of Stack	Standards to be achieved
1	DG set (2x 400KVA)	2	As Per Schedule -II
2	DG set (2x 250KVA)	2	As Per Schedule -II
3	DG set (1x 500KVA)	1	As Per Schedule -II
4	DG set (1x 250KVA)	1	As Per Schedule -II

6. Conditions under Municipal Solid Waste (Management and Handling) Rule, 2000 :

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1	Biodegradable Waste	1650	Kg/Day	Composting	Use as manure
2	Non-Biodegradable Waste	2100	Kg/Day		Landfill site
3	STP sludge	25	Kg/day		Use as manure

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1	Nil				

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. PP shall comply with the conditions stipulated in Environmental Clearance granted by GoM vide no. SEAC2010/CR.501/TC.2 dtd 16.05.2011.

For and on behalf of the
Maharashtra Pollution Control Board

(P. K. Mirashe)
(Member Secretary)

Received Consent fee of =

Sr. No.	Amount (Rs)	DD No.	Date	Drawn On	Remarks
1	476100	1014113	22.3.2014	HDFC Bank	As per previous C to O
2	159000	351962	15.9.2014	HDFC Bank	
3	125100	348628	9.7.2014	HDFC Bank	Towards C to O (part) for 3 sale building
4	50000	363289	12.5.2015	HDFC Bank	Towards C to E fees for increase in CI from Rs. 290 crs (as per C to E) to Rs. 314 crs. (as per all C to O, i.e. actual cost incurred)

Copy to:

- Regional Officer Thane and Sub-Regional Officer-Thane-I MPCB, Thane.
- They are directed to ensure the compliance of the consent conditions.
- Chief Accounts Officer, MPCB, Mumbai.
- CC/CAC desk- for record & website updation purposes.

Schedule-I**Terms & conditions for compliance of Water Pollution Control:**

- 1) A] As per your application, you have provided Sewage Treatment Plant (STPs) with the design capacity of 1212 CMD for Sale buildings.
- B] The Applicant shall operate and maintain the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board
		Limiting Concentration in mg/l, except for pH
01	BOD (3 days 27°C)	30
02	Suspended Solids	50
03	COD	100
04	Residual Chlorine	1ppm

- C) The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, firefighting, on land for gardening etc and remaining shall be discharged in to the municipal sewerage system.
- D] Project proponent shall operate STP for five years from the date of obtaining occupation certificate.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made there under for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0
2.	Domestic purpose	980
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0

Schedule-II**Terms & conditions for compliance of Air Pollution Control:**

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type Of Fuel	Quantity	UOM	S%	SO ₂ kg/day
1	DG set (2x400KVA)	Acoustic enclosure	4	HSD	113	Ltr/Hr	1	54.24
2	DG set (2x250KVA)		3.2 each					
3	DG set (500KVA)		4.5		82	39.36		
4	DG set (250KVA)		3.2		42	20.16		

* Above roof of the building in which it is installed.

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Particulate matter	Not to exceed	150 mg/Nm ³ .
--------------------	---------------	--------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III
Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
Existing						
1.	C to R	10 lakh *	---	Towards O & M of pollution control system	Continuous	31.3.2017
2.	C to E	10 lakh#		Towards compliance of consent condition	COU or 5 years whichever is earlier	31.10.2016

* The existing BG of Rs. 10 lakh obtained towards O & M of pollution control system shall be extended for a period upto 31.3.2017.

The existing BG of Rs. 10 lakh obtained towards compliance of consent condition as per C to E shall be extended for a period upto 31.10.2016.

Maharashtra Pollution Control Board

[Handwritten Signature]

Schedule-IV**General Conditions:**

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 8) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 9) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.**
- 10) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 11) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 12) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 13) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 14) The industry should not cause any nuisance in surrounding area.
 - 15) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
 - 16) The applicant shall maintain good housekeeping.
 - 17) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
 - 18) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
 - 19) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
 - 20) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
 - 21) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
 - 22) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

Maharashtra Pollution Control Board

