

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781  
/4037124/4035273

Fax : 24044532/4024068 /4023516  
Email : enquiry@mpcb.gov.in  
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga  
Scheme Road No. 8, Opp. Cine Planet Cinema, Near  
Sion Circle, Sion (E),

Mumbai - 400022

Consent No: BO/JD (APC)/EIC No. NK-18452-14 /R/CC- 6537

Date- 02/06/2015

To,  
M/s. KSPG Automotive India Pvt.Ltd.  
Plot no.A-1, Additional Supa Parner Industrial Part,  
Tal: Parner, Dist: Ahmadnagar.

Subject: Consent to Establish unit under Red Category.  
Ref : 1. Minutes of CC meeting held on 22/05/2015.

Your application: CE1502000244 Dated: 02.01.2015.

For: Consent to Establish for R 36 Industry or process involving metal surface treatment or pro.

under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period up to commissioning of the unit or 5 years period whichever is earlier.

The total capital investment of the industry is Rs.70.07 Crs  
(As per Undertaking/C.A. Certificate submitted by industry)

2. The Consent is valid for the manufacture of -

Sr. No.	Product/By Product Name	Maximum Quantity	UOM
1	Metal Powder	97.0	MT/M
2	Sintered Strips	318.50	MT/M
3	Aluminium Tin Strips	300.0	MT/M
4	Billets Casting	90.0	MT/M
5	Bushes	10.0	MT/M
6	Plating of Bearing and bush	16.0	MT/M

3. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	102.5	As per Schedule -I	On Land for Gardening.
2.	Domestic effluent	28.0	As per Schedule -I	On Land for Gardening.

4. Conditions under Air (P & CP) Act, 1981 for air emissions:

Sr. No.	Description of stack/source	Number Of Stack	Standards to be achieved
1	Fumed coboard	1	As per Schedule -II
2	Bush Plating shop	1	
3	Manual Plating	1	
4	D.G.	1	
5	Alloy Plating	1	
6	Bush annealing Ind Furnace	1	
7	Fume Coboard	1	
8	Linishing M/C Sinter plant	1	
9	A/T Plant Brushing	1	
10	D.G.	1	
11	D.G.	1	
12	A/T Plant off line brushing	1	
13	D.G.	1	
14	Induction Furnace (Billet Casting)	1	
15	Welding M/C Alloy Plating	1	
16	Alloy Plating	1	
17	Alloy Plating	1	
18	A/T Plant linishing m/c	1	
19	A/T Plant pit Oven	1	
20	A/T Plant A-17 x A-123 Linishing m/c	1	
21	Alkaline degreasing	1	
22	Plating SL-90 Gen set	1	
23	Billet Casting	1	
24	Powder Plant	1	
25	Powder Plant	1	
26	Billet Casting	1	
27	Grind Tool Linishing	1	

5. Conditions about non Hazardous Wastes:

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1	Scrap Al tin Deform Bearing (MS Base)	5.00	MT/M	---	By sale
2	Scrap Al tin coated strips & Pices (MS Base)	12	MT/M	----	By sale
3	Scrap AT ABB Bur	3.0	MT/M	---	By sale
4	Scrap AT pounced strips (MS Base)	3.0	MT/M	----	By sale
5	Scrap AT tukadi ,pices & slitting	0.2	MT/M	----	By sale
6	Scrap Electrical	0.2	MT/M	----	By sale

	Cables				
7	Scrapped tooling	0.2	MT/M	---	By sale
8	Scrap MS turning	13.0	MT/M	---	By sale
9	Scrap MS turning Heavy	2.0	MT/M	---	By sale
10	Scrap steel Strips (Bare steel MS Base)	15.0	MT/M	---	By sale
11	Light Steel Scrap	2.0	MT/M	---	By sale
12	Garbage	10.0	MT/M	---	By sale
13	Heavy Steel (MS with SS lining )/Broken Machinery	15.0	MT/M	---	By sale
14	Wooden Scrap	5.0	MT/M	---	By sale
15	Scrap linishing burr(Steel)	4.0	MT/M	---	By sale
16	Scrap broken Crucible	0.75	MT/M	---	By sale
17	Plastic Scrap	0.8	MT/M	---	By sale
18	Scrap linishing Belt	0.25	MT/M	---	By sale
19	Scrap Tin Dross	0.75	MT/M	---	By sale
20	Foundary Mitti	2.0	MT/M	---	By sale

6. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1	11.5 Wastes from treatment of salt slag's and black drossess	14.00	MT /M	---	Sale to MPCB Authorised Reprocessor
2	11.5 Wastes from treatment of salt slag's and black drossess	0.25	MT /M	---	Sale to MPCB Authorised Reprocessor
3	5.2 Wastes /Residue containing oil	600.00	MT /M	---	Sale to MPCB Authorised Reprocessor
4	5.1 Used oil	600.00	MT /M	---	Sale to MPCB Authorised Reprocessor
5	33.3 Discarded containers	25.00	MT /M	---	Sale to MPCB Authorised Reprocessor
6	33.3 Discarded containers	20.00	MT /M	---	Sale to MPCB Authorised Reprocessor
7	33.3 Discarded containers	60.00	MT /M	---	Sale to MPCB Authorised Reprocessor
8	33.3 Discarded	0.12	MT /M	---	Sale to MPCB

	containers				Authorised Reprocessor
9	34.3 Chemical sludge from waste water treatment	12.00	MT /M	---	CHWTSDF
10	15.2 Discarded asbestos	0.15	MT /M	---	CHWTSDF
11	12.4 Sludge from bath containing organic solvents	0.35	MT /M	---	CHWTSDF
12	11.5 Wastes from treatment of salt slag and black drosses	0.50	MT /M	---	CHWTSDF
13	5.2 Wastes /Residue containing oil	0.50	MT /M	---	CHWTSDF
14	B3 Copper Components	72.60	MT /M	---	CHWTSDF
15	B3 Copper Components	8.0	MT /M	---	CHWTSDF
16	B2 Cobalt Components	0.1	MT /M	---	CHWTSDF
17	B4 Lead & Lead Components	0.51	MT /M	---	CHWTSDF
18	A6 Mercury Compounds	0.10	MT /M	---	CHWTSDF

7. The Board reserves the right to review, amend, suspend, revoke, etc. this consent and the same shall be binding on the industry.

9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the  
Maharashtra Pollution Control Board

*(P.K.Mirashe)*  
(P.K.Mirashe)  
Member Secretary

Received Consent fee of -

Sl. No.	Amount (Rs.)	DD. No.	Date	Drawn On
1	1,00,000/-	127309	30.12.2014	HDFC Bank
2	100/-	504851	31.12.2014	Axis Bank

Copy to:

1. Regional Officer MPC Board, Nashik.
2. Sub-Regional Officer, M.P.C. Board Ahmadnagar, They are directed to ensure the compliance of the consent conditions.
3. Chief Accounts Officer, MPCB, Mumbai.
4. CC/CAC desk- for record & website updation purposes.

### Schedule-I

#### Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided Effluent Treatment Plant (ETP) with the design capacity of 102 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any) Limiting Concentration in mg/l, except for pH
01	pH	5.5-9.0
02	Oil & Grease	10
03	B. O. D.	30
04	C. O. D.	250
05	T. D. S.	2100
06	Chlorides	600
07	Sulphates	1000
08	Suspended Solid	100
09	Phosphate	5.0
10	Total Metal	5.0

C] The treated effluent shall be disposed on own land for gardening/irrigation.

2) A.] As per your consent application, you have provided the Sewage Treatment Plant for Sewage effluent of Capacity 28 CMD.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

- |     |                   |               |     |       |
|-----|-------------------|---------------|-----|-------|
| (1) | Suspended Solids. | Not to exceed | 100 | mg/l. |
| (2) | BOD 3 days 27oC.  | Not to exceed | 100 | mg/l. |

C] The treated sewage shall be disposed on land for gardening

3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr no	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	34.0
2.	Domestic purpose	36.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	95.0
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	---

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Maharashtra Pollution Control Board

*Handwritten signature*

## Schedule-II

### Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs	Type Of Fuel	Quantity	UOM	S%	SO <sub>2</sub>
1	Fumed coboard	Stack	7.0	HSD	9.70	KL/D	1.0	194.0
2	Bush Platting shop	Stack	13.50	LPG	0.20	MT/D	---	---
3	Manual Platting	Stack	5.25	---	---	---	---	---
4	D.G.	Stack	15.50	---	---	---	---	---
5	Alloy Platting	Stack	10.50	---	---	---	---	---
6	Bush annealing Ind Furnace	Stack	9.50	---	---	---	---	---
7	Fume Coboard	Stack	6.0	---	---	---	---	---
8	Linishing M/C Sinter plant	Stack	9.50	---	---	---	---	---
9	A/T Plant Brushing	Stack	10.0	---	---	---	---	---
10	D.G.	Stack	15.50	---	---	---	---	---
11	D.G.	Stack	15.50	---	---	---	---	---
12	A/T Plant off line brushing	Stack	9.0	---	---	---	---	---
13	D.G.	Stack	15.50	---	---	---	---	---
14	Induction Furnace (Billet Casting)	Dust Collector	12.75	---	---	---	---	---
15	Welding M/C Alloy Platting	Stack	9.0	---	---	---	---	---
16	Alloy Platting	Scrubber	10.50	---	---	---	---	---
17	Alloy Platting	Scrubber	10.50	---	---	---	---	---
18	A/T Plant linishing	Stack	9.50	---	---	---	---	---

*[Handwritten Signature]*

	m/c							
19	A/T Plant pit Oven	Stack	9.80	---	---	---	---	---
20	A/T Plant A-17 x A- 123 Linishing m/c	Stack	10.50	---	---	---	---	---
21	Alkaline degreasin g	Scrubber	11.0	---	---	---	---	---
22	Platting SL-90 Gen set	Scrubber	5.50	---	---	---	---	---
23	Billet Casting	Dust Collector	15.0	---	---	---	---	---
24	Powder Plant	Dust Collector	19.0	---	---	---	---	---
25	Powder Plant	Dust Collector	30.0	---	---	---	---	---
26	Billet Casting	Dust Collector	8.50	---	---	---	---	---
27	Grind Tool Linishing	Stack	8.50	---	---	---	---	---

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .
So <sub>2</sub>	Not to exceed	194 Kg/Day

- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement, alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

### Schedule-III

#### Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
---	---	---	---	---	---	---

*[Handwritten Signature]*



## Schedule-IV

### General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity.
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.



17) Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 18) The industry should not cause any nuisance in surrounding area.
- 19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20) The applicant shall maintain good housekeeping.
- 21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end, with the Environment Statement.
- 22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 25) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 26) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 27) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dated 16.11.2009 as amended.

-----0000-----

