

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068 /4023516
Email : enquiry@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema, Near
Sion Circle, Sion (E),
Mumbai - 400 022

Consent No: Format 1.0/ BO/CAC-Cell/EIC No:-NG-11846-14/CAC/CAC-10446

Date- ~~04/2015~~ 10/08/2015

To,
M/s Sona Alloys Pvt. Ltd.
Plot No. C- 1, MIDC, Lonand,
Tal- Khandala, Dist- Satara.
Maharashtra.

Subject: Consent to 1st Operate for expansion with amalgamation of existing consent under RED category.

- Ref : 1. Earlier Consent granted vide no.BO/JD/(APC)/EIC No.
PN-16118-12/0/CC/CAC-780, Dtd: 18/01/2013. Valid up to 30/11/2015.
2. Consent to Establish granted vide no. 1.0/BO/JD/(APC)/TB-4/EIC NO.
PN-17404-13/E/CAC-7791
3. Minutes of CAC meeting held on 24.06.2015

Your application: CO1504000033

Dated: 04.04.2015

For: Consent to 1st Operate for expansion with amalgamation of existing consent under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent is granted for a period up to 30/09/2016.
- The actual capital investment of the industry is Rs.678.94/- Crs. (As per C. A. Certificate submitted by industry (Existing unit Rs. 678.94/- Crs & Expansion unit Rs. 45.04
- The Consent is valid for the manufacture of -

Sr.No.	Product / By-Product Name	Maximum Quantity	UOM
1.	Pig Iron	3,37,000	MT/A
2.	Granulated BF slag.	91,900	MT/A
3.	Captive power	4.7	MW
4.	Oxygen	1800	Nm3/hr
5.	Nitrogen	1000	Nm3/hr
6.	Rebar /Wire roads/Structural	2,40,000	MT/A
7.	GGBFS/Portland slag cement	4,38,000	MT/A

- Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	101	As per Schedule-I	On land for Gardening
2.	Domestic effluent	44.5	As per Schedule-I	On land for Gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boiler	1	As per Schedule -II
2.	Blast Furnace Stove Exhaust	1	As per Schedule -II
3.	Flare stack	1	As per Schedule -II
4.	Steel Melting furnace	1	As per Schedule -II
5.	Reheating furnace of Rolling Mill	1	As per Schedule -II
6.	Reheating furnace of Rolling Mill	1	As per Schedule -II
7.	Cast house furnace extraction system	1	As per Schedule -II
8.	Stock house de-dusting unit	1	As per Schedule -II
9.	Main exhaust system head ESP	1	As per Schedule -II
10.	Cooler/Crusher tail ESP	1	As per Schedule -II
11.	crushing de-dusting unit	1	As per Schedule -II
12.	Screening De-dusting unit	1	As per Schedule -II
13.	DG Set 635 KVA	1	As per Schedule -II
14.	DG Set 250 KVA	1	As per Schedule -II
15.	Wet slag dyayer exhaust	1	As per Schedule -II

6. Conditions about Non Hazardous Wastes:


Sr. No.	Type of Waste	Quantity TPA	Treatment	Disposal
1	From Sinter Plant			
a	Main exhaust system: ESP dust	6000		Recycled in Sinter Plant
b	Sinter Cooler exhaust system: Iron dust	2400		
2	Blast Furnace			
a	Ore Fines/Sinter fines	5000		Recycled in Sinter Plant
b	Coke fines	1500		
c	Cast house fumes extraction system dust.	250		
d	BFG dust catcher - dust	3800		
e	GCP bag filter - dust	1250		
f	Granulated slag	91900		Sold for Cement Plant
g	BF dry slag	4850		For landfill & road repairs inside the plant
h	Cast house scrap	1685		LD converter for molding
i	Cast house muck	500		dumped inside the plant for landfill
j	PCM scrap	1000		Recycled in converter
k	Lime sludge	100		Sold for secondary usage
3	Converter			
a	Converter gas sludge	3500		Recycled in Sinter Plant
b	Converter slag	47500		22000 ton recycled in sinter plant

				25500 ton used for landfill and road repair inside the plant
c	Muck	100		Used for landfill inside the plant
d	Used refractories	750		100 Ton for pathing of converter, 450 ton sold to refractory mfg. for the production of mortar 150 ton dumped inside the plant.
4	Continuous casting machine			
a	Scrap	4800		Recycled in Converter
b	Scale	1930		Recycled in Sinter Plant
c	Used refractory	500		Sold for production mortar
d	De S Plant/CCM Slag/LRF	4500		Used for landfill inside the plant
5	Rolling Mill			
a	Scrap	12500		Recycled in Converter
b	Scale	2370		Recycled in Sinter Plant
c	Used refractory (re-heating furnace)	150		Sold for production mortar
6	Plant maintenance scrap	3000		Recycled in converter
7	Conveyer gallery spilled material	7000		Recycled back to conveyors
8	Plant general muck	2000		Dumped inside the plant

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:


Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Used/Spent Oil	5.1	102	Kg/D		Authorized reprocessor
2	Sludge and filter contaminated with oil	3.3	5	Kg/D		CHWTSDF
3	ETP Sludge	34.3	5	Kg/D		CHWTSDF

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.



9. This consent issued with overriding effect to earlier consent granted vide No. 1.0/BO/CAC-CELL/EIC NO:PN-20078-14/CAC-7658, dtd 19.08.2014.
10. Industry shall submit Board Resolution from the company's Board within one month stating that they have erected the GGBFS/Portland slag cement plant prior to obtain the Environmental Clearance and thus violated environmental norms and in future, they will not do such violations.
11. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the
Maharashtra Pollution Control Board


(Dr. P. Anbalagan, IAS)
Member Secretary

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	75100/-	004622	27/03/2015	HDFC Bank
2	1221734/-	231964	20/07/2015	SBI

Copy to:

1. Regional Officer - Pune. He is directed to release the existing BG of Rs. 5/- Lakhs against EC condition.
2. Sub-Regional Officer- Satara, MPCB, They are directed to ensure the compliance of the consent conditions.
3. Chief Accounts Officer, MPCB, Mumbai.
4. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) the design capacity is not mentioned.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
I. Condenser cooling Water		
Limiting Concentration in mg/l, except for pH		
01	pH	Between 6.5 to 8.5
02	Temperature	Not to exceed 5°C. than that of intake water temp.
03	Free available chlorine	Not to exceed 0.5 mg/l
II. Boiler Blow Down		
01	Suspended Solids	Not to exceed 100mg/l
02	Oil & Grease	Not to exceed 10mg/l
03	Copper (Total)	Not to exceed 1mg/l
04	Iron (Total)	Not to exceed 1mg/l
III. Cooling Tower Blow Down		
1	Free available chlorine	Not to exceed 0.5mg/l
2	Zinc	Not to exceed 1mg/l
3	Chromium (Total)	Not to exceed 0.2mg/l
4	Phosphate	Not to exceed 5mg/l
IV D.M. Plant Effluent		
1	pH	Between 5.5 to 9
2	Suspended Solids	Not to exceed 30 mg/l
3	Oil & Grease	Not to exceed 10mg/l
4	BOD 3 days	Not to exceed 30mg/l
5	COD	Not to exceed 250mg/l
5	TDS	Not to exceed 2100mg/l


C) The treated effluent shall be recycled in the process to the maximum extent & remaining shall be used on land of 44 acres for gardening.

2) A.] As per your consent application, you have provided the sewage treatment system with the design capacity of 45 CMD.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

- | | | | | |
|-----|-------------------|---------------|-----|-------|
| (1) | Suspended Solids. | Not to exceed | 50 | mg/l. |
| (2) | BOD 3 days 27°C. | Not to exceed | 30 | mg/l. |
| (3) | COD. | Not to exceed | 100 | mg/l. |


C] The treated effluent shall be used on land of 44 acres for gardening.



- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	6416.5
2.	Domestic purpose	51
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	35
4.	Gardening	3.5

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.




Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-


Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
1	Boiler	---	50	BF Gas	19,40,000 Nm ³ /Day	---	---
2	Blast Furnace Stove Exhaust	---	55			---	---
3	Flare stack	---	45			---	---
4	Steel Melting furnace	Bag House	50	BF Gas	18,865 Nm ³ /Day	---	---
5	Reheating furnace of Rolling Mill		30			---	---
6	Reheating furnace of Rolling Mill		30			---	---
7	Cast house furnace extraction system	Bag house type de-dusting	30	---	---	---	---
8	Stock house de-dusting unit	Bag house type de-dusting	30	---	---	---	---
9	Main exhaust system head ESP	ESP	50	---	---	---	---
10	Cooler/Crusher tail ESP	ESP	40	---	---	---	---
11	crushing de-dusting unit	Bag house type de-dusting	30	---	---	---	---
12	Screening De-dusting unit	Bag house type de-dusting	30	---	---	---	---
13	DG Set 635 KVA	---	3.5	HSD	95 Lit/Hr	1%	45.6
14	DG Set 250 KVA	---	2.6	HSD	49 Lit/Hr	1%	23.52
15	Wet slag drayer exhaust	Dust collection system	15	Furnace Oil	175 Lit/Hr	4.5%	378
				Gas	10000 M ³ /Hr	---	---



2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:


Particulate matter	Not to exceed	100 mg/Nm ³ .
--------------------	---------------	--------------------------

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



Schedule-III
Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to O	10/- Lakhs	15 Days	O & M of Pollution control systems	30.09.2016	31.01.2017
2	C to O	2/- Lakhs	15 Days	Industry shall submit Board Resolution from the company's Board within one month stating that they have erected the GGBFS/Portland slag cement plant prior to obtain the Environmental Clearance and thus violated environmental norms and in future, they will not do such violations.	1 Month	31.01.2017
3	C to O (existing to be extended)	2/- Lakhs	15 Days	Towards treatability study of ETP	----	31.01.2017



Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker. If applicable
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.**
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 19) The industry should not cause any nuisance in surrounding area.
- 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 21) The applicant shall maintain good housekeeping.
- 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

-----0000-----

