

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068 /4023516
Email : ast@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema, Near
Sion Circle, Sion (E),
Mumbai - 400 022

Consent order No: - BO/AST/EIC NO.PN-24777-15/CC - 7425
Date- 4.7.2015

To,
M/s. Emcure Pharmaceuticals Ltd. (SPD)
Plot No. P-1, ITBT Park, Phase II, MIDC,
Hinjawadi, Dist - Pune.

Subject: Consent to Operate ORANGE category LSI

Ref : 1. Consent to operate granted vide no.: MPCB/13/05972 dtd. 16/07/2013
2. Consent to Establish granted vide no.: BO/AST/RO-Pune/EIC NO.PN-19492-13/R/10355 dtd. 13/11/2014.

Your application: - CR1503000328
Dated: 18.03.2015

For: Renewal of Consent to Operate with amalgamation under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period up to 30.04.2016.
2. The capital investment of the industry is Rs. 150.3 Cr. (As per CA certificate submitted by industry) ((Previous CI Rs.91.36 Cr. + increased in CI Rs.58.95 Cr.)
3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity	UoM
1.	Injection Vials	36.0 Lac	Nos./M
2.	Ampoules	10.0 Lac	Nos./M
3.	PFS	10.0 Lac	Nos./M
4.	Eye Drops Bottles	6.0 Lac	Nos./M

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	43 (8.0 + 35*)	As per Schedule -I	On land for gardening
2.	Domestic effluent	26 (9+17*)	As per Schedule -I	On land for gardening

(*Effluent received from M/s Gennova Biopharmaceuticals Ltd. Plot No. P-1, ITBT Park, Hinjawadi, Dist - Pune)

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. No.	Description of stack / source	Number of Stack	Standards to be achieved
1	Boiler	1	As per Schedule -II
2	Boiler	1	As per Schedule -II
3	DG Set (380 KVA)	1	As per Schedule -II
4	DG Set (750 KVA)	1	As per Schedule -II
5	DG Set (1010 KVA)	1	As per Schedule -II
6	DG Set (1010 KVA)	1	As per Schedule -II
7	DG Set (250 KVA)	1	As per Schedule -II

6. Conditions under Hazardous Waste (M, H & T M) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Used / Spent Oil	5.1	15	Ltr/M	—	Sale to authorized re-processor
2	Discarded, Date expired Drugs & Off specification drugs	28.3	2.5	MT/A	—	CHWTSDF
3	Spent Organic Solvents	28.5	3.0	MT/A	—	CHWTSDF
4	Chemical Sludge	34.3	60.0	MT/A	—	CHWTSDF

7. Conditions under Non-Hazardous Solid Wastes for treatment and disposal of hazardous waste:

Sr. No.	Type of Waste	Quantity	UOM	Disposal
1	Paper Waste	4.0	MT/M	Sale to authorized dealer
2	Plastic & Packaging material, Metal Scrap			
3	Glass Waste			
4	Empty Plastic drums			
5	Wood Scrap			

8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

10. This consent is issued as per bilateral agreement submitted by M/s Emcure Pharmaceuticals Ltd & M/s Genova Biopharmaceuticals Ltd. for joint & several responsibility of O & M of pollution control system.

11. Industry is jointly & severally responsible for O & M of ETP ,boiler & DG set for both the unit (M/s Genova Biopharmaceuticals Ltd.) located at plot no P-1 so as to achieve standards laid down under the provision of EP act 1986 . In case of failure of ETP & Pollution control system of boiler they will be liable for necessary legal action.

For and on behalf of the
Maharashtra Pollution Control Board

Mirash
3/2/15
(P.K. Mirashe)
Assistant Secretary (Technical)

Copy to:

1. Regional Officer -Pune : He is directed to release Bank Guarantee of Rs. 5 lakh obtained towards compliance of Consent to Establish condition.
2. Sub-Regional Officer-Pune-II, MPCB, They are directed to ensure the compliance of the consent conditions.
3. Chief Accounts Officer, MPCB, Mumbai.

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	3,00,724/-	545914	15/01/2015	CITI Bank

(Balance fees Rs. 50000/- will be consider during next renewal)

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided common ETP comprising primary, secondary & tertiary treatment.
B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.no	Parameter	Standards prescribed by Board
1	pH	5.5 to 9.0
2	Oil & Grease	10 mg/l
3	Suspended Solids	100 mg/l.
4	BOD 3 days 27 ° C	30 mg/l.
5	COD	250 mg/l.
6	TDS	2100 mg/l.
7	Sulphate	1000 mg/l
8	Chloride	600 mg/l

- C) The trade effluent shall be recycle to the maximum extend & remaining should be disposed on land for gardening within factory premises only . In no case treated effluent shall not find its way outside premises.
- 2) A.] As per your consent application, you have provided the STP for the Domestic effluent.
B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.
- | | | | | |
|-----|-------------------|---------------|-----|-------|
| (1) | Suspended Solids. | Not to exceed | 100 | mg/l. |
| (2) | BOD 3 days 27°C. | Not to exceed | 100 | mg/l. |
- C] The treated sewage shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow if any shall be used on land for gardening/plantation only.
- 3) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling and boiler feed	150.0
2.	Domestic purpose	15.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	22.0
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	Nil
5.	Gardening	Nil

- 4) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APCS	Height in Mtrs.	Type of Fuel	Quantity	UoM	SO ₂ Kg/Day
1	Boiler	Cyclone separator	35	Briquettes	1594.0	Kg/Hr	45
2	Boiler	30.50	Furnace Oil	250.0	Ltr/Hr	540
3	DG Set (380 KVA)	6.0	HSD	700	Ltr/Hr	65
4	DG Set (750 KVA)	6.0				65
5	DG Set (1010 KVA)	6.0				65
6	DG Set (1010 KVA)	6.0				65
7	DG Set (250 KVA)	3.50				65

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
--------------------	---------------	--------------------------

3. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance/CREP guidelines.
4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipments.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary)

Schedule-III
Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Rs. 5 lakh	15 days	O & M of Pollution control system	30.04.2016	30.08.2016

Maharashtra Pollution Control Board

[Handwritten Signature]

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 3) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 4) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 5) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 6) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 7) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) **The applicant shall make an application for renewal of consent at least 60 days before the date of expiry.**
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

- 16) Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 25) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

—0000—

