# MAHARASHTRA POLLUTION CONTROL BOARD 4010437/4020781

- Phone :
- /4037124/4035273 Fax •
- 24044532/4024068 /4023516 Email ÷.
  - enquiry@mpcb.gov.in



Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai - 400 022

Visit At : http://mpcb.gov.in

Consent No: Format 1.0/BO/CAC-CELL/EIC No : NG-9316-13/R/CAC-11653 Date-108/2015 03/09/2015 To. TAL Manufacturing Solutions Limited

Sector-3, Sr.no.215(part) to 225(part) and 227(part) to 229(part), Vill.Kalkuhi, MIHAN SEZ,

Nagpur(Rural)

Subject: Consent to 1st Operate (phase-II) & Renewal of consent by amalgamation of consents under RED category.

: 1. Consent to Establish granted vide No. BO/APAE/EIC No NG-4056 Ref 10/E/CC-141, dtd 22/03/2011

- 2. Earlier Consent granted vide no. Format 1.0 / BO / CAC -CELL / RO (Nagpur)/R/CAC-9361 dtd. 12/11/2013.
- 3. Minutes of CAC meeting held on 06.08.2015.

Your application: CR1502000411 Dated: 23.01.2015.

For: Consent to 1st Operate (phase-II) & Renewal of consent by amalgamation of

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III & IV annexed to this order:

1. The consent is granted for a period up to 28.02.2017

The actual capital investment of the industry is Rs. 294.34 Crs. (As per C.A. 2. Certificate submitted by the industry)

#### The Consent is valid for the manufacture of – 3.

Sr. No.	Product / ] Name	By-Product	Maximum Quant	ity in MT/A
1	Aerospace Assemblies assemblies (Composit metal, metals & metal	es sheet	1000 No's	5/M
2	Aerospace Componen machine metal, compo metal components)	t (Precion site & sheet	50000 No'	
Conditio	ons under Water (P&	CP), 1974 A	ct for discharge of efflue	nt.
no.	2 0001 pt1011	Permitte quantity discharge (CMD)	d Standards to be of achieved	Disposal
1. 2.	Trade effluent Domestic effluent	40 36	As per Schedule –I As per Schedule –I	land Common STF
	facturing Solutions Limited, SRO N			provided by MADC

Page 1 of 9

## 5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.	Description of stack /	Number of Stack	
no.	source		achieved
1.	Hot water Generator	1	As per Schedule -II
2.	Process vents (Surface	1	As per Schedule -II
	Treatment Line)		-
3.	DG set	2	As per Schedule –II
4.	Solution tank		As per Schedule –II
5.	Paint Booth (4 nos.)		As per Schedule –II
6.	Shot peening Machine		As per Schedule –II
7.	Abrasive Blast Cleaning		As per Schedule –II

# 6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Titanium Scrap	10 MT/M		Given back to mfg./By sale to scrap dealer.
2	Aluminum Scrap	15 MT/M		By sale to scrap dealer.
3	Wooden Scrap	5 MT/M		By sale to scrap dealer.
4	Empty Drums,Carbouys, Carboard Boxes, Plastic Packing Boxes	200 No's/M	60	By sale to scrap dealer.
5	Stainless sheets scrap	0.4 MT/M		By sale to scrap dealer.

# 7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	12.9 Chemical sludge from waste water treatment	12.9	12.50	MT/M		CHWTSDF
2	5.1 Used /spent oil	5.1	2	KL/M		Authorized Re-processor
3	5.2 Waste / residue ) containing oil	5.2	2	KL/M		CHWTSDF
4	Carbon UD Tapes	7.2	1	MT/M		CHWTSDF
5	Carbon Fabric	7.2	100	Kg/M		CHWTSDF
6	Glass Fabric	7.2	50	Kg/M		CHWTSDF
$7^{\diamond}$	Adhesive Film	7.2	5	Kg/M		CHWTSDF
8	Bagging Film	7.2	1	MT/M		CHWTSDF
9	Breather (Used)	7.2	1	MT/M		CHWTSDF
10	Release Fill	7.2	250	Kg/M		CHWTSDF
11	Sealant Tape	7.2	1.5	MT/M		CHWTSDF

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. Industry shall make arrangement within a period of 3 months for provision of 100% recycle/reuse of all treated trade effluent in the process. Discharge of all treated trade effluent is not allowed on land for gardening.

N

TAL Manufacturing Solutions Limited, SRO Nagpur II/I/R/L/37048000

10. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities. For and on behalf of the Maharashtra Pollution Control Board M (Dr. P Anbalagan, IAS) Member Secretary Received Consent fee of -Sr. Amount(Rs.) DD. No. Date Drawn On No. 11,77,360/-1 002327 22/01/2015 HDFC Bank Copy to: 1. Regional Officer - Nagpur and Sub-Regional Officer- Nagpur 2 MPCB, Nagpur. They are directed to ensure the compliance of the consent conditions. 2. Chief Accounts Officer, MPCB, Mumbai. 3. CC/CAC desk- for record & website updation purposes. 

### <u>Schedule-I</u>

# Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP)
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Parameters	Standards prescribed by Board (If any)
I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
рН	5.5 to 9.0
Oil & Grease	10
BOD (3 days 27oC )	100
Total Dissolved Solids	2100
Bioassay Test	
Suspended Solides	100
COD	250
Nitrate as N	10
Phosphate(as P)	5.0
Fluoride as F	10
	I. Compulsory Parameters pH Oil & Grease BOD (3 days 27oC ) Total Dissolved Solids Bioassay Test Suspended Solides COD Nitrate as N Phosphate(as P)

C ) The treated effluent 40 CMD shall be disposed for gardening on land of 3 acres.

2) A] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1)	Suspended Solids.		100	mg/l.
(2)	BOD 3 days 27oC.	Not to exceed	100	mg/l.

- B] The treated sewage 36 CMD shall be disposed into MADC line for further treatment in common Sewage Treatment Plant.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption
1.	Industrial Cooling, spraying in mine pits or boiler feed	quantity (CMD) 50
2.	Domestic purpose	45
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	15
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	40

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

#### Schedule-II Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC		Type of	Quantity & UoM	S %	SO <sub>2</sub> Kg/Day
1	For eg. Process stack/vents	Scrubber					
2	Hot water generator	Stack	30	HSD	4.0 KLD	1%	140
3	D.G.Set ( 2x2100 KVA)	Stack	30	HSD	3.0 KLD		110
4	Solution tank	FES followed by Scrubber				80	
5	Paint Booth (4 nos.)						
6	Shot peening Machine	Jet type bag filters		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	\$-0) 		
7	Abrasive Blast Cleaning	Jet type bag filters		(0)			

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate	Not to exceed	$150 \text{ mg/Nm}^3$ .
matter		
Acid Mist	Not to exceed	35 ppm
		ooppm

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	nk Guarantees Purpose of BG	Compliance Period	Validit Date
1	C to O (Existing to be extended )	5 Lacks	15 days	O & M of pollution control system.	28.02.2017	30.06.2 17
2	C to O	5 Lacks	15 days	Industry shall make arrangement for provision of 100 % recycle / reuse of all treated trade effluent in the process. Discharge of all treated trade effluent is not allowed on land for gardening.	3 months	30.06.2 17
		SHE				
		Sold and a second secon				
		SHE				

# Schodulo III

# Schedule-IV

# **General Conditions:**

- The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

N

- 16) Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end, with the Environment Statement.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

