MAHARASHTRA POLLUTION CONTROL BOARD

Phone: 4010437/4020781

/4037124/4035273

24044532/4024068 /4023516 Fax

enquiry@mpcb.gov.in **Email** http://mpcb.gov.in Visit At:



Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E),

Mumbai - 400 022

Consent order No:-1.0/BO/CAC-Cell/EIC No:-PN-24123-15/CAC/ 12/55 Date-18/09/2015

To.

M/s. J.C.B. India Limited..

Plot No. A & B, Talegaon Floriculture & Industrial Park,

Vill-Ambi, Tal-Maval, Dist:- Pune

Subject: 1st Consent to Operate for expansion (Part-II) and amalgamation with existing consent in RED category.

Ref

- : 1] Earlier Consent to Operate granted vide Consent No. Formate 1.0/BO/CAC-Cell/EIC No.PN-20295-14/CAC-11539 dated 05.12.2014
- 2] Consent to Establish granted vide Consent No BO/JD(APC)/EIC No. PN-15884-12/E/CC-/CAC-2500 dated 25/3/2013.
- 3] Minutes of CAC meeting held on 27.08.2015.

Your application: CO1502000273.

Dated: 14.01.2015.

For: 1st Consent to Operate for expansion (Part-II) and amalgamation with existing consent under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The consent is granted for a period upto 30/4/2016.
- 2. The actual capital investment of the industry is Rs. 444.36 Crs. (Existing C.I. of Rs. 422.23 Cr + Expansion C.I. of Rs. 22.13 Cr as per C.A. Certificate submitted by industry)

3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity
1	Welded Steel Fabrication (Phase-I)	10,000 MT/M
2	Assembly of Machines (Including Powder Coating, PT & Liquid painting activity with design center facility) (Phase-III)	7,200 Nos./Y
3	Ware House Operations (Phase-II)	••••
4	Liquid Paint Shop	••••
5	Finished Good Yard Expansion	••••
6	Indian Designed Center expansion (Innovation Wing)	••••

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	12	As per	On land for
			Schedule -I	Gardening
2.	Domestic	250	As per	On land for
	effluent		Schedule –I	Gardening

M/s. JCB India Ltd., SRO Pune II/I/R/L/21313000 Page 1 of 10 5. Conditions under Air (P& CP) Act, 1981 for air emissions:

	Description of stack / source	Number of Stack	Standards to be achieved	
1.	Process vents	16	As per Schedule -II	
	DG set	16	As per Schedule -II	

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste Category	Quantity	UoM	Treatment	Disposal
1.	Garbage	800	Kg/Day		By Sale to
2.	Wood	3.0	MT/Day		authorized re-
3.	Metal Scrap	70	MT/Day		processor
4.	20 Ltrs empty	88	No/Day		
	can				
5.	Plastic scrap	1700	Kg/Day	(
6.	200 Ltrs empty	100	No/Day	,	
	barrel				
7.	M. S. Cut Sheet	300	MT/M		
8.	STP sludge	550	Kg/M	12-	Used as manure

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

2. Wastes/ residue containing oil 3. Wastes/residue containing oil 4. Phosphate sludge 5. Wastes and residues (paint sludge) 6. Spent solvents 20.2 11.60 KL/M 7. Chemical sludge from waste water treatment 8. Process dust 13.1 143 MT/M 9. Discarded containers / barrels / liners 10. Used Batteries 0.18 MT/M - Containers/ sludge multiple market - Chemical sludge from waste water treatment - Chemical sludge from waste wat	osai oi nazaruous waste.						
2. Wastes/ residue containing oil 3. Wastes/residue containing oil 4. Phosphate sludge 5. Wastes and residues (paint sludge) 6. Spent solvents 20.2 11.60 KL/M 7. Chemical sludge from waste water treatment 8. Process dust 13.1 143 MT/M 9. Discarded containers / barrels / liners 10. Used Batteries 0.18 MT/M - Containers/ sludge multiple market - Chemical sludge from waste water treatment - Chemical sludge from waste wat		Type Of Waste	Category	Quantity	UoM		Disposal
Tesidue Containing oil S.2 150 Kg/da — Gontaining oil S.2 150 Kg/da — Gontaining oil Sudge Sud	1. U	Used /spent oil	5.1	23.50	KL/Yr		Sale to authorized recycler
Containing oil Y	r	esidue	5.2	1000	Ltrs/M	_	CHWTSDF Ranjangaon
4. Phosphate sludge 12.5 14 MT/M — 6 5. Wastes and residues (paint sludge) 21.1 60.95 MT/M — 6 6. Spent solvents 20.2 11.60 KL/M — 6 7. Chemical sludge from waste water treatment 34.3 200 Kg/M — 6 8. Process dust 13.1 143 MT/M — 6 9. Discarded containers / barrels / liners 33.3 2000 Nos/M — 5 10. Used Batteries 110 Nos/Yr — 6 11. Used Sanding 0.18 MT/M — 6			5.2	150	_		CHWTSDF Ranjangaon
residues	4. P	Phosphate §	12.5	14			CHWTSDF Ranjangaon
6. Spent solvents 20.2 11.60 KL/M — 6 7. Chemical sludge from waste water treatment 34.3 200 Kg/M — 6 8. Process dust 13.1 143 MT/M — 6 9. Discarded containers / barrels / liners 33.3 2000 Nos/M — 5 10. Used Batteries 110 Nos/Yr — 6 11. Used Sanding 0.18 MT/M — 6	5. V	Wastes and Corresidues	21.1	60.95	MT/M	_	CHWTSDF Ranjangaon
Sludge from Waste water			20.2	11.60	KL/M		CHWTSDF Ranjangaon
9. Discarded containers / barrels / liners 10. Used Batteries 110 Nos/Yr — Samuel Sanding 0.18 MT/M — 9.	S	sludge from waste water	34.3	200	Kg/M	_	CHWTSDF Ranjangaon
9. Discarded containers / barrels / liners 33.3 2000 Nos/M — 5 10. Used Batteries 110 Nos/Yr — 5 11. Used Sanding 0.18 MT/M — 6	8. P	Process dust	13.1	143	MT/M		CHWTSDF Ranjangaon
11. Used Sanding 0.18 MT/M —	c	containers /	33.3	2000	Nos/M	_	Sale to authorized vendor
II. Osca Sanaing	10. U	Used Batteries	•••	110		_	Send to authorized recycler
		Used Sanding Paper	•••	0.18			CHWTSDF Ranjangaon
12. E waste 600 Kg/Yr —			•••	600	Kg/Yr	_	Send to autho. vendor Page 2 of 10

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10. The consent is issued with the overriding effect on existing consent granted by the Board vide consent No. Formate 1.0/BO/CAC-Cell/EIC No.PN-20295-14/CAC-11539 dated 05.12.2014.

For and on behalf of the Maharashtra Pollution Control Board

> (Dr. P. Anbalagan) IAS Member Secretary

Received Consent fee of

1000	or , our consponer see	-				
Sr. No.	Amount (Rs.)	DD. No.	Date	Drawn On		
1.	Rs. 1,00,100/-	109922	12.01.2015	HSBC Bank		
2.	Rs. 1,53,671/-	Balance consent fee as per the previous co to operate no 1.0/BO/CAC-Cell/EIC No.PN- 14/CAC-11539 dated 05.12.2014 is with the which is considered in renewal of consent.				

Note:- Board has balance consent fee of Rs. 2,20,338/- which will be considered during next renewal of consent.

Copy to:

- 1. Regional Officer Pune- He is directed to forfeit the BG of Rs. 2 lakh out of existing BG of Rs. 5 lakh obtained towards O&M of pollution control system and obtain top-up BG of Rs. 4 lakh i.e. total BG will be 7 lakh. He is also directed to return the BG of Rs. 2 lakh obtained towards submission of performance evaluation study of ETP as industry has complied the same.
- 2. Sub-Regional Officer-Pune-2 MPCB. They are directed to ensure the compliance of the consent conditions.
- 3. Chief Accounts Officer, MPCB, Mumbai.
- 4. CC/CAC desk-for record & website updation purposes.

<u>Schedule-I</u> <u>Terms & conditions for compliance of Water Pollution Control:</u>

1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) cum Sewage Treatment Plant with the design capacity of 140 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP cum STP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to

time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (Limiting Concentration in mg/l, except for pH)
01	pН	5.5 to 9.0
02	Oil & Grease	10
03	BOD (3 days 27oC)	30
04	Total Dissolved Solids	2100
05	Phosphate(as P)	5
06	Suspended Solids	100
07	COD	250
08	Chloride	600
09	Sulphate	1000

- C] The treated effluent shall be disposed on land for gardening on 17.7 Acres after confirming the above standards. There shall not be any discharge outside the factory premises.
- 2) A] As per your application, you have provided the two nos. of sewage treatment system with the design capacity of 100 CMD each. Further the treated effluent is sent to ETP cum STP for further treatment and disposal.
 - B] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	22
2.	Domestic purpose	300
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	104
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	Nil
5.	Others (Gardening)	100

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Schedule-II Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

No. Attached To System in Mtrs. Fue & UoM S	atterr	1-			(
1. DG Set (600 12.50 HSD 363 Ltrs/hr 2 174	Sr.	Stack	APC	Height	Type of	Quantity	Q 0/	SO_2
Section 12.50 12	No.	Attached To	System	in Mtrs.	Fuel	& UoM	5 %	Kg/Day
Section 12.50 12	1.	DG Set (600		12.50	HSD	363 Ltrs/hr	2	174
KVA) x 3 Nos	1	KVA) x 8 Nos						
3. DG Set (380 12.50	2.	DG Set (500		12.50				
KVA)x 2 Nos 4. DG Set (180		KVA) x 3 Nos						
4. DG Set (180 KVA) x 3 Nos 12.50 5. Wet Paint Oven canopy 12.50 6. Phophate Booth Exhaust 12.50 NA NA NA NA 7. DI Spray Booth Exhaust 12.50 NA NA NA NA NA 8. Phosphating Flue Gas Exhaust Water scrubber 12.50 NA NA NA NA NA 9. Paint Booth Exhaust 12.50 NA NA NA NA NA 10. Degrese Booth Exhaust 12.50 NA NA NA NA NA 11. Paint Mix	3.	DG Set (380		12.50				
KVA) x 3 Nos 5. Wet Paint Oven canopy 12.50 6. Phophate Booth Exhaust 12.50 NA NA <td></td> <td>KVA)x 2 Nos</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>		KVA)x 2 Nos						
5. Wet Paint Oven canopy 12.50 NA	4.			12.50			4 N	
Canopy						€	2/	
6. Phophate Booth Exhaust 12.50 NA NA <t< td=""><td>5.</td><td>Wet Paint Oven</td><td></td><td>12.50</td><td></td><td>20 (N</td><td>(),</td><td></td></t<>	5.	Wet Paint Oven		12.50		20 (N	(),	
Exhaust								
7. DI Spray Booth Exhaust 12.50 NA NA <th< td=""><td>6.</td><td>Phophate Booth</td><td></td><td>12.50</td><td>NA</td><td>NA</td><td>NA</td><td>NA</td></th<>	6.	Phophate Booth		12.50	NA	NA	NA	NA
Exhaust								
8. Phosphating Flue Gas Exhaust Water scrubber 12.50 NA	7.			12.50	NA	NA	NA	NA
Flue Gas Exhaust								
Exhaust Scrubber	8.		Water	12.50	NA	NA	NA	NA
9. Paint Booth 12.50 NA NA NA NA NA NA NA NA Exhaust 10. Degrese Booth 12.50 NA			scrubber					
Exhaust			501 45501					
10. Degrese Booth Exhaust 12.50 NA NA <td< td=""><td>9.</td><td></td><td></td><td>12.50</td><td>NA</td><td>NA</td><td>NA</td><td>NA</td></td<>	9.			12.50	NA	NA	NA	NA
Exhaust								
11. Paint Mix Room	10.	- C		12.50	NA	NA	NA	NA
Room			20.	19 1				
12. Dry Off Oven Exist Exhaust	11.			12.50	NA	NA	NA	NA
Exist Exhaust 13. Dry Off Oven 12.50 12.50								
13. Dry Off Oven Entry Exhaust 12.50 14. Powder Goat Oven Cooling Coollector 12.50 15. Powder Coat Oven Cooling Coollector 12.50 16. Degreasing Flue gas Exhaust 12.50 17. Wet Paint Oven 18.0 19. Paint Booth Exhaust scrubber Water scrubber 18.0 NA NA NA NA 20. Paint Kitchen 18.0 NA NA NA NA	12.		-2-	12.50	LPG	165 Kg/hr	Nil	Nil
Entry Exhaust								
14. Powder Coat Oven 12.50 15. Powder Coat Oven Cooling Zone 12.50 16. Degreasing Flue gas Exhaust 12.50 17. Wet Paint Oven 12.50 18. Oven Exhaust 18.0 19. Paint Booth Exhaust scrubber NA NA NA 20. Paint Kitchen 18.0 NA NA NA	13.		67.	12.50				
Oven 15. Powder Coat Oven Cooling Collector Dust collector 12.50 16. Degreasing Flue gas Exhaust 12.50 17. Wet Paint Oven 12.50 18. Oven Exhaust 18.0 19. Paint Booth Exhaust scrubber NA NA NA 20. Paint Kitchen 18.0 NA NA NA			, 4 () ·					
15. Powder Coat Oven Cooling Collector Dust collector 20ne 12.50 16. Degreasing Flue gas Exhaust 17. Wet Paint Oven 12.50 18. Oven Exhaust 18.0 19. Paint Booth Exhaust scrubber NA N	14.	AP 1000	N. N	12.50				
Oven Zone Cooling Zone collector 16. Degreasing Flue gas Exhaust 12.50 17. Wet Paint Oven 12.50 18. Oven Exhaust 18.0 19. Paint Booth Exhaust Water scrubber 18.0 NA NA NA NA 20. Paint Kitchen 18.0 NA NA NA NA								
Zone	15.			12.50				
16. Degreasing Flue gas Exhaust 12.50 17. Wet Paint Oven Wet Paint Oven Is.0 18.0 19. Paint Booth Exhaust Scrubber Water scrubber 18.0 NA NA NA NA 20. Paint Kitchen Island NA NA NA NA NA		18.22 10. 10.00	collector					
Flue gas								
17. Wet Paint Oven 12.50 18. Oven Exhaust 18.0 19. Paint Booth Exhaust Water scrubber NA NA NA NA 20. Paint Kitchen 18.0 NA NA NA NA	16.	Degreasing		12.50				
17. Wet Paint Oven 12.50 18. Oven Exhaust 18.0 19. Paint Booth Exhaust Water scrubber NA NA NA NA 20. Paint Kitchen 18.0 NA NA NA NA	(A)	Flue gas						
18. Oven Exhaust 18.0 19. Paint Booth Exhaust Water scrubber 18.0 NA NA NA NA NA 20. Paint Kitchen 18.0 NA NA NA NA	\\			10.50				
19. Paint Booth Water scrubber 18.0 NA	70.							
Exhaust scrubber 20. Paint Kitchen 18.0 NA NA NA NA								
20. Paint Kitchen 18.0 NA NA NA NA	19.	the second second	Water	18.0	NA	NA	NA	NA
20. Paint Kitchen 18.0 NA NA NA NA		Exhaust	scrubber					
20. 2	20	Paint Kitchen		18.0	NA	NA	NA	NA
		exhaust						

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

M/s. JCB India Ltd., SRO Pune II/I/R/L/21313000

Page 6 of 10

Particulate	Not to exceed	150 mg/Nm ³ .
matter		

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacementalteration well before its life come to an end or erection of new pollution control equipment.

5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III Details of Bank Guarantees

BG History

Sr. No.	Consent (C to E/O/R)	BG	Amt of BG to be forfeited from BG imposed	Purpose of BG forfeiture
1	C to R	Rs. 5/- Lakh	Rs. 2/- lakh	As out of 06 JVS results 02 JVS results of ETP outlet are exceeding the consented standards

BG proposed

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submissi on Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Out of Rs. BG of 5/- Lakh, Rs. 2/- lakh to be forfeited remaining BG of Rs. 3 lakh to be extended & Rs. 4 lakh top-up to be obtained to make total BG of Rs. 7/- lakh	15 days	Towards operation and maintenance of pollution control system	30.04.2016	31.08.2016

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity (in case of Consent to establish).
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. Noneffluent shall be admitted in the

Muy

- pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 19) The industry should not cause any nuisance in surrounding area.
- 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 21) The applicant shall maintain good housekeeping.
- 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

-0000