

MAHARASHTRA POLLUTION CONTROL BOARD

Phone :	4010437/4020781 14037124/4036273		Kalpataru Point, 3rd & 4th floor, Sion-Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai - 400 022
Fax :	24044532/4024068 /4023516		
Email :	jdwater@mpcb.gov.in		
Visit At :	http://mpcb.gov.in		

Red/LSI

Date: ~~70~~ /2015

Consent No: Format 1.0/BO/JD(WPC)/EIC No. - TN -5435 -14/R/CC-

14/10/2015

12987

To,
M/s. Zeus International Pvt. Ltd.,
Plot No.- A-10/11, MIDC Tarapur Boisar,
Tal.- Palghar, Dist.-Palghar.
Pin-401 502.

Subject: Renewal of Consent under RED category.

- Ref :** 1. Earlier Consent granted vide no.BO/JD(WPC)/ EIC No.- TN-3374-11/O CC-01, dtd 17/01/2014.
2. Minutes of CC meeting held on 22.04.2015 & 23.06.2015

Your application: CR1412000093.

Dated: 05/12/2014.

For: Renewal of Consent under RED category.

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period from 01/02/2015 to 31/01/2018.
2. The actual capital investment of the industry is Rs. 40.64 Crs.
(As per the C.A. Certificate submitted by industry)
3. The Consent is valid for the manufacture of -


Sr. No.	Product / By-Product Name	Maximum Quantity	UOM
1.	Yarn Dyeing	10	MT/M
2.	Cotton Shirting Material (40 d x 50 s)	70,000	KG/M
3.	Microfilament Shirting / Dress Material	10,000	KG/M

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	400	As per Schedule -I	CETP through MIDC drain and Industry shall achieve 50% recycling of the treated effluent within period of Six months.
2.	Domestic effluent	15	As per Schedule -I	On land for gardening.

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Coal fired Boiler	01	As per Schedule -II
2.	Thermopack		
3.	DG Set (320 KVA)	01	As per Schedule -II
4.	DG Set (200 KVA)	01	As per Schedule -II



6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Yarn Waste	50 Kg/Month	---	Sale
2	Fly/Coal Ash	5 MT/M	---	Sale to Brick Manufactures


7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Chemical sludge from waste water treatment	24.2	1.4	MT/M	---	CHWTSDF

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. The applicant shall ensure that their production shall be restricted to the generation of effluent as promised by you to the TEPS-CETP by reducing total daily generation of TEPS-CETP with voluntary closure in a staggered manner so as to restrict total generation of TEPS-CETP in a time bound manner to 25 MLD each day. The validity of the bank guarantee of Rs. 5.0 lakhs furnished towards compliance of this condition in the Board shall be extended upto 31/05/2018 after its expiry.
11. The applicant shall not carry out fabric dyeing or any activity without consent of the Board. The validity of the bank guarantee of Rs. 5.0 lakhs furnished towards compliance of this condition in the Board shall be extended upto 31/05/2015 after its expiry.
12. The applicant shall not increase the water consumption and effluent quantity prescribed in the Consent. Also, shall not make use of any other water supply from unauthorized sources like tanker and borewell etc. The validity of the bank guarantee of Rs. 5.0 lakhs furnished towards compliance of this condition in the Board shall be extended upto 31/05/2018 after its expiry.
13. The applicant shall operate and maintain existing ETP effectively and remove all the bypasses, whereby the mode of disposal prescribed in the consent order is not followed. The bank guarantee of Rs. 4.0 lakhs shall be extended and top-up with BG of Rs.8.0 Lakhs to make it total Rs.12.0 Lakhs valid upto 31/05/2018.
14. The applicant shall not discharge any effluent in any other source other than the CETP sewerage drain for further treatment and disposal. The validity of the bank guarantee of Rs. 5.0 lakhs furnished towards compliance of this condition in the Board shall be extended upto 31/05/2018 after its expiry.
15. The applicant shall make provision for operation & maintenance of flow meter and online pH meter/separate energy meter to pollution control devices within 3 months i.e. on or before 31/01/2014. The validity of the bank guarantee of Rs. 2.5 lakhs furnished towards compliance of this condition in the Board shall be extended upto 31/05/2018 after its expiry.
16. The applicant shall not change the fuel without consent of Board. The validity of the bank guarantee of Rs. 5.0 lakhs furnished towards compliance of this condition in the Board shall be extended upto 31/05/2018 after its expiry.

17. The applicant shall operate & maintain air pollution control system effectively, so as to achieve standards laid down under Environment (Protection) Rules, 1986. The validity of the bank guarantee of Rs. 5.0 lakhs furnished towards compliance of this condition in the Board shall be extended upto 31/05/2018 after its expiry.
18. The applicant shall properly collect, transport & regularly dispose off the Hazardous Waste to CHWTSDF. The validity of the bank guarantee of Rs. 2.5 lakhs furnished towards compliance of this condition in the Board shall be extended upto 31/05/2018 after its expiry.
19. The applicant shall provide lock & key arrangement for treated industrial effluent on or before 30/11/2013. The validity of the bank guarantee of Rs. 2.5 lakhs furnished towards compliance of this condition in the Board shall be extended upto 31/05/2018 after its expiry.
20. If any chamber of MIDC is found choked or Pipeline carrying effluent from industry to CETP is break/ leaked, industry shall stop voluntarily discharge of treated effluent into drainage pipeline provided by MIDC. In such cases the treated effluent shall be stored within premises or to be disposed to CETP by tankers. Proper manifest system of the same to be maintained and submitted to Sub - Regional Officer/ Regional Officer of Board.

For and on behalf of the
Maharashtra Pollution Control Board


Dr. P. Anbalagan, IAS
Member Secretary

Received Consent fee of -

Sr. No.	Amount (₹)	DD. No.	Date	Drawn On
1	375100/-	970058	26/11/2014	Bank of India
2	50000/-	970084	02/12/2014	Bank of India

*Balanced consent fees of Rs.1, 50,000/- from the above submitted fees will remain with Board and same shall be considered during next renewal of consent.

Copy to:

1. Regional Officer -Thane and Sub-Regional Officer-Tarapur I MPCB, They are directed to forfeit the BG of Rs.4.0 Lakhs towards O & M of ETP as per the direction of SCN issued vide letter dated. 30.04.2015 and Top -up BG of Rs.8.0 Lakhs to make it total BG of Rs.12.0 Lakhs towards O & M of ETP.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided Effluent Treatment Plant (ETP) with the design capacity of 850 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	Parameters	Standards prescribed by Board (If any)
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
01	pH	5.5 - 9
02	Oil & Grease	10
03	BOD (3 days 27°C)	100
04	Suspended Solids	100
05	COD	250
06	Detergent	1
07	TAN	50
08	R chlorine	1

C) The treated effluent is 400 CMD shall be recycled / reused in the process/ cooling upto the maximum extent and excess if any shall be sent to CETP for disposal as hydraulic Load. In no case effluent shall find its way into any inland surface water, nalla, river or stream. Industry shall achieve 50% recycling of the treated effluent within period of Six months.

2) A.] As per your consent application, you have provided the septic tank and soak pit for the treatment of Domestic effluent.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) Suspended Solids. Not to exceed 100 mg/l.

(2) BOD 3 days 27°C. Not to exceed 100 mg/l.

C] The treated sewage shall be soaked in a soak pit, which shall be got cleaned periodically.

3) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	80
2.	Domestic purpose	21
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	600
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	Nil
5.	Gardening/ plantation	10

4) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:


1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
1	Coal fired Boiler	Multicyclone Dust Collector followed by Wet Scrubber	45 (Common Stack)	Coal	14 MT/D	0.5	140
2	Thermopack						
3	DG Set (320 KVA)	----	2*	HSD	35 Lit/Hr	1.0	11.76
4	DG Set (200 KVA)	----	3*				

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time.
3. The applicant shall provide scrubber of sufficient capacity to bleaching section to limit the emissions within prescribed standards.
4. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
Chlorine	Not to exceed	3 ppm

5. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
6. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



Schedule-III
Details of Bank Guarantees

B.G History:

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Compliance of the conditions of the Restart Directions issued vide letter No. MPCB/AS (T) /TB/Dir/B-5115 dtd. 07/11/2013	Rs. 5.0 lakhs	Extension after expiry	Condition (a) towards reducing total daily effluent generation in a staggered manner	With the immediate effect	31/05/2018
2		Rs. 5.0 lakhs	Extension after expiry	Condition (b) towards not to carry out fabric dyeing or any activity without consent of the Board		31/05/2018
3		Rs. 5.0 lakhs	Extension after expiry	Condition (c) towards not to increase the water consumption and effluent quantity prescribed in the Consent. Also, shall not make use of any other water supply from unauthorized sources like tanker and borewell etc		31/05/2018
4		Rs. 12.0 lakhs.	Extension after expiry	Condition (d) towards operation and maintenance of existing ETP effectively and remove all the bypasses, whereby the mode of disposal prescribed in the consent order is not followed		31/05/2018
5		Rs.5.0 lakhs	Extension after expiry	Condition (e) towards not to discharge any effluent in any other source other than the CETP sewerage drain for further treatment and disposal.		31/05/2018
6		Rs. 2.5 lakhs	Extension after expiry	Condition (f) towards provision for operation & maintenance of flow meter and online pH meter/separate energy meter to pollution control devices.		31/05/2018
7		Rs. 5.0 lakhs	Extension after expiry	Condition (g) towards not to change the fuel without consent of Board.		31/05/2018
8		Rs. 5.0 lakhs	Extension after expiry	Condition (h) towards operation & maintenance of air pollution control system effectively		31/05/2018
9		Rs. 2.5 lakhs	Extension after expiry	Condition (i) towards properly collect, transport & regularly dispose off the Hazardous Waste to CHWTSDF		31/05/2018
10		Rs. 2.5 lakhs	Extension after expiry	Condition (j) towards provision of lock & key arrangement for treated industrial effluent		

Proposed Bank Guarantee:

Sr. No.	Code	Bank Guarantee (In Rs)	Submission period	Consent Conditions	Compliance Period	Validity
1	THC1 a	Rs. 1,00,000/-	15 days	Storage (Proper cover, leachate collection system, connection to ET, Not exceeding 90 days storage etc)	Continuous	31/05/2018
2	THM1c	Rs. 25,000/-	15 days	Maintaining Records.	Continuous	31/05/2018

(Handwritten Signature)

Schedule-IV
General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.**
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 16) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.
- 27) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
- 28) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

-----0000-----

