MAHARASHTRA POLLUTION CONTROL BOARD

4010437/4020781 Phone:

/4037124/4035273

24044532/4024068 /4023516 Fax Email enquiry@mpcb.gov.in

Visit At : http://mpcb.gov.in

Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near MAHARASHTRA Sion Circle, Sion (E),

Mumbai - 400 022

Consent order No: - Formate 1.0 / BO/CAC-Cell/EIC No CH-1725-15/CAC- 13246

17/10/2015 Date-

To,

M/s. PENGANGA OPEN CAST MINE,

WESTERN COALFIELDS LTD. WANI AREA.

NEAR WIRUR VILLAGE. TAH- KORPANA, DIST- CHANDRAPUR (M.S.).

Subject: Consent to 1st Operate

: 1. Minutes of CAC meeting held on 06.10.2015.

Your Application: CO1505000005

Dated:16.04.2015.

For: Consent to 1st Operate

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The Consent to Operate is granted for period upto 31.03.2016.
- 2. The expected capital investment of the industry is Rs. 441.82 Crs. (As per C. A. Certificate submitted by industry

3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity in MT/A
1.	Coal mining on area of 781 Ha.	4.50 MTPA

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent (including mine water discharge)	1992	As per Schedule –I	Spraying mine pits & fire fighting
2.	Domestic effluent (Sewage)	192	As per Schedule –I	On land for gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.	Description of stack / source	Number of Stack	Standards to be achieved	
1.	Nil			

Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	NA	NA	N.A	NA

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment

and disposal of hazardous waste:

	Type Of Waste	Category	Quantity	UOM	Treatment	
1	Used / Spent Oil	5.1	18.75 KL/month			CPCB/SPCB authorized reprocessor/ recycler
2	Chemical sludge from ETP	34-4	0.50 Cum/month			CHWTSDF

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. The activity shall comply with the condition of Environmental Clearance granted by MoEF, GOI vide No. J-11015/46/2009-IA.II (M), dtd 31.01.2013
- 10. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 11. Industry shall install CAAQMS within a period of 4 months.
- 12. Industry shall install STP for applied domestic effluent quantity i.e. 28 CMD within a period of 6 months.

For and on behalf of the Maharashtra Poliution Control Board

> (Dr. P. Anhalagan, IAS) Member Secretary

Received Consent fee of-

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1.	35,67,384/-	118858	06.04.2015	State Bank of India
2.	100/-	118866	09.04.2015	State Bank of India
3.	The previous bala	ance fees from	C to E of Rs. 14	,60,229/- is considered during

Copy to:

- Regional Officer Chandrapur and Sub Regional Officer Chandrapur MPCB , Chandrapur. They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

Schedule-I <u>Terms & conditions for compliance of Water Pollution Control</u>:

- A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity not mentioned.
 - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

	Parameters	Standards prescribed by Board (If any)
01	рН	5.5 to 9.0
02	Oil & Grease	20
03	BOD (3 days 27oC)	100
04	Total Dissolved Solids	2100
05	Phenolics (C6H5OH)	1.00
06	Suspended Solids	100
07	COD	250
08	Chloride	600
09	Sulphate	1000

- C) The treated effluent shall be used for spraying mine pits to the maximum extent & excess shall be used on land for gardening
- 2) A] As per your consent application, you have provided the sewage treatment system with the design capacity of 0.60 MLD.
 - B] The applicant shall operate the sewage treatment system to threat the sewage so as to achieve the following standards/ prescribed under EPA ct 1986 and Rules made three under from time to time, whichever is stringent.
 - 1) Suspended Solids. Not to exceed
 2) BOD 3 days 27oC. Not to exceed
 30 mg/1.
 - 3) COD. Not to exceed 100 mg/1.
 - C] The treated sewage shall be disposed on land for gardening/irrigation
- The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler	2500
	feed	270
2.	Domestic purpose	150
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	N.A

4) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/Environmental Clearance / CREP guidelines.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) to observe the following fuel pattern-

Sr.	Stack	APC	Height	Type	of	Quantity	S %	SO_2
No.	Attached To	System	in Mtrs.	Fuel		& UoM		Kg/Day
1	NA							

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate	Not to exceed	150 mg/Nm ³ .	00
matter			00

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 6. Control Equipments
 - a) Coal handling plant provided with dust collector & automatic water sprinkler shall be operated
 - b) Scientific spraying of water on all working area, dump area, stock piles with the help of appropriate dust suppression system.
 - c) Coal shall be properly covered during transportation.
 - d) The applicant shall carry out tree plantation along road side, around dumps or compulsory afforestation as per proposal approved by Forest Department. The tree plantation programme shall be taken up well in advance of the actual mining activity, so that green belt of sufficient width & height is developed between mining area/road and surrounding environment.
 - e) Black topped metal roads provided shall be well maintained to prevent dust formation.
 - f) Overloading of dumpers shall be avoided to prevent spillages.
 - g) Correct type & quantity of explosive shall be used to avoid excess dust formation & vibration in the surrounding area.
 - h) The slope of the over burden shall have slope not more than 28 degree to the horizontal. The overburden shall be properly covered by vegetation for stabilization.
 - i) Coal transportation shall be done by installing conveyors wherever possible & mechanically covered closed trucks shall be used for transportation.
- 7. Standards for Ambient Air Pollutants:
 - (i) Suspended Particulate Matter [SPM] Not to exceed 500 ug/m³ (ii) Respirable Particulate Matter [RSPM] Not to exceed 250 ug/m³
 - [Size less than 10 micrometer]
 - (iii) Sulphur Dioxide (SO₂) Not to exceed 120 ug/m³ (iv) Oxides of Nitrogen (NOx) Not to exceed 120 ug/m³.

May

- 8. The applicant shall install minimum three continuous automatic ambient air and micrometeorological monitoring station at location indicated by State Board to be set up and operate at its own cost measure SO2, NOx and particulate matter as per the condition of Environmental clearance to be obtained. These CAAQMS shall also have necessary provision of networking to the Air Quality Monitoring network of MPCB.
- 9. The applicant shall take adequate measures for control of noise levels from its own sources as follows:

Sr.	ces as follows:	Permissible Norms [in dB (a)]	Desired minimum thickness of green belt (m)
No	n D laide	65 (Commercial Area)	20
1	Along Road side	55 (Residential Area)	20
2	In colonies	55 (Residential in ca)	10 (*40)
3	Near Opencast Mines	75 (Industrial Area)	
4	Near CHPs	75	30
	Near Shaft	75	20
5			>50
6	Near Mine exhaust	75	a green belt of sufficient wid

*The Opencast Mine needs to be surrounded by a green belt of sufficient width as per the guidelines of Design Institute Ltd. [A subsidiary of Coal India Ltd.] if the residential complexes are very close

- (i) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess standards laid down, such information shall be forthwith reported to Board, concerned Police station, office of Directorate of Health services, Dept. of explosives, Inspectorate of Factories & Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped
- (ii) If Coal Washeries are installed, then follow the conditions of the MoEF, GOI's Notification No Q15017/13/9 CPW, dtd 27.01.1999 strictly.

Schedule-III

Details of Bank Guarantees

Sr.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
lo.	1st C to 0	Rs. 5.0	15 dys	Installation of CAAQOM stations.	4 months	31.07.2016
	1st C to O	Rs. 5.0	15 dys	Installation of STP	6 months	31.07.2016
	1st C to O	Lakhs	20.00			
					0	
				T	1	A
					m	10
					1 2	9,
					00	
					1/	
					10,	
					XI.	
				~	1	
				(0		
				11		
				2/0		
				11/0.		
				110		
			0	0		
				THE CONTRACTOR OF THE CONTRACT		
			X			
			· 18			
			X101			
			KILDY			
			Kila			
			KILLS			
		NO NO	Kila			
		Mala	Kild			
		Mais	Sila			
	9	Mala	SILIS			
	9	Mala	Sila			
	9	Mala	Sila			
	9	Mais	Sila			
	9	Mala	Still			
	1	Mala	SIL SIL			
		Mala	Sila			

WCL Penganga Open Cast Project, SRO Chandrapur/1/R/L/18865000

Schedule-IV General Conditions:

The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this

behalf.

2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.

3) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by

terms and conditions of this consent.

5) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.

6) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision

contain in the HW(MH&TM) Rules 2008, which can be recycled

7) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.

8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for

the preceding year April to March in Form-IV by 30th June of every year.

 An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.

10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.

11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).

12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.

- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

16) Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.

My

- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- D.G. Set shall be operated only in case of power failure.
- The applicant should not cause any nuisance in the surrounding area due to operation of D.G.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75dB(A) during day time and 70dB(A) during night time. Day time is reckoned in between 6 am and 10 pm and night time is reckoned between 10 pm and 6 am
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.
- 27) The project authorities shall obtain consent for their railway siding operation.
- 28) The project authorities shall submit an action plan for using closed coal conveyor belt system in place of truck transportation, wherever the coal transportation distance is less than 3 Kms initially, within 3 months.
- 29) This consent is valid along with the Environmental Clearance granted to the mine.
- 30) The applicant shall install continuous automatic ambient air and micrometeorological monitoring station at location indicated by State Board to be set up and operate at its own cost measure SO2, NOx and particulate matter as per the condition of Environmental clearance to be obtained. These CAAQMS shall also have necessary provision of networking to the Air Quality Monitoring network of MPCB.
- 31) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 32) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

----0000----