

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781  
/4037124/4035273  
Fax : 24044532/4024068 /4023516  
Email : enquiry@mpcb.gov.in  
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga  
Scheme Road No. 8, Opp. Cine Planet Cinema, Near  
Sion Circle, Sion (E),  
Mumbai - 400 022

Consent order No BO/CAC-CELL/EIC No. KN-6736-15/R /CAC-406 Date- ~~1/12/2015~~  
08/01/2016  
To,  
M/s Hindustan Coca-Cola Beverages Pvt. Ltd.,  
S. No. 284(p), A/P. Kudus  
Tq. Wada Dist. Thane.

Subject: Renewal of Consent to Operate under RED category.

Ref : 1. Consent granted by the Board vide no. BO/CAC-CELL/EIC No. KN-6638-14  
/E/CAC-12612 dtd 31/12/2014.

2. Minutes of CAC meeting held on 23 / 11 /2015.

Your application: CR1503000616.

Dated: 02.03.2015.

For: Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III & IV annexed to this order:

1. The consent is granted for a period up to 30.04.2016.
2. The actual capital investment of the industry is Rs. 321.19 Crs. (As per Certificate submitted by industry)
3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity in
1.	Pulp based, Carbonated beverages in glass bottles, Tetra, PET bottles	1639 KL/D
2	Packaged drinking water (Pet bottles & Jars)	384 KL/D

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	1651	As per Schedule - I	570 CMD recycled in process & remaining 1031 used on land for gardening.
2.	Domestic effluent	90	As per Schedule - I	54 CMD recycled for flushing & cleaning purpose & remaining 36 used on land for gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1	Boiler- ( 16 TPH Briquette)	1	As per Schedule -II
2	Boiler (4 TPH)	1	As per Schedule -II

3	Boiler (10 TPH)		
4	Boiler (4 TPH)	1	As per Schedule -II
5	Boiler (6 TPH)		
6	DG Sets (750 KVA x 6 no.s)	6	As per Schedule -II
7	DG Set (1500 KVA)	1	As per Schedule -II
8	DG Set (250 KVA)	1	As per Schedule -II

6. Conditions about Non Hazardous Wastes:


Sr. no.	Type Of Waste	Quantity & UOM	Treatment	Disposal
1	Boiler Ash	2100 T/A	—	Sold to Bricks manufacturers
2	PET scrap	87.6 T/A	—	Sale to auth. dealer
3	Metal Waste	114 T/A	—	Sale to auth. dealer
4	Broken Glass	2496 T/A	—	Sale to auth. dealer
5	Wooden Scrap	408 T/A	—	Sale to auth. dealer
6	Spent Carbon	216 T/A	—	Sale to auth. dealer
7	Plastic waste	674 T/A	—	Sale to auth. dealer
8	Cardboard paper	199.9 T/A	—	Sale to auth. dealer
9	Carbo & empty drum	199 T/A	—	Sale to auth. dealer
10	Sludge from ETP and WTP plant.	600 T/A	—	For co-processing to cement industries.

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Spent and waste oil	5.1	9	KL/A	—	By Sale
2	Cotton waste	5.2	480	Kg/A	—	CHWTSDF
3	Discarded Containers	33.3	1200	Nos./A	—	CHWTSDF
4	Granular activated Carbon	—	15	MT/A	—	CHWTSDF
5	Softener Resin	—	7.6	MT/A	—	CHWTSDF
6	Printer Cartridges / Tube Light	—	180	Nos./A	—	By Sale

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the  
Maharashtra Pollution Control Board

  
(Dr. P. Anbalagan, IAS.)  
Member Secretary

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	Rs. 24,07,149/-	586081	28.01.2015	Citi Bank
2	Rs. 100/-	505139	27.02.2015	Canara Bank

Industry has paid above mentioned fees for the period up to 30.04.2018 however Board has granted Consent for the period up to 30.04.2016. From the above mentioned fees, fees of Rs. 2,36,800/- is deducted towards C to E for increase in CI (by considering 0.02%), hence fees of Rs. 12,84,760/- is balance with the Board & same will be considered during next Renewal of Consent.

Copy to:

1. Regional Officer -Kalyan - He is directed to forfeit the BG of Rs. 2.5 Lakh out of Rs. 5.0 Lakh as JVS results are exceeding the limit.
2. Sub-Regional Officer-Kalyan-III, MPCB -He is directed to ensure the compliance of the consent conditions & monitor the performance of ETP/STP and its disposal arrangement closely for next 03 months and submit the report to CAC-Cell.
3. Chief Accounts Officer, MPCB, Mumbai.
4. CAC desk- for record & website updation purposes.

Schedule-I

**Terms & conditions for compliance of Water Pollution Control:**

- 1) A] As per your application, you have provided the existing Effluent Treatment Plant (ETP) with the design capacity of 1650 CMD.  
B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
	<b>I. Compulsory Parameters</b>	<b>Limiting Concentration in mg/l, except for pH</b>
01	pH	6.0-8.5
02	Oil & Grease	5.0
03	BOD (3 days 27oC )	30
04	Total Dissolved Solids	2100
05	Suspended Solids	50
06	COD	100
07	Sulphate	1000
08	Chloride	600

C ) Out of 1651.0 CMD treated effluent, 570 CMD recycled in process & remaining 1031 used on 52 acres of land for gardening. In no any case effluent shall not find its way outside the premises.

- 2) A.] As per your consent application, you have provided the sewage treatment system with the design capacity of 90 CMD.  
B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.
- |     |                   |               |     |       |
|-----|-------------------|---------------|-----|-------|
| (1) | Suspended Solids. | Not to exceed | 50  | mg/l. |
| (2) | BOD 3 days 27oC.  | Not to exceed | 30  | mg/l. |
| (3) | COD               | Not to exceed | 100 | mg/l. |

C] Out of 90 CMD treated sewage 54 CMD recycled for flushing & cleaning purpose & remaining 36 CMD shall be disposed on land for gardening/irrigation

- 3) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	630
2.	Domestic purpose	100
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	3482
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	....

- 4) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.



**Schedule-II**

**Terms & conditions for compliance of Air Pollution Control:**


1. As per your application, you have installed Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO <sub>2</sub> Kg/Day
1	Boiler (16 TPH).	Multicyclone dust collector & bag filter	41.0	Briquette	100 T/D	0.06%	120
2	Boiler (4 TPH)	Multicyclone dust collector & bag filter	52	Furnace Oil	24 MT/D	4.5%	2160
3	Boiler (10 TPH)			Furnace Oil			
4	Boiler (4 TPH)	Multicyclone dust collector & bag filter	36	Furnace Oil			
5	Boiler (6 TPH)			Briquette	28.30 T/D	0.06%	33.9
6	DG Sets (750 KVA x 6 nos.)	---	8.5 each	HSD	50 KL/D	1%	1000
7	DG Set (1500 KVA)	---	8.5				
8	DG Set (250 KVA)	---	3.5				

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .
--------------------	---------------	--------------------------

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).




**Schedule-III  
Details of Bank Guarantees**

**BG History**

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Amount of BG forfeited from the imposed BG	Purpose of BG forfeiture
1	C to R	Rs. 5.0 Lakh	Rs. 2.5 Lakh	• As JVS results of trade effluent & stack monitoring are exceeding the Consented limits.

**NEW BG**

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Rs. 2.5 Lacs	To be extended	1) O & M for achieving consented standards of Effluent.	30.04.2016	31.08.2016
		Rs. 5.0 Lakh (Top-up of forfeited)	15 days	2) O & M for achieving consented standards of Stack emission,		



Schedule-IV

**General Conditions:**

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 8) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.**
- 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 13) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 17) Conditions for D.G. Set



- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 18) The industry should not cause any nuisance in surrounding area.
- 19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20) The applicant shall maintain good housekeeping.
- 21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end, with the Environment Statement.
- 22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 25) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 26) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 27) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.
- 28) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 29) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

-----0000-----

