

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068 /4023516
Email : enquiry@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema, Near
Sion Circle, Sion (E),
Mumbai - 400 022

Consent No: Format 1.0/ BO/CAC-Cell/EIC No:-AD-16865-15/CC-153
Date- ~~12/2015~~ 05/01/2016

To,
M/s.CAN-PACK INDIA PVT LTD.- BEVERAGE CAN BRANCH,
L-18/25 to L-18/28 & L-19,
MIDC Waluj,Aurangabad,
Maharashtra-431136

Subject: Consent to 1st Operate for Expansion by amalgamation with existing consent under RED category.

- Ref : 1. Earlier Consent granted vide no. -Consent NO.BO-APAE-EIC No.-7065-11-O-CC-425 dated-09.09.2011.
2. Consent to Establish granted vid no. BO/EIC-No. AD-15568-14/CAC-CELL/CC-12432 dt.26/12/2014.
3. Minute of CAC meeting held on 09.10.2015

Your application: CO1506000286
Dated: 05.05.2015

For: Consent to 1st Operate for Expansion by amalgamation with existing consent under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III & IV annexed to this order:

- The consent is granted for a period upto 28.02.2017.
- The actual capital investment of the industry is Rs.431.17/- Crs. (As per C. A. Certificate submitted by industry).
- The Consent is valid for the manufacture of -

S.No.	Product / By-Product Name	Millions per Annum
1	Aluminum Beverage Cans	950 Million Nos. /Yr
2	Aluminium Easy open ends	970 Million No/Yr
3	By Product- Virgin Aluminium Metal Sheet	2800 MT/Yr

- Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	530	As per Schedule -I	CETP
2.	Domestic effluent	12.1	As per Schedule -I	Land/Gardening etc

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. No.	Description of Vents/stack-source	Number of Stack	Minimum Stack Height Meters from Roof	Standards to be achieved
1	Deco-2 Cooling Zone Exhaust	1	2	As per Schedule -II
2	Deco-2 Cooling Zone Supply	1	2	As per Schedule -II
3	Deco-2 Pin Oven Exhaust	1	2	As per Schedule -II
4	Oxidizer	1	2	As per Schedule -II
5	IBO Infeed Blue Mat	1	2	As per Schedule -II
6	BM Trimmer Vacuum(BM 6 to 8)	1	2	As per Schedule -II
7	BM Trimmer Vacuum(BM 1-5)	1	2	As per Schedule -II
8	DI Exhaust	1	2	As per Schedule -II
9	D G Set 125 KVA	1	3	As per Schedule -II
10	Washer Entry Exhaust	1	2	As per Schedule -II
11	Washer Oven Exhaust	1	2	As per Schedule -II
12	Washer Boiler Exhaust	1	2	As per Schedule -II
13	UVBC Vacuum Transfer Exhaust	1	2	As per Schedule -II
14	UVBC Oven Exhaust	1	2	As per Schedule -II
15	Pin Oven Cooler Exhaust	1	2	As per Schedule -II
16	Pin Oven Cooler Exhaust	1	2	As per Schedule -II
17	Pin Oven Exhaust	1	2	As per Schedule -II
18	Decorator Oven Mist Exhaust	1	2	As per Schedule -II
19	Decorator ink Mist exhaust	1	2	As per Schedule -II
20	IBO Oven Exhaust Zone-1	1	2	As per Schedule -II
21	IBO Oven Zone 2 & 3	1	2	As per Schedule -II
22	IBO Cooler Supply	1	2	As per Schedule -II
23	IBO Cooler Exhaust	1	2	As per Schedule -II
24	IC Spray Exhaust	1	2	As per Schedule -II
25	Scrap System air Discharge Duct	1	2	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

S. No.	Type Of Waste	Quantity & UoM		Total	Treatment	Disposal
		Existin g	Propo sed			
1	Packing Wood	175	500	675	Not Applicable	Sell to Authorized Scrap Dealer
2	Aluminium Scrap	10000	0	10000	Not Applicable	Sell to Authorized Scrap Dealer/Coil Manufacturer
3	Paper	500	0	500	Not Applicable	Sell to Authorized Scrap Dealer
4	Plastic Packaging	75	0	75	Not Applicable	Sell to Authorized Scrap Dealer

5	Metal Packing	100	0	100	Not Applicable	Sell to Authorized Scrap Dealer
---	---------------	-----	---	-----	----------------	---------------------------------

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. N	Type Of Waste	Categor	Quantity	UOM	Disposal
1	Wastes/Residues containir Oil/Glycol/Cleaning Agent	5.2	2	MT/M	Sale to authorized reprocess/CHWTSDF/CO-PROCESSING
2	Waste/Residues(Lacquers)	21.1	1500	kG/Month	CHWTSDF/CO-PROCESSING
3	Chemical Sludge from was water treatment	34.3	530	kG/Day	CHWTSDF/CO-PROCESSING
4	Used/Spent Oil	5.1	3.0	MT/M	Sale to authorized reprocess
5	Waste/Residue (not made with vegetables or animalmate) (Adhesives)	23.1	5	Kg/Month	CHWTSDF/CO-PROCESSING
6	Discarded containers/barrels/liners	33.3	800	No./Month	To Authorized Scrap dealer
7	Filter and filter material which have organic liquid(Waste Cotton/Filter	35.1	50	Kg/Day	CHWTSDF/CO-PROCESSING

- The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- As per MoEF GOI OM dtd 09.06.2015 consent is issued subject to condition that industry to ensure sustainable environmental management in pursuance of Notification No. S.O 3252 (E) of 22.12.2014 under EIA Notification 2006 at Annex-I.
- This consent is issued with overriding effect to earlier consent granted vide No. BO-APAE-EIC No.-7065-11-O-CC-425 dated-09.09.2011.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the
Maharashtra Pollution Control Board

(Dr. P Anbalagan, IAS)
Member Secretary

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	1,00,000/-	827110	13.06.2014	Citi Bank
2	8,76,440/-	413677	21.10.2015	Citi Bank

Copy to:

- Regional Officer Aurangabad, He is directed to release BG of Rs. 10/- Lakhs obtained against obtaining EC condition as the same is now not required for industrial shed.
- Sub-Regional Officer-Aurangabad., MPCB, Aurangabad. They are directed to ensure the compliance of the consent conditions.
- Chief Accounts Officer, MPCB, Mumbai.
- CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 336 CMD.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
01	Ph	5.5-9.00
02	Suspended Solids	100
03	BOD (3 days 27oC)	100
04	COD	250
05	Oil & Grease	10
06	Total Dissolved Solids	2100
07	Chloride	600
08	Sulphate	1000
09	Chromium (Hexavalent)	0.1

- C] The treated effluent shall be disposed to CETP
- i) Discharge to the CETP 530 CMD (330 cmd Process Effluent after treatment & 200 CMD from RO Reject/Backwash/DI/Etc etc will be directly discharged to CETP)
- 2) A.] As per your consent application, you have provided the septic tank soak pits for sewage generated.
- B] The Applicant shall provide comprehensive treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.
- (1) Suspended Solids. Not to exceed 100 mg/l.
- (2) BOD 3 days 27oC. Not to exceed 100 mg/l.
- C] The treated sewage shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.




5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

6)

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	10
2.	Domestic purpose	13
3.	Gardening	30
4.	Processing whereby water gets polluted & pollutants are easily biodegradable	833

7) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.



Maharashtra Pollution Control Board

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-


Sr. No.	Description of Vents/stack-source	Stack/Vent Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM
1	Washer Entry Exhaust	Washer		2		Not more than 212 Kg/Hour
2	Washer Oven Exhaust	Washer		2	LPG	
3	Washer Hot water generator exhaust	Washer		2		
4	Deco-1 Mist Extraction	Decorator	Oxidizer	2		
5	Deco-1 Pin Oven Exhaust	Decorator	Oxidizer	2		
6	Deco-1 Cooling Zone Exhaust	Decorator		2		
7	Deco-1 Cooling Zone Supply	Decorator		2		
8	Deco-2 Mist Extraction	Decorator	Oxidizer	2		
9	Deco-2 Pin Oven Exhaust	Decorator	Oxidizer	2	LPG	
10	Deco-2 Cooling Zone Exhaust	Decorator		2		
11	Deco-2 Cooling Zone Supply	Decorator		2		
12	LSM Vacuum IC Spray Exhaust	LSM & IBO	Oxidizer	2		
13	IBO Zone-1 Exhaust	LSM & IBO	Oxidizer	2	LPG	
14	IBO Zone-2 & 3 Exhaust	LSM & IBO	Oxidizer	2	LPG	
15	IBO Zone Cooler Supply	LSM & IBO		2	LPG	
16	IBO Zone Cooler Exhaust	LSM & IBO	Oxidizer	2	LPG	
17	UV Lamp Exhaust	UVBC		2		
18	UVBC Vacuum Transfer	UVBC		2		
19	IBO Infeed (Fume Hood)	LSM & IBO		2	LPG	
20	Cup Plain Scrap	CUPPER		2		
21	BM Trimmer Vacuum-1	Body Maker		2		
22	BM Trimmer Vacuum-2	Body Maker		2		
23	DI Exhaust	DI System		2		
24	Oxidizer	Oxidizer		2	LPG	
25	DG set	DG		3	HSD	

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

SPM/TPM	Not to exceed	150 mg/Nm ³
---------	---------------	------------------------

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



Schedule-III
Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to O	Rs. 5/- Lakhs	15 Days	O & M of pollution control system	28.02.2017	30.06.2017



Maharashtra Pollution Control Board

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.**
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control

- system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
 - 19) The industry should not cause any nuisance in surrounding area.
 - 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
 - 21) The applicant shall maintain good housekeeping.
 - 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
 - 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
 - 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
 - 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
 - 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
 - 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
 - 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

-----0000-----

