	MAHARASHTRA		N CONTROL BO	
Phone : Fax : Email : /isit At :	4010437/4020781 /4037124/4035273 24044532/4024068 /4023516 enquiry@mpcb.gov.in http://mpcb.gov.in	KANARASHTRA Si	alpataru Point, 3rd &	4th floor, Sion- Matunga Cine Planet Cinema, Near
Conser	nt order No: B.O/MPCB/A	ST/EIC.No-RD-3	146-15/HOD-0018	1 Date- 05/01/2016
Plot N	s. Pidilite Industries Ltd o-C-58, MIDCMahad, laigad.	.)		
	Ref :1) Cons 10/R/C	C-96 dtd-19/05/		
Polluti Act, 19 2008 is	onsent to Operate unde ion) Act, 1974 & under S 981 and Authorization un 5 considered and the cons ions and as detailed in th	ection 21 of the der Rule 5 of t sent is hereby g	e Air (Prevention & he Hazardous Wast ranted subject to th	Control of Pollution) es (M, H & T M) Rules ne following terms and
1. The	e consent is granted for a	period from 1/1	0/2015 to 30/09/2018	•
sub	e actual capital investme mitted by industry). e Consent is valid for the			as per CA certificate
S	Sr. No. Product / By-Pro	oduct Name	Maxir	num Quantity
	1 Polymer of Vinyl A Alcohol and Adhesi Acetate & Polyvin	ves based on viny	-	500 Mt/M
4. Con	ditions under Water (P&	CP), 1974 Act fo	or discharge of efflu	ent:
	Sr. Description 10.	Permitted quantity o	Standards to f be achieved	Disposal

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal	
1.	Trade effluent	2.0	As per Schedule –I	Recycle/reuse	
2.	Domestic effluent	1.0	As per Schedule –I	On land for gardening.	

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.	Description of stack /	Number of Stack	Standards to be
<u>no.</u>	source		achieved
1.	Baby Boilers- 3 Nos.	1	As per schedule-II
2	Process vent	1	As per schedule-II
3	D.G set (320 KVA)	1	As per schedule-II

M/s. Pidilite Industries Ltd., SRO Mahad/I/R/L/85128000

Page 1 of 7

6. Conditions about Non Hazardous Wastes:

Sr.	Type Of Waste	Quantity & UoM	Treatment	Disposal
no.				
1	Paper bags	370.00 kg/M		Sale to authorized
2	Carboys	2.00 Nos/M		party
3	Paper cloth	8.00 kg/M		

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Used /spent oil	5.1	0.20	KL/A		Sale to MPCB authorized recycler/
						Preprocessor
2	Waste residue (Adhesives)	23.1	20.70	MT/A		CHWTSDE
3	Discarded containers/ barrel/used liners	33.3	2500	No's/A		MPCB authorized recycler/
						Preprocessor
4	ETP Sludge	34.3	5.00	MT/A		CHWTSDF

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10. The plain renewal of consent is granted as per the earlier consent. Industry shall restrict the production as per consent quantity only
- 11. This consent is issued as per the delegation of power to HOD's vide Board Office Order No. 31/2013 dtd.1/03/2013.

For and on behalf of the Maharashtra Pollution Control Board

(P.K.Mirashe)

Assistance Secretary (Technical)

Received Consent fee of -

	oriour componie to:	· • •		
Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	150100/-	847408	19/08/2015	SBI
2	15000/-	583425	04/09/2015	SBI

Copy to:

- 1. Regional Officer Raigad and Sub-Regional Officer-Mahad, MPCB: They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

M/s. Pidilite Industries Ltd., SRO Mahad/I/R/L/85128000

Page 2 of 7

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have installed Effluent Treatment Plant (ETP) with the design capacity of 2.00 CMD.
 - B] The Applicant shall operate the effluent treatment plant (ETP) comprising of primary pit with aeration, flash mixer, hopper bottom tank, final water tank, pressure sand filter, activated carbon filter and sludge drying bed to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)			
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH			
01	pН	5.5 to 9.0			
02	BOD 3days 27 deg.C	30 mg/l			
03	COD	250 mg/l			
04	Oil & Grease	10 mg/l			
05	Suspended Solids	100 mg/l			
06	Total Dissolved Solids	2100 mg/l			
07	Sulphate	1000 mg/l			
08	Chlorides	600 mg/			

- C) The treated effluent shall be 100% recycled back into the process and for cooling water makeup. There shall be no discharge outside industry premises.
- 2) A] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.
 - (1) Suspended Solids. Not to exceed 100 mg/l.
 - (2) BOD 3 days 27oC. Not to exceed 100 mg/l.
 - B] The treated sewage shall be soaked in a soak pit, which shall be got cleaned periodically and the overflow if any shall be disposed on land for gardening/irrigation.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

M/s. Pidilite Industries Ltd., SRO Mahad/I/R/L/85128000

Page 3 of 7

4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed/ DM plant	15.0
2.	Domestic purpose	2.50
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	51.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	nil

5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

M/s. Pidilite Industries Ltd., SRO Mahad/I/R/L/85128000

Page 4 of 7

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install the Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.		Quantity & UoM	$\mathbf{S}^{-\mathbf{a}_0^+}$	SO ₂ Kg Day
1	Baby Boilers (3 Nos)		34.00 Common stack	FO	700 ltr/ Day	4.50	63.00
2	Process vent	Scrubber	20.00			A	
3	D.G Set (320 KVA)	Acoustic enclosure	3.50	HSD	20.0 ltr/day	1X	0.4

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate	Not to exceed	150 mg/Nm ³ .
matter		

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III Details of Bank Guarantees

Sr.	Consent	Amt of BG	Submission	Purpose of BG	Compliance	Validity
No.	(C to E/O/R)	Imposed	Period		Period	Date
1	C to R	2.0 Lakh	1 Month	Towards Compliance of consent conditions and O & M of Pollution Control System installed	30.09.2018	31.01.2019

M/s. Pidilite Industries Ltd., SRO Mahad/I/R/L/85128000

Page 5 of 7

<u>Schedule-IV</u>

General Conditions:

- The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity (in case of Consent to establish).
- 13) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 14) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(<u>www.mpcb.gov.in</u>).
- 15) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 16) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 17) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

M/s. Pidilite Industries Ltd., SRO Mahad/I/R/L/85128000

Page 6 of 7

- 18) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 19) The industry should not cause any nuisance in surrounding area.
- 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 21) The applicant shall maintain good housekeeping.
- 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences
 27) The industries of the statement of
- 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd: - 16.11.2009 as amended.

M/s. Pidilite Industries Ltd., SRO Mahad/I/R/L/85128000

Page 7 of 7