+MAHARASHTRA POLLUTION CONTROL BOARD

Fax

Email

:

4010437/4020781
/4037124/4035273
24044532/4024038/4023516

enquiry@mpcb.cov in



Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E). Mumbai - 400022

Visit At : http://mpca.go/d

ORANGE/S.S.1

Date: 02/12/2015

Consent No: RONM/NNB/TALO-JA/ORG/E/ MPCB/15/14959

Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundry Movement) Rules 2008

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENt is hereby granted to

M/s. Jyoti Process Equipments Pvt. Ltd., Plot No. A-65, MHDC Taloja, Tal. Panvel, Dist. Raigad.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Establish is granted for a period up to: Commissioning of the unit or five years, whichever is earlier.

Sr. No.	Product Name	Maximum Quantity	UOM
1	Pressure Leaf Filter Vertical	52.00	No./M
2	Pressure Leaf Finter Horizontal	36.00	No./M
3	Multibar Mirren Pelishing filter	99.00	No/M
4	Rotary Brum Flaker	12.00	No/M
5	Hoany Dreambers.	6.00	No./M
6	Relater mechan	24.00	No./M
7	deat Ex haager	24.00	No/M

2. The Consent is valid for the activity of -

3. CONDITIONS UNDER WATER ACT:

(i) The damy quantity or trade effluent from the factory shall be nil.

(ii) The daily quantity of severe effluent from the factory shall not exceed 1.60 M3.

(iii) Sewage Efficient Treatment: The applicant shall provide comprehensive treatment system as towarranted with reference to influent quality and operate and maintain the sume commany so as to achieve the quality of treated effluent to the following standards.

Suspended Solids BOD 3 d ys 27o (.	Not to exceed Not to exceed		mg/l. mg/l.
		- 00	1112/1

(vi) Sewage Effluent Disposal. The treated domestic effluent shall be soaked in a soak pit, which shall be got cle med periodically. Overflow, if any, shall be send to CETP.

(vii) Non-Hazardous Solid Wastes: Nil

- (viii) Other Conditions: in fustry should monitor effluent quality regularly.
- 4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under:-

(1)	and a accessinguinpu	n for the following	categories is as under
	The set of	0	Bottoo 10 da unuel

On Water tots Politica &	 2.00 CMD
Pollut est «re Bisserradable (in) Vater «st. Politient, Pollutants	 0.00 CMD
av adust v chi	 0.00 CMD
m mine arts or hinter read	 0.00 CMD

the apparant shall regularly submit to the Board the returns of water consumption at the prescribed form and pay the Cess as specified under Section 1 of the bid Act

5. CONDETIONS UNDER ALL ACT:

(i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards: Control Equipment:

Air pollation control system of adequate capacity shall be provided to him the process emissions.

6. Standards for Stach Emissions:

١.	SPAL LOND	Not to exceed	1 ~ 0	
(1.)	5012		150	mg/Nm ³
		Not to exceed		Kg/day

(i) The applicant shall observe the following fuel pattern:-

S	Na Type (<u>II Hual</u> Qua N.A.	untity U	ЮМ	
(ii)		shall erect <u>VAMached T</u> Nil		of the following n Mtrs.	g Baby
SRO Taloja/I/O/S/66196452				E	

The approant shall provide ports in the chimney/(s) and facilities such as (iii)i dder, pattorm etc. for monitoring the air emissions and the same shall be open for inspection to and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate

(iv)The ind thre shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 db(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

(v) Other Conditions:

- 1. The industry should not cause any nuisance in surrounding area. The man try should monitor stack emissions and ambient air quality

CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING 7. & TRANSBOUNDRY MOVEMENT) RULES, 2008:

The industry shall not generate any type of Hazardous Waste.

8. Whenes a due to any merilent or gas leakage or other unforeseen act or even, such emission occur at is apprehended to occur in excess of standards laid down, such information shall be for thwith Reported to Collector, Directorate of industry, Safety and Health Police Station, fire Brigade, Directorate of Health services, Department of Explosives, Board and local Body the production process should be stopped by taking all necessary safety measures. Industry shall also monitor the emissi in and matter that the emission do not cause any harm or nuisance in the surrounding. The inducey should not restart the process without permission of the Bound and other strategy organization as require under the law.

Industry shall comply with following additional conditions: 9.

- i. The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding
- ii. The applicant shall bring minimum 33% of the available open land under green cov - get the pian along
- iii. Solo waste the mu bazardous solid waste arising in the factory premises, sweepings, to the apparent of scientifically so as not to cause any nuisance / polition. The applicant shall take necessary permissions from civic authorities for appendit to to the cround.
- iv. The applicant shall provide for an alternate electric power source sufficient to openne all policitant control facilities installed by the applicant to maintain compliance with the letins and conditions of the consent. In the absence, the applicant shoul stop leave or otherwise, control production to abide by terms & contraines and an regarding pollution levels.
- v. The applicant shall not change or alter quantity, quality, the rate of discharge, temporature or the mostly of the effluent / emissions or hazardous wastes or control equipment - province for without previous written permission of the Board.

× - 3

SRO Taloja/I/O/S/66196155

- vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Bound staff at the terminal or designated points and shall pay to the Board for the serve rendered in the behalf.
- vii. The applicant shall make an application for renewal of the consent at least 60 day before the late of the expiry of the consent.
- viii.The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the presided comm-V a pre the provisions of rule 14 of the Environment (Protection) Second and an address 1992.
- ix. As projection man, had be opened and made available to the Board's officers during the visit of the q plicant.
- x. The opolical tandal as all a separate electric meter showing the consumption of enc. ... for operation of domestic and industrial effluent treatment plants and air pollogen courre system. A register showing consumption of chemicals used for tee neutenahlie minuamed.
- xi. Segme a time tem shall be provided for collection of trade and sewage error and formula memboles shall be provided at the end of collection system was area mean for measuring the flow. No effluent shall be admitted in the piper i sewers down-stream of the terminal manholes. No effluent shall find its way that than in the ned and provided collection System.
- xii. Neither steam water me discharge from other premises shall be allowed to mix with the enfuents then the factory.
- 10. The control investment of the industry is Rs. 189.00 Lacs.
- 11. Hund resolves and the revoke, suspend or amend the consent issued.
- 12. The cursent should not be construed as any exemption from obtained necessary Not from other Govt. agencies as may deemed fit necessary.

For & On behalf of Maharashtra Pollution Control Board

helohalm 2-12-15

(N. S. Lohalkar) Regional Officer, Navi Mumbai

To

M/s. Jyou roces Equipments Pvt. Ltd., Plot No. MIDC The second Tal. Pan. Dis Ruitin

Received misent fee of-

Sr. No.	Dane Dane	Drawn On
1 15100-	09/09/2015	Corporation Bank

Copy to:a) SROb) CA(

SRO Taloja/I/O/S/6619015.