

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068
/4023516
Email : enquiry@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema, Near
Sion Circle, Sion (E),
Mumbai - 400 022

Consent order No: - Formate 1.0/ BO/CAC-Cell/ EIC No KN-6683-15/11th CAC/864
Date- 20/01/2016

To,
M/s. Godrej Industries Ltd.,
Plot No. N - 73, Addl. Ambernath,
Dist. Thane

Subject: Renewal of Consent to Operate under RED category.
Ref: 1. Consent to operate granted vide no. Formate 1.0/BO/CAC-Cell/EIC No KN-6550-13/18thCAC/1442 dated 14.02.2014
2. Your application approved in CAC meeting held on 09.12.2015.

Your application:CE1502000075
Dated:03.02.2015

For: Renewal of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent is granted for a period from 01.03.2015 to 28.02.2020.
- The actual capital investment of the industry is Rs.355.34Cr. (As per C.A.Certificate submitted by industry)
- The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity in MT/A
1.	Monocarboxylic Fatty Acid	60,000
2.	Organic Surface Active Agent (Surfactants) , Detergent	17,000
	By-Product Name	
1.	Glycerin	7,500
2	Sulphuric acid	240

- Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	460	As per Schedule -I	50 CMD recycled in cooling tower & 100 CMD on land for gardening. Remaining to CETP CETP
2.	Domestic effluent	50		

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boiler (5 nos)	2	As per Schedule -II
2.	TFH (2 nos), Thermosyphon heater for distillation plant (2 nos)	2	As per Schedule -II
3.	Process stacks	2	As per Schedule -II
5.	DG set (1.5MW)	1	As per Schedule -II
6.	Hot air generator	1	As per Schedule -II

6. Conditions about Non Hazardous Wastes:


Sr. no.	Type Of Waste	Quantity per Annum	Treatment	Disposal
1	Wooden, M.S, Aluminum, Plastic and Paper Scrap	610 MT/A	--	Recycling or sale to authorized party
2	Empty drums and carboys (20 lit to 200 liters)	11700 No./A	--	Recycling or sale to authorized party
3	Pitch Oil	3600 MT/A	--	Use as fuel in Boiler /Heater or sale to MPCB authorized party

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Chemical sludge from ETP + Bio sludge at ETP	34.3	1000	MTPA	N.A	Landfill at TTCWMA
2	Used/ Spent oil	5.1	3	MTPA	N.A	Sale to MPCB authorized party
3	Oil soaked cotton waste	35.1	1	MTPA	N.A	Incineration at TTCWMA
4	Discarded Asbestos gaskets / ropes/packing	15.2	2	MTPA	N.A	Landfill at TTCWMA
5	Spent catalyst (Vanadium Pentoxide)	17.2	1	MTPA	N.A	Landfill at TTCWMA
6	Spent resin from DM Plant	34.2	3	MTPA	N.A	Incineration at TTCWMA
7	Discarded containers/ barrels/ liners used for paints, rust with paints	33.3	500	MTPA	N.A	Sale to authorized party
	Schedule - II					
8	Spent Nickel catalyst	B- 6	50	MTPA	N.A	Sale to MPCB authorized party

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. The applicant shall comply with the conditions stipulated in Environmental Clearance granted by MoEF/GoM vide No. J- 11011 /612/2010- IA II (I) dtd. 13th September 2012.
11. Industry shall take adequate measure to control foam formation in ETP and operate the same effectively and submit BG of Rs 2 lakhs towards compliance of the same.
12. Industry started recovery of sulphuric acid as by product by altering manufacturing process without obtaining Consent to Establish, hence, it industry shall submit Board Resolution from Company's Board, towards violated the provisions of Environmental law and in future, they will not do such violations and submit the BG of Rs 2 lakhs towards submission of Board Resolution.
13. Industry, the byproduct generator, should ensure that all the vehicles used to transport by-product to the vendor industry to be fitted with web based GPS system to record the origin to destination position and shall self monitor the compliance and submit monthly report to the Board.
14. Industry shall obtain affidavit from vendors stating that the by-product purchased from Project Proponent is used as raw materials in their respective industries.
15. Industry shall submit BG of Rs 2 lakhs for the compliance of point no 13 & 14.

For and on behalf of the
Maharashtra Pollution Control Board


(Dr. P. Anbalagan, IAS)
Member Secretary

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No,	Date	Drawn On
1	14,21,484	206360	16.12.2014	HDFC Bank
2	23,82,016	40243	06.01.2016	HDFC Bank

Copy to:

1. Regional Officer - Kalyan and Sub-Regional Officer- Kalyan-2: They are directed to ensure the compliance of the consent conditions. RO shall forfeit BG of Rs 5 lakh obtained towards operation and maintenance of pollution control system due to poor O&M of ETP and exceeding JVS results and shall obtain top-up BG of Rs 10 lakhs towards compliance of the same.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.


Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided combined Effluent Treatment Plant (ETP) for trade and domestic effluent with the design capacity of 550 CMD.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
		Limiting Concentration in mg/l, except for pH
01	pH	6 to 8.5
02	Oil & Grease	10
03	BOD (3 days 27°C)	100
04	Total Dissolved Solids	2100
05	Suspended Solids	100
06	COD	250
07	Chlorides	600
08	Sulphates	1000
09	Detergents	5
10	Total Ammonical Nitrogen	50


- C) 50 CMD of treated effluent shall be recycled in cooling tower & 100 CMD shall be used on land for gardening. Remaining shall be discharged to the CETP.
- 2) A] As per your consent application, you have provided the septic tanks. The overflow of septic tanks is pumped to aerator -1 for secondary treatment.
B] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or/ and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.



- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	774
2.	Domestic purpose	62
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	135.5
5.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0
6	Agricultural / Gardening	20

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance.




Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity Lit /hr	S %	SO ₂ Kg/Day
1	HP Boiler (2 nos - 1 as standby)	NA	46	FO + Pitch oil/ LSHS + Pitch oil (70 : 30 ratio) / PNG	136 (PNG - 171 sm ³ /hr)	4.5	293.76
2	MP Boiler	NA			392 (PNG - 493sm ³ /hr)		846.72
3	LP Boiler (2 nos - 1 as standby)	NA	46	LSHS + Pitch oil (70 : 30 ratio) / PNG	1446 (PNG - 1820sm ³ /hr)	1	694
4	Thermic fluid heater for Erucic Plant	NA	38	FO/LDO/ PNG	200 (PNG - 305sm ³ /hr)	4.5	432
5	Thermosyphon heater for Distillation Plant	NA		FO/LDO/ PNG	125 (PNG - 229sm ³ /hr)		270
6	Thermic fluid heater for distillation plant	NA	38	FO/LDO/ PNG	58 (PNG- 89sm ³ /hr)	4.5	125
7	Thermosyphon heater for distillation plant	NA		FO/LDO/ PNG	65 (PNG - 99sm ³ /hr)		140
8	Process stack AOS plant	ESP	30	NA	NA	NA	NA
9	D.G. Set (1.5 MW)	NA	30	HSD	300	1	144
10	Process stack for spray dryer	Cyclone + Bag filter	28.75	NA	NA	NA	NA
11	Hot Air Generator	NA	28.75	LDO/ PNG	85 (PNG - 100 sm ³ /hr)	1.8	73


2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance.



3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

TPM	Not to exceed	150 mg/Nm ³ .
SO ₂ Process	Not to exceed	50 mg/ Nm ³
HCL	Not to exceed	35 mg/Nm ³

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement alteration well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



Maharashtra Pollution Control Board

**Schedule-III
Details of Bank Guarantees**

History of BG

Sr. No.	Consent (C to E/O/R)	Amount of BG obtained towards	Amt of BG forfeited	Purpose of BG forfeiture
1	C to R	Rs 5 lakh obtained towards O & M of PCS	Rs 5 lakh	Poor O&M of ETP and JVS results are exceeding the consented standards

Proposed BG

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Rs 10 lakh	Within 15 days from date of issue of consent	O & M of Pollution Control Systems	28.02.2020	30.06.2020
2	C to R	Rs 2 lakh	Within 15 days from date of issue of consent	Industry shall take adequate measure to control foam formation in ETP and operate the same effectively	28.02.2020	30.06.2020
3	C to R	Rs 2 lakh	Immediately	Industry started recovery of sulphuric acid as by product by altering manufacturing process without obtaining Consent to Establish, hence, it industry shall submit Board Resolution from Company's Board, towards violated the provisions of Environmental law and in future, they will not do such violations	28.02.2016	30.06.2016
	C to R	Rs 2 lakh	Within 15 days from date of issue of consent	Industry, the byproduct generator, should ensure that all the vehicles used to transport by-product to the vendor industry to be fitted with web based GPS system to record the origin to destination position and shall self monitor the compliance and submit monthly report to the Board. Industry shall obtain affidavit from vendors stating that the by-product purchased from PP is used as raw materials in their respective industries.	28.02.2020	30.06.2020

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.**
- 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 13) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 17) Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 18) The industry should not cause any nuisance in surrounding area.
- 19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20) The applicant shall maintain good housekeeping.
- 21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

—0000—

