

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068 /4023516
Email : ast@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema, Near
Sion Circle, Sion (E),
Mumbai - 400 022

Consent order No: - BO/AS(T)/EIC NO. NM-6075-16/R/GEN-1468

Date- 01/02/2016

To,
M/s Paras Organics Pvt Ltd.,
Plot No. D-119, MIDC Shirvane, TTC,
Navi Mumbai, Dist- Thane.

Subject: Grant of Consent to 1st Operate for Expansion and Amalgamation with
Exiting Consent to Operate under Red/MSI category.

Ref. : 1. Earlier Consent granted by Board vide No. BO/RO-Navi Mumbai/PCI-I/
RO(P&P)/EIC NO. NM-1451-09/E/CC-198 dtd. 15.10.2011 and vide No.
Format 1.0/AST/RO-NM/EIC NO. NM-5691-15/R/CC-4705 dtd. 24.04.2015.

Your application No. CR1601000664

Dated: 31.12.2015

For: Consent to Operate under Section 26 of the Water (Prevention & Control of
Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of
Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H
& T M) Rules 2008 is considered and the consent is hereby granted subject to the
following terms and conditions and as detailed in the schedule I, II, III & IV
annexed to this order:

1. The consent is granted for a period upto 31.01.2021.
2. The total capital investment of the industry is Rs. 9.54 Cr. (Previous CI-Rs. 9.07
Cr. + Increased in CI Rs. 0.47 Cr.) (As per CA certificate submitted by industry)
2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Quantity & UOM
1	B-12 Gelatin Triturate	1.5 MT/M
2	Protein Powder	0.4 MT/M
3	Calcium Ascorbate	1.0 MT/M
4	Iron Dextran Complex (Pyrogen Free)	0.5 MT/M
5	Iron Sorbitol citric acid complex (Pyrogen Free)	0.5 MT/M
6	5% Iron Sucrose Complex (Pyrogen Free)	2.0 MT/M
7	Zinc Bisglycinate	1.0 MT/M
8	1% Vitamin B12 Triturate in DCP	0.2 MT/M
9	0.1% Vitamin B12 Triturate in DCP	0.4 MT/M
10	Copper Glycinate	0.2 MT/M
11	Protein Hydrolysate	2.0 MT/M
12	Sodium Ascorbate	2.0 MT/M
13	Chromium Glycinate	0.2 MT/M
14	Ferrous calcium Citrate	2.0 MT/M
15	Iron and ammonium citrate	0.2 MT/M
16	Manganese Glycinate	0.2 MT/M
17	Manganese Ascorbate	0.2 MT/M
18	Magnesium Glycinate	0.2 MT/M
19	Magnesium Ascorbate	0.2 MT/M




21	Copper Ascorbate	0.2 MT/M
22	Chromium Ascorbate	0.2 MT/M
23	Iron Polymaltose Complex (Pyrogen Free)	0.5 MT/M
24	Vitamin D3 Stabilised 1.0MIU/g	0.2 MT/M
25	Vitamin D3 Stabilised 0.5MIU/g	0.3 MT/M
26	Vitamin D3 Stabilised oil 4.0 MIU/g	0.1 MT/M
27	5% Mecobalamin triturate in mannitol	0.5 MT/M
28	5% Mecobalamin gelatin triturate	0.2 MT/M
29	5% Cyanocobalamin gelatin triturate	0.1 MT/M
30	10% Cyanocobalamin WS	0.1 MT/M
31	Ascorbyl Palmitate	0.5 MT/M
32	80% Folic acid coated	0.5 MT/M
33	Alpha tocopheryl acetate concentrate BP	0.5 MT/M
34	Alpha tocopheryl acetate concentrate 50%	0.5 MT/M
35	80% Vitamin B1 Coated	0.5 MT/M
36	83% Calcium Panthothenate coated	0.5 MT/M
37	RRR-alpha tocopherol concentrate 50%	0.5 MT/M
38	RRR-alpha tocopherol concentrate 35%	0.5 MT/M
39	Vitamin A Concentrate powder IP	0.5 MT/M
40	Vitamin A Concentrate powder 325000IU/G	0.5 MT/M
41	Ferbyonyl(iron carbonyl)	3.0 MT/M
42	0.1% Vitamin B12 Triturate in gelatin	1.0 MT/M
43	1% vitamin B12 Triturate in gelatin	0.5 MT/M
44	1% Vitamin B12 WS	0.5 MT/M
45	0.1% Vitamin B12 WS	0.5 MT/M
46	Vitamin D3 Stabilised 0.2MIU/g	0.3 MT/M
47	Vitamin D3 Stabilised 0.1MIU/g	0.5 MT/M
48	Iron Polymaltose complex 40%	0.5 MT/M
49	Iron Polymaltose complex 34%	0.5 MT/M
50	Iron Polymaltose complex 27%	0.5 MT/M
51	34% Saccharated Iron Oxide	0.2 MT/M
52	Sodium Feredetate	0.5 MT/M
53	Ferrous Ascorbate	20.0 MT/M
54	Ferrous Glycinate	2.0 MT/M
55	Ferrous Glycine Sulphate	1.0 MT/M
56	Ferrous Aminoate	2.0 MT/M
57	Zinc Ascorbate	0.8 MT/M

3. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	9.5	As per Schedule -I	CETP
2.	Domestic effluent	3.4	As per Schedule -I	for gardening within premise

4. Conditions under Air (P & CP) Act, 1981 for air emissions:

Sr. No.	Description of stack / source	Number of Stack	Standards to be achieved
1	Boiler	2	As per Schedule -II



2	Process Vents	2	As per Schedule -II
3	DG Set (83.5 KVA)	1	As per Schedule -II

5. Conditions for treatment and disposal of Non-hazardous Solid Wastes:

Sr. No.	Type Of Waste	Quantity	UOM	Disposal
1	Waste Paper	50	Kg/M	Sale to Authorized party
2	Fiber Box	100	Kg/M	
3	Broken Glass/bottle	10	Kg/M	
4	Used LDPE Bags	100	Kg/M	

6. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
01	ETP sludge	34.3	0.3	MT/M	-	CHWTSDF
02	Waste/Residue	28.1	64.00	MT/M	-	CHWTSDF

7. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
9. The Project Proponent shall also comply with the Industry specific standards notified under Environment Protection Act 1986.
10. This consent is issued as per the delegation of powers to HOD's vide Board Office Order No. 31 of 2013 dtd. 01/03/2013.
11. The applicant shall comply with the conditions of the Environmental Clearance granted by the Environment Department, GoM vide letter No. SEAC-2011/CR-218/TC-2 dtd. 12/01/2016.
12. The applicant shall install online continuous monitoring system for effluent parameters at the outlet of ETP; upload data on CPCB/MPCB website and shall furnish bank guarantee as per CPCB's directives.
13. This Consent is issued with the overriding effects over earlier consent granted by Board vide no. No. BO/RO-Navi Mumbai/PCI-I/RO(P&P)/EIC NO. NM-1451-09/E/CC-198 dtd. 15.10.2011 and No. Format 1.0/AST/RO-NM/EIC NO. NM-5691-15/R/CC-4705 dtd. 24.04.2015.

For and on behalf of the
Maharashtra Pollution Control Board



(P. K. Mirashe)

Assistant Secretary (Technical)

Copy to:

1. Regional Officer, M.P.C. Board, Navi Mumbai.
2. Sub-Regional Officer - Navi Mumbai-I, M.P.C. Board, Navi Mumbai.
- He is directed to regularly collect JVS & ensure the compliance of the consent conditions.
3. Chief Accounts Officer, MPCB, Mumbai.

Received Consent fee of -

Sr. No.	Amount (Rs.)	DD. No.	Date	Drawn On
1	150100	551304	29/12/2015	Bank of India

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1] A] As per your application, you have provided full-fledged Effluent Treatment Plant of Capacity 15 CMD consisting of primary, secondary & tertiary level treatment.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr. No.	Parameters	Standards prescribed by Board (If any)
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
01	pH	6.5 to 8.5
02	Oil & Grease	10 mg/l.
03	BOD (3 days 27oC)	100 mg/l.
04	Total Dissolved Solids	2100 mg/l.
	II Additional Parameters	
05	Suspended Solids	100 mg/l.
06	COD	250 mg/l.

C] The treated effluent shall be reused/ recycled upto maximum extent in the process and remaining shall be discharged into CETP for further treatment & disposal. There shall not be any discharge outside the factory's premise.

2] A] As per your consent application, you have provided the Septic Tank for the Domestic effluent.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

- | | | | | |
|-----|-------------------|---------------|-----|-------|
| (1) | Suspended Solids. | Not to exceed | 100 | mg/l. |
| (2) | BOD 3 days 27°C. | Not to exceed | 100 | mg/l. |


C] The treated sewage shall be soaked in a soak pit, which shall be got cleaned periodically, overflow if any, shall be used on land for gardening/plantation only.

3] The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

4] The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5] The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.


Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling and boiler feed	27.5
2.	Domestic purpose	4.5
3.	Processing whereby water gets polluted &	29.0



[Handwritten signature]

	pollutants are easily biodegradable	
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	Nil
5.	Gardening & Fire services	1.0

- 6] The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.



[Handwritten signature]

Maharashtra Pollution Control Board

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided following stack(s) and observe the following fuel pattern-

Sr. No.	Stack Attached To	APCS	Height Mtrs.	Type of Fuel	Quantity	UoM	SO ₂ Kg/Day
1	Boiler (0.6 TPH)	Stack	12.0	PNG	96	M ³ /Hr	--
2	Boiler (0.4 TPH)	Stack	12.0	PNG	64	M ³ /Hr	--
3	Spray Dryer 1	Stack	9.0	PNG	160	M ³ /Hr	--
4	Spray Dryer 2	Stack	11.0	PNG	160	M ³ /Hr	--
5	DG Set (83.5 KVA)	Stack	3.5*	HSD	50	Lit/Hr.	2.1

(* - above the roof level)

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³
SO ₂ (DG Set)	Not to exceed	2.1 Kg/Day
Acid Mist/ HCl	Not to exceed	35 mg/Nm ³


3. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance/CREP guidelines.
4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/ alteration well before its life come to an end or erection of new pollution control equipments.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III

Details of Bank Guarantees in force

Sr. No.	Bank Guarantee (In Rs)	Submission period	Consent Conditions	Compliance Period	Validity
1	Rs. 2.00 Lakh	Existing	Towards O & M of Pollution Control System and compliance of the Consent conditions	Continuous	Upto 31.05.2021

The applicant shall keep and maintain bank guarantee of Rs. 2.0 Lakh in the Regional Office, Navi-Mumbai and extend its validity upto 31/05/2021 after expiry towards O & M of Pollution Control System and compliance of the Consent conditions.



Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 13) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control



[Handwritten signature]

system. A register showing consumption of chemicals used for treatment shall be maintained.

17) Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 18) The industry should not cause any nuisance in surrounding area.
- 19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20) The applicant shall maintain good housekeeping.
- 21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 25) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 26) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 27) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.
- 28) The industry shall recycle/reprocess/reuse/recover hazardous waste as per the provision contained in the HW (M,H & TM) Rules 2008, which can be recycled/ processed/ reused/ recovered and only waste which has to be incinerated shall go to incineration and waste which cannot be used for land filling and cannot be recycled/ reprocessed etc. should go for that purpose in order to reduce load on incineration and landfill site/ environment.

—0000—

