MAHARASHTRA POLLUTION CONTROL BOARD

MAHARASHTRA

Phone : 4010437/4020781

/4037124/4035273

Fax 24044532/4024068 /4023516

Email enquiry@mpcb.gov.in Visit At : http://mpcb.gov.in

Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E),

Mumbai - 400 022

Consent No: Format 1.0/BO/CAC-CELL/EIC No:- NG-25676-15/E/CAC-911

To.

Mahindra and Mahindra Ltd.,

Plot No. F-1, F-7, MIDC Hingna Road, Nagpur,

Dist. Nagpur.

Subject: Consent to Establish for Expansion under RED category.

: 1. Minutes of CAC meeting held on 17.12.2015

Your application: CE1509000522

Dated: 02.07.2015

For: Consent to Establish for Expansion

under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The consent is granted for a period from Commissioning of the unit or 5 years
- 2. The proposed capital investment of the industry is Rs. 9.5/- Crs. The capital investment of the existing unit is Rs. 347.53/- Crs (As per undertaking

3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	V
1.	Fender LH	Maximum Quantity
2.	Fender RH	1132200 Kg/Annum
3.	Scuttle	1132200 Kg/Annum
4.	Hood	330900 Kg/Annum
5.		663900 Kg/Annum
6.	Side grill LH	12000 Kg/Annum
7.	Side grill LH	12000 Kg/Annum
8.	Top grill	30000 Kg/Annum
9.	Bottom grill	36000 Kg/Annum
Rear floor		180000 Kg/Annum

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	discharge (CMD)		
	Domestic effluent		As per Schedule -I	
	- concessio enfuent	-	As per Schedule -I	

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.	Description of stack / source	Number of	Standards to be
	N.A.	Stack	achieved
	N.A.	()	

Mahindra & Mahindra Ltd., SRO Nagpur-II/I/R/L/66105499

Page 1 of 4

6. Conditions under Hazardous Waste (M, H & T M) Rules, 2008 for treatment and

	Type Of Waste		0			treatment an
No.	Type Of Waste	Category	Quantity	UOM Trea	Treatment	Disposal
1	Th	ere shall be	no generatio	n of home	ardous waste.	
- D			0-101010	or maze	ruous waste.	

- 7. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

For and on behalf of the Maharashtra Pollution Control Board

> (Dr. P Anbalagan, IAS) Member Secretary

Received Consent fee of-

		Member Secretary		
Amount(Rs.)	DD. No.	Date	Drawn On	
25,100/-	318423	09.06.2015	SBI	
	Amount(Rs.)	25 100/	Amount(Rs.) DD. No. Date	

Copy to:

- 1. Regional Officer Nagpur and Sub-Regional Officer-Nagpur-II. They are directed to ensure the compliance of the consent conditions. 2. Chief Accounts Officer, MPCB, Mumbai.

aharashira

3. CC/CAC desk- for record & website updation purposes.

Schedule-I, II & III Not applicable Schedule-IV

General Conditions:

- The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at this behalf.
 Industry should manitor of
- Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- The applicant shall provide ports in the chimney/(s) and facilities such as ladder, to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of displayed to facilitate identification.
- Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (MH & TM) Rules, 2008 and Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.

 9) An inspection book shall be expected and control of the preceding year.
- An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity.
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control

10 MV

system. A register showing consumption of chemicals used for treatment shall be Conditions for D.G. Set

16)

Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by

- Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ b) acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. measurement of insertion loss will be done at different points at 0.5 meters from acoustic
- Industry should make efforts to bring down noise level due to DG set, outside industrial c) premises, within ambient noise requirements by proper sitting and control measures. d)

Installation of DG Set must be strictly in compliance with recommendations of DG Set

A proper routine and preventive maintenance procedure for DG set should be set and e) followed in consultation with the DG manufacturer which would help to prevent noise f)

D.G. Set shall be operated only in case of power failure.

- The applicant should not cause any nuisance in the surrounding area due to operation of g) h)
- The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel

The industry should not cause any nuisance in surrounding area.

The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and

19) The applicant shall maintain good housekeeping.

The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September

The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

- The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.

24) The industry shall submit official e-mail address and any change will be duly informed to

The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.