

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068 /4023516
Email : enquiry@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema, Near
Sion Circle, Sion (E),
Mumbai - 400 022

Consent order No :-1.0/BO/CAC-Cell/EIC No:-NK-17979-14/CAC-3310 Date-08/03/2016

To,
M/s. Crompton Greaves Limited
A-3, MIDC Ambad,
Nashik-422010

Subject: 1st consent to operate for expansion with renewal of existing consent and their amalgamation in RED category.

- Ref : 1. Earlier consent to operate granted vide no. BO/APAE/EIC No NK-10116-11/R/CC-366 dated 26.04.2012.
2. Earlier Consent to establish for expansion granted vide no. BO /APAE/EIC/NO NK-10116-11/R/CC/-366 Dt. 26.04.2012 & C2E-BO/JDAIR/CE/EIC No. NK-12915-13/CC/CAC-2659 Dt. 28.03.2013
3. Your application is approved in CAC meeting held on 06.08.2015.

Your application: CO1501000063.

Dated: 12.12.2014

1st consent to operate for expansion with renewal of existing consent and their amalgamation under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period upto from 01.01.2015 to 31.04.2018.
2. The actual capital investment of the industry is Rs. 146.81 Cr. (As per CA certificate submitted by industry)
3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity
1.	HT Circuit Breakers	5,000 Nos./ M
2.	EHVIT	2,500 Nos./ M
3.	Lightning Arrestors	10,420 Nos./ M
4.	Condenser Bushing	2,000 Nos./ M
5.	OLTC	40 Nos./ M
6.	Co-generation System	1 No./ M
7.	Data Acquisition System (SCADA)	1 No./ M
8.	Governing System	1 No./ M
9.	Programmer Logic Controller / Remote Terminal Unit (Sub Station Automation System)	2 No./ M
10.	Isolator	1,000 Nos./ M
11.	Unitized Substations	1s000 Nos./ M
12.	GIS	500 Nos./ M
13.	Relays	5,000 Nos./ M

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

M/s. Crompton Greaves Limited, SRO Nashik/I/R/L/86827000

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	70	As per Schedule -I	On land for gardening
2.	Domestic effluent	180	As per Schedule -I	On land for gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:-

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1	S1 Thermic Boiler	1	As per Schedule -II
2	S 1 Sulphur Cementing	1	As per Schedule -II
3	S 2 HCl Bath Descaling	1	As per Schedule -II
4	S 2 HCl Bath Derusting	1	As per Schedule -II
5	S 3 HCl Bath Descaling	1	As per Schedule -II
6	S 3 HCl Bath Derusting	1	As per Schedule -II
7	S 3 HCl Bath Pickling	1	As per Schedule -II
8	S 3 H ₂ SO ₄ Anodising Bath No. 1 Plating	1	As per Schedule -II
9	S 3 Fluoride Desmutting Bath No. 1 Plating	1	As per Schedule -II
10	S 3 Fluoride Desmutting Bath No. 2 Plating	1	As per Schedule -II
11	S 3 Chromating Line Desmutting Bath Plating Shop	1	As per Schedule -II
12	S 4 Hot Air Generator	1	As per Schedule -II
13	S 4 Hot Water Generator	1	As per Schedule -II
14	S 4 Spray Drier	1	As per Schedule -II
15	S 4 Sulphur Cementing	1	As per Schedule -II
16	S 4 Metallising	1	As per Schedule -II
17	CS Thermic Fluid Heater TP-06 (New)	1	As per Schedule -II
18	CS Thermic Fluid Heater Old 600U	1	As per Schedule -II
19	DG Set 500 KVA	1	As per Schedule -II
20	DG Set 380 KVA	1	As per Schedule -II
21	DG Set 400 KVA	1	As per Schedule -II
22	DG Set 400 KVA	1	As per Schedule -II

6. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Tank Bottom Sludge	3.3	12	MT/A	---	CPCB registered & MPCB authorized re-processor/CHWTSDF
2	Used /Spent Oil	5.1	100	KL/A	---	Sale to authorized recyclers
3	Oil Soaked paper/ Cotton Waste/Rags	5.2	100	MT/A	---	Sale to authorized recyclers
4	Waste (Coolant/Cutting Oil)	5.2 Schedule I	100	KL/A	---	Sale to authorized recyclers


Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
5	Phosphate Sludge	12.5	6.5	MT/A	---	CHWTSDF
6	Sludge from ETP	34.3	100	MT/A	---	CHWTSDF for secured landfill
7	Spent Solvents & Thinners	20.2	20	MT/A	---	Sale to CPCB registered & MPCB authorized re-processor/CHWTSDF
8	Paint Wastes & Residues/Filter s	21.1	50	MT/A		CHWTSDF
9	Discarded Containers	33.3	1,00,000	No./A		Sale to authorized recyclers
10	Copper Compounds	B 3	18	MT/A		Sale to authorized recyclers
11	Asbestos Sheets	B 21	300	MT/A		CHWTSDF
12	Zinc Waste/Residue	C 14	80	MT/A		Sale to authorized recyclers
13	Sulphur Waste/Residue	D 1	80	MT/A		CHWTSDF
14	Carbon soot		1.0	MT/A		CHWTSDF
15	Broken Glass		1.0	MT/A		CHWTSDF

7. Conditions under Non Hazardous Waste and disposal of Non Hazardous Waste:

Sr. No.	Type Of Waste	Quantity	Treatment	Disposal
1	M.S. Scrap	700 MT/A	---	By sale to authorized vendor
2	Aluminum Scrap	50 MT/A	---	By sale to authorized vendor
3	Wooden Scrap	3000 MT/A	---	By sale to authorized vendor
4	Shop Floor Sweeping , epoxy and porcelain	700 MT/A	---	By sale to authorized vendor
5	Waste Paper	100 MT/A	---	By sale to authorized vendor
6	Hardware	30 MT/A	---	By sale to authorized vendor
7	M.S. Packing Strip	15 MT/A	---	By sale to authorized vendor
8	Canteen Waste	75 MT/A	Vermi-Composting	Used as manure
9	Broken Ceramic	300 MT/A	---	By sale to authorized vendor
10	Plastic Waste	1 MT/A	---	By sale to authorized vendor

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. Industry shall make arrangement within a period of 3 months for provision of 100 % recycle / reuse of all treated trade effluent in the process. Discharge of all treated trade effluent is not allowed on land for gardening.
11. Industry shall submit the design details of STP , ETP and APC system in TAC format within 01 month i.e. upto 31.03.2016.

For and on behalf of the
Maharashtra Pollution Control Board


(Dr. P. Anbalagan, IAS)
Member Secretary

Received Consent fee of -

Sr. No.	Amount (Rs.)	DD. No.	Date	Drawn On
1	8,80,900/-	024922	11.10.2014	Bank of Maharashtra
2	1,02,833/-	025925	26.08.2015	Bank of Maharashtra

Copy to:

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Nashik. They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided Effluent treatment plant consisting primary treatment further treated in STP for further treatment.
- B] The Applicant shall operate the Effluent Treatment Plant (ETP) to treat the Domestic effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any) Limiting Concentration in mg/l, except for pH
1	pH	5.5 to 9.0
2	Temperature	Should not exceed 5°C above the ambient temperature of the receiving body.
3	Oil & Grease	10 mg/l
4	Suspended Solids	100 mg/l
5	Ammonical Nitrogen (as N)	50 mg/l
6	Total Residual Chlorine (as Cl ₂)	1.0 mg/l
7	Cadmium (as Cd)	2.0 mg/l
8	Nickel (as Ni)	3.0 mg/l
9	Zinc (as Zn)	5.0 mg/l
10	Chromium as Hexavalent & Total	0.1 mg/l
11	Copper (as Cu)	3.0 mg/l
12	Lead (as Pb)	0.1 mg/l
13	Iron (as Fe)	3.0 mg/l
14	Total Metal	10 mg/l

- C] The metal bearing industrial effluent shall be segregated and reused back into the process completely. Industry shall make arrangement within a period of 3 months for provision of 100 % recycle / reuse of all treated trade effluent in the process. Discharge of all treated trade effluent is not allowed on land for gardening.

- 2) A] As per your consent application, you have provided the Sewage Treatment system.

- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.


- | | | | | |
|-----|-------------------|---------------|-----|-------|
| (1) | Suspended Solids. | Not to exceed | 50 | mg/l. |
| (2) | BOD 3 days 27°C. | Not to exceed | 30 | mg/l. |
| (3) | COD | Not to exceed | 100 | mg/l. |

C] In case the treatment system is combined for trade effluent and sewage, then the standards and disposal path prescribed at sr. no.1 B & 2 B of schedule I shall be applicable.

- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	20
2.	Domestic purpose	220
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	80
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	--

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.



Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-


Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
1	S1 Thermic Boiler	Dust Collectors	24 mtr. above ground	LDO	800 L/Day	1.8	28.8
2	S 1 Sulphur Cementing followed by Scrubber System	Scrubber	9 mtr. above ground	---	---	---	---
3	S 2 HCl Bath Descaling followed by Scrubber System	Scrubber	10.6	---	---	---	---
4	S 2 HCl Bath Derusting followed by Scrubber System	Scrubber	10.6	---	---	---	---
5	S 3 HCl Bath Descaling followed by Scrubber System	Scrubber	11.3	---	---	---	---
6	S 3 HCl Bath Derusting followed by Scrubber System	Scrubber	11.3	---	---	---	---
7	S 3 HCl Bath Pickling followed by Scrubber System	Scrubber	10.0	---	---	---	---
8	S 3 H ₂ SO ₄ Anodising Bath No. 1 Plating followed by Scrubber System	Scrubber	8.0	---	---	---	---
9	S 3 Fluoride Desmutting Bath No. 1 Plating followed by Scrubber System	Scrubber	8.0	---	---	---	---
10	S 3 Fluoride	Scrubber	8.0	---	---	---	---

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
	Desmutting Bath No. 2 Plating followed by Scrubber System						
11	S 3 Chromating Line Desmutting Bath Plating Shop followed by scrubber System	Scrubber	8.0	---	---	---	---
12	S 4 Hot Air Generator	--	10	HSD	40 L/Day	1	0.8
13	S 4 Hot Water Generator	--	10	HSD	20 L/Day	1	0.4
14	S 4 Spray Drier followed by Scrubber System	Scrubber	9	---	---	---	---
15	S 4 Sulphur Cementing followed by Scrubber System	Scrubber	9.0	---	---	---	---
16	S 4 Metallising followed by Scrubber System	Scrubber	9.0	---	---	---	---
17	CS Thermic Fluid Heater TP-06 (New)	---	20	LDO	600 l/Day	1.8	21.6
18	CS Thermic Fluid Heater Old 600U	---	20	---	---	---	---
19	DG Set (500 KVA)	Acoustic enclosure	8.2	HSD	9 L/Day	1	0.18
20	DG Set (380 KVA)	Acoustic enclosure	8.2	HSD	8 L/Day	1	0.16
21	DG Set (400 KVA)	Acoustic enclosure	9	HSD	37 L/Day	1	0.74
22	DG Set (400 KVA)	Acoustic enclosure	8.2	HSD	8 L/Day	1	0.16

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time.
- The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

TPM	Not to exceed	150 mg/Nm ³ .
-----	---------------	--------------------------

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).




Maharashtra Pollution Control Board

Schedule-III
Details of Bank Guarantees

BG Proposed

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Rs. 5 lacs	15 days	Towards O & M of pollution control system	31.04.2018	31.08.2018
2	C to R	Rs. 5 lacs	15 days	Industry shall make arrangement for provision of 100 % recycle / reuse of all treated trade effluent in the process. Discharge of all treated trade effluent is not allowed on land for gardening	31.05.2016	31.08.2018
3	C to R	Rs. 2 lacs	15 days	Industry shall submit the design details of STP, ETP and APC system in TAC format within 01 month.	31.03.2016	31.08.2018



Schedule-IV

General Conditions: -

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity (in case of Consent to establish).
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 19) The industry should not cause any nuisance in surrounding area.
- 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 21) The applicant shall maintain good housekeeping.
- 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 26) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended

—0000—

