

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781  
/4037124/4035273  
Fax : 24044532/4024068 /4023516  
Email : enquiry@mpcb.gov.in  
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga  
Scheme Road No. 8, Opp. Cine Planet Cinema, Near  
Sion Circle, Sion (E),  
Mumbai - 400 022

Consent order No :- Formate1.0/ BO/CAC-Cell/ EIC No RD-3109-15/14th CAC/3316  
Date-08/03/2016

To,  
Sandoz Pvt. Ltd.  
L-1, L-21,22,23,24,25,26,27,28 & 44,  
Addl. MIDC Mahad,Raigad,-402301.

Subject: Renewal of 2 consents to operate and amalgamation of both the consents with increase in CI under RED category.

- Ref : 1. Earlier Consent granted vide no. Formate1.0/ BO/CAC-Cell/ EIC No NK-15829-13/1st CAC/ 4082 dated 30.04.2014.  
2. Earlier Consent granted vide no. MPCB/14/01790 dated 25.02.2014.  
3. Your application approved in CAC meeting held on 02.02.2016.

Your application:CR1506000360  
Dated:17.06.2015

For: Renewal of 2 consents to operate and amalgamation of both the consents with increase in CI.

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III & IV annexed to this order:

1. The consent is granted for a period from 01.07.2015 to 30.04.2020.
2. The actual capital investment of the industry is Rs.232.14 Crs. (As per C.A.Certificate submitted by industry)
3. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity in MT/A
1	Rifampicin	213
2	Central Nervous System(CNS) a) Quetiapine Hemifurmate b) Escitalopram c) Setraline Hydrochloride d)Aripiprazole, e) Pramipxole, f) Paroxetine Hydrochloride, g) Montelukast	100
3	Cardiovascular: a) Rosuvastin salt b) Valinester Tosylate (Diovan H7) c)Candesartan, d)Atrovastion e) API Intermediates f) Tigecycline.	142
4	Antiulceratnt: a) Pentaprazole, b) Lansoprazole	40
5	Antidiabetic (Rosiglitazone) : a)Antibacterial b)Moxifloxacin c) Mycophenolate Mofetile	15
6	Antithrombic: a) Clopidogrel HCL, b) Venlafaxine	15
7	Lactobionic Acid	25
8	Methyl Ergometrine maleate/Posoconazole	0.065
9	Antiemetic agent: a) Fosaprepitant b)	1.3

	Aprepitant	
10	Prostatic Hyperblasia Therapy: a) Silodosin	0.5
11	Feboxostat	
12	R & D activity only (without any commercial production)	0.7
	By-products	
1	Composted Biomanure from Mycelium cake	1800
2	Solvents (spent) for the sale authorized recycler	1200
3	Piperazine diacetate (crude)	120

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	877	As per Schedule -I	CETP
2.	Domestic effluent	50	As per Schedule -I	CETP

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boiler(2 Nos)	1	As per Schedule -II
2.	(Carbon Absorption system(CAS)	2	As per Schedule -II
4	Process vents	8	As per Schedule -II
3.	DG set (2 x 1250 KVA, 1500 KVA)	3	As per Schedule -II
5.	Incinerator	1	As per Schedule -II

6. Condition for Non hazardous solid wastes.

Sr. No.	Type of waste	Quantity	UOM	Disposal
1.	Bagasse briquette ash	2.0	MT/D	Landfill within premises

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Spent catalyst / spent carbon	28.2	1334.00	Kg/D	—	Incineration on site or sent to CHWTSDF Taloja
2	Filters and filter material which have organic liquid in them	35.1	167.00	Kg/D	—	CHWTSDF Taloja for Incineration
	Spent Catalyst	35.2				
	Spent Carbon	35.3				
3	Contaminated	20.1	1000.00	Kg/D	—	Sale to MPCB


	aromatic, and aliphatic Solvent not for originally intended use					Approved reprocessor
4	Chemical sludge from waste water treatment	34.3	2800.00	Kg/D	—	CHWTSDF, Talaja
5	Spent mother liquor	28.4	3334.00	Kg/D	—	CHWTSDF, Talaja for Incineration
6	Wastes/residue containing oil	5.2	39.0	Kg/D	—	Sale to MPCB approved party/ Incineration site
	Used or Spent oil	5.1				
7	Incineration Ash of Flue gas cleaning residue	36.2	1167.00	Kg/D	—	CHWTSDF, Talaja
8	Distillation residues	20.3	1717.00	Kg/D	—	CHWTSDF, Talaja for Incineration
9	Off specification products	28.3	20.0	Kg/D	—	CHWTSDF, Talaja for Incineration/ On site Incineration
10	Distillation residues from contaminated organic solvent	36.4	300.00	Kg/D	—	CHWTSDF, Talaja for Incineration / On site Incineration
11	Sludge from wet scrubbers Sludge from Multiple Effect evaporator (MEE)	36.1	1.75	Tons /D	—	CHWTSDF, Talaja for Incineration

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. Industry, the byproduct generator, should ensure that all the vehicles used to transport by-product to the vendor industry to be fitted with web based GPS system to record the origin to destination position and shall self monitor the compliance and submit monthly report to the Board.
11. Industry shall obtain affidavit from vendors stating that the by-product purchased from PP is used as raw materials in their respective industries.



12. Industry shall submit BG of Rs 2 lakhs for the compliance of point no 10 & 11.

For and on behalf of the  
Maharashtra Pollution Control Board

  
(Dr. P. Anbalagan, IAS)  
Member Secretary

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	2529520	160272	29.05.2015	Citi Bank
2	201532	272877	15.02.2016	SBI Bank

Copy to:

1. Regional Officer -Raigad and Sub-Regional Officer-Mahad MPCB: They are directed to ensure the compliance of the consent conditions. The BG of Rs 2 lakh obtained towards O & M of PCS shall be returned back as industry has submitted BG for the same purpose.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

### Schedule-I

#### Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the Combined Effluent Treatment Plant (ETP) for trade effluent and domestic effluent with the design capacity of 1000.0 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
		Limiting Concentration in mg/l, except for pH
01	pH	5.5 to 9.0
02	BOD 3day's at 27 <sup>o</sup> c	100
03	Oil & Grease	10
04	Suspended Solids	100
05	COD	250
06	Ammonical nitrogen (as N)	50
07	Mercury	0.01
08	Arsenic	0.2
09	Hexavalent Chromium	0.1
10	Lead (as Pb)	0.1
11	Cyanide (as 'CN')	0.2
12	Phenolics (C <sub>6</sub> H <sub>5</sub> OH)	1.0
13	Sulphides (As S)	2.0
14	Phosphate (As P)	5.0
15	Bioassay Test: 90% survival of fish after first 96 hrs. in 100 % effluent. (Test should be carried out as per IS: 6582-1971)	

C) The treated effluent shall be discharge to the CETP

2) A] As per your consent application, the domestic effluent goes to ETP for treatment.

B] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.


3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall

obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or/and extension or addition thereto.

- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	365
2.	Domestic purpose	50
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	795
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic.	0.0
5	Plantation /Gardening	35

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.



Maharashtra Pollution Control Board

**Schedule-II**

**Terms & conditions for compliance of Air Pollution Control:**

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO <sub>2</sub> Kg/Day
1	Boiler (I & II)	Stack with Bag Filters	54	Furnace Oil	9 KL/D	4.5	810
				Bagasse briquette	28 .0 MT/D	0.2	112
2	Incinerator	Stack	30	HSD	120 Lit/Hr	1	57.6
3	D.G.Set ( 2 X1250 KVA & 1 x 1500 KVA)	Stack	17 each	HSD	1 MT/D	1	20
4	Carbon Absorption System	Stack	20	—	—	—	—
5	Process vents (8 nos)	Acid Alkali Scrubber	17 each	—	—	—	—

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .
HCL	Not to exceed	35 ppm
NOx /SO <sub>2</sub>	Not to exceed	50 ppm

4. Emissions from Incinerator:

Parameter	Emission (mg/Nm <sup>3</sup> )	Limit
Particulate matter	50	
HCL	50	
SO <sub>2</sub>	200	
CO	100	
TOC	20	
Total dioxins and furans	0.1 ngTEQ/Nm <sup>3</sup>	
Sb+As+Pb+Cr+Co+Cu+Mn+ Ni+V+Cd+Th+Hg and their compounds	1.5	

a) All monitored values shall be corrected to 11 % oxygen on dry basis.


b) The CO<sub>2</sub> concentration In tail gas shall not be less than 7%

c) In case, halogenated organic waste is less than 1% by weight in input waste, all the facilities in twin chamber incinerator shall be designed so as to achieve a minimum temperature of 850+25°C in primary chamber and 950°C in secondary combustion chamber and with a gas residence time in secondary combustion chamber not less than 2 (two) seconds, or all the facilities in single chamber incinerator for gaseous hazardous waste shall be designed so as to achieve a minimum temperature of 950°C in the combustion chamber with a gas residence time not less than 2 (two) seconds.

or

In case halogenated organic waste is more than 1% by weight in input waste, waste shall be incinerated only in twin chamber incinerators and all the facilities shall be designed to achieve a minimum temperature of 850+25°C in primary chamber and 1100°C in secondary combustion chamber with a gas residence time in secondary combustion chamber not less than 2 (two seconds).

- d) Scrubber meant for scrubbing emissions shall not be used as quencher.
- e) Incineration plants shall be operated (combustion chambers) with such temperature, retention time and turbulence, as to achieve Total Organic Carbon (TOC) content in the incineration ash and residue less than 3%, and their loss on ignition is less than 5% of the dry weight. In case of non-conformity, ash and/or residue shall be re-incinerated.
- f) The incinerator shall have a chimney of at least thirty metre height.
5. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
6. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).






**Schedule-III**  
**Details of Bank Guarantees**

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Rs 5 lakh	Submitted *	O & M of Pollution Control System.	30.04.2020	30.08.2020
2	C to R	Rs 2 lakh	Within 15 days from the date of issue of consent	Industry, the byproduct generator, should ensure that all the vehicles used to transport by-product to the vendor industry to be fitted with web based GPS system to record the origin to destination position and shall self monitor the compliance and submit monthly report to the Board. Industry shall obtain affidavit from vendors stating that the by-product purchased from PP is used as raw materials in their respective industries.	30.04.2020	30.08.2020

\*The BG of Rs 5 lakh obtained towards O & M of PCS shall be extended for a period upto 30.08.2020.



#### Schedule-IV

#### General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent .**
- 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 13) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 17) Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 18) The industry should not cause any nuisance in surrounding area.
- 19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20) The applicant shall maintain good housekeeping.
- 21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end.
- 22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

—0000—

