

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 / 24023515

Website: <http://mpcb.gov.in>

E-mail: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd-4thFloor

Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E)

Mumbai-400 022.

Consent order No :- 1.0/BO/CAC-Cell/EIC No:-PN-27616-15/CAC- 4258 Date- 28/03/2016

## Amendment of Consent

To,  
M/s. Wipro Ltd  
Plot No.31, Rajiv Gandhi InfoTech Park,  
MIDC Phase-II, Hinjewadi,  
Pune-57.

**Subject: Amendment in Consent to Establish for change in DG set capacity and Hazardous Waste category.**

- Ref : 1] Earlier Consent to Operate granted vide no. 1.0/BO/CAC-Cell/EIC-PN-20269-14/CAC- 6683, dtd. 16.07.2014.  
2] Consent to Establish (expansion) granted vide no. BO/CAC-Cell/EIC-PN-22302-14/E/CAC- 11979, dtd. 15.12.2014.  
3] EC granted for expansion by GoM vide no. 21-168/2008-IA.III/TC-1 dated 04.06.2009.  
4] Minutes of CAC meeting held on 25.01.2016.

Your application: CE1512000618  
Dated: 18.11.2015

For: Amendment in consent to establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The proposed capital investment of the industry is Rs. 327.98 Crs. (Existing CI of CtoE (Exp)- Rs. 293.18 Cr + Proposed increase in CI in CtoE (Exp)- Rs. 34.80 Cr. as per C. A. Certificate submitted by industry. The CI of existing CtoO is Rs. 539.97 Cr)

Board has granted the consent under Section 25 of the Water (Prevention & Control of Pollution) Act. 1974; under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008 to M/s. Wipro Ltd, Plot No.31, Rajiv Gandhi InfoTech Park, MIDC Phase-II, Hinjewadi, Pune-57. for consent to establish for expansion vide above Ref. no.2. Industry has submitted the application for amendments in the consent. The case was placed before CAC held on 25.01.2016 and it was decided to amend the consent & is hereby read as under:-

For

### 1. Condition under Air (P&CP) Act, 1981 for air emissions:-

| Sr. no. | Description of stack / source         | Number of Stack | Standards to be achieved |
|---------|---------------------------------------|-----------------|--------------------------|
| 1.      | DG set 1500 KVA (Construction sector) | 1               | As per Schedule -II      |
| 2.      | DG set 1500 KVA (Construction sector) | 1               | As per Schedule -II      |
| 3.      | DG set 1500 KVA (Construction sector) | 1               | As per Schedule -II      |

Read as

5. Condition under Air (P&CP) Act, 1981 for air emissions:-

| Sr. no. | Description of stack / source | Number of Stack | Standards to be achieved |
|---------|-------------------------------|-----------------|--------------------------|
| 1.      | DG set (1500 KVA)             | 1               | As per Schedule -II      |
| 2.      | DG set (2000 KVA x 3 Nos.)    | 3               | As per Schedule -II      |
| 3.      | DG set (100 KVA)              | 1               | As per Schedule -II      |

FOR

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

| Sr. No. | Type Of Waste | Category | Quantity | UOM  | Disposal                  |
|---------|---------------|----------|----------|------|---------------------------|
| 1       | E-Waste       | ---      | 4500     | Kg/A | Sale to authorized vendor |

READ AS

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

| Sr. No. | Type Of Waste                 | Category | Quantity | UOM    | Disposal                            |
|---------|-------------------------------|----------|----------|--------|-------------------------------------|
| 1       | Used Batteries                | ---      | 3600     | Kg/Day | Sale to authorized recycler         |
| 2       | Used/Spent oil                | 5.1      | 800      | Kg/day | Sale to authorized re-processor     |
| 3       | E-Waste                       | ---      | 4500     | Kg/A   | Sale to authorized recycler         |
| 4       | Filters and oil soaked cotton | 5.2      | 120      | Kg/day | Sale to authorized recycler/CHWTSDF |

FOR

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

| Sr. No. | Stack Attached To                     | APC System         | Height in Mtrs. | Type Of Fuel | Quantity   | S % | SO <sub>2</sub> |
|---------|---------------------------------------|--------------------|-----------------|--------------|------------|-----|-----------------|
| 1       | DG set 1500 KVA (Construction sector) | Acoustic enclosure | 30              | HSD          | 275 Lit/hr | 1   | 4.8             |
| 2       | DG set 1500 KVA (Construction sector) | Acoustic enclosure | 30              |              |            |     |                 |
| 3       | DG set 1500 KVA (Construction sector) | Acoustic enclosure | 30              |              |            |     |                 |

READ AS

Schedule-II


Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

| Sr. No. | Stack Attached To          | APC System         | Height        | Type Of Fuel | Quantity          | S% | SO2   |
|---------|----------------------------|--------------------|---------------|--------------|-------------------|----|-------|
| 1       | DG set (1500 KVA)          | Acoustic enclosure | 30 Mtrs.      | HSD          | 275 Kg/hr         | 1  | 132   |
| 2       | DG set (2000 KVA x 3 Nos.) | Acoustic enclosure | 30 Mtrs. each | HSD          | 345.42 Kg/hr each | 1  | 497.4 |
| 3       | DG set (100 KVA)           | Acoustic enclosure | 8 Mtrs.       | HSD          | 21.8 Kg/hr        | 1  | 10.4  |

All the other conditions of the consent referred at 2. shall be remain unchanged. This amendment is valid only along with the consent referred at 2. above.

For and on behalf of the  
Maharashtra Pollution Control Board

  
(Dr. P. Anbalagan, IAS)  
Member Secretary

Received Consent fee of -

| Sr. No. | Amount (Rs.) | DD. No. | Date       | Drawn On  |
|---------|--------------|---------|------------|-----------|
| 1.      | Rs. 75,000/- | 142045  | 21.10.2015 | HDFC Bank |
| 2.      | Rs. 100/-    | 142046  | 21.10.2015 | HDFC Bank |

Copy to:

1. Regional Officer, Pune & Sub-Regional Officer, MPCB, Pune-II- for necessary information.

