

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 / 24023515

Website: <http://mpcb.mah.nic.in>

E-mail: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd - 4th Floor

Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E)

BY RPAD/ Fax/ Hand/Delivery

Date - 13/ 04/2016.

Ref. No. BO/CAC-CELL/EIC No. – NK--15/Refusal/CAC/B- 351

To,
M/s. Shri Siddheshwar SSK Ltd. (Distillery Unit),
Kumthe, A/p. Tikekarwadi,
Tal. North Solapur, Dist. Solapur.

Sub – Refusal of Consent under section 27 of water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981.

- Ref-**
1. Consent to Operate granted by the Board vide letter dtd. BO/CAC-CELL/EIC No. PN-12657-12/R/CAC-1427 dtd. 13.02.2014.
 2. Your application for grant of Renewal of Consent to Operate vide dtd. 25.07.2014.
 3. Minutes of CAC meeting held on 21.01.2015.
 4. Show Cause Notice for Refusal of Renewal of Consent to Operate granted by the Board issued by the Board vide dtd. 12.02.2015.
 5. Reply submitted by you vide dtd. 05.03.2015.
 6. Compliance report of SCN submitted by SRO Solapur vide e-mail dtd. 25.01.2016.
 7. Minutes of CAC meeting held on 25.01.2016.

.....

WHEREAS Board has granted Consent to Operate to your unit vide above referred letter at sr. no. 1 with certain terms and conditions therein which was valid up to 31.08.2014.

AND WHEREAS you have applied for grant of Renewal of Consent to Operate, under the provisions of Section 26 of the Water (Prevention and Control of Pollution) Act, 1974; under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 and Hazardous Wastes (Management, Handling & Transboundry Movement) Rules 2008.

AND WHEREAS, your application for grant of Renewal of Consent to Operate was placed before CAC meeting held on 21.01.2015 and during meeting it was decided to

..2..

issue Show Cause Notice for refusal of Renewal of Consent to Operate as you have failed to comply the important condition of Consent to Operate granted by the Board vide under reference no. 1 i.e. you have not installed the wet Scrubber / ESP to the bagasse fired Boiler. AND WHEREAS, there is increase in CI from Rs. 3.56 Cr. to 5.01 Cr. for which you have neither submitted justification nor submitted additional Consent fees towards Consent to Establish for increased CI.


AND WHEREAS, as per the decision of CAC, Show Cause Notice was issued vide letter dtd. 12.02.2015. AND WHEREAS, you have submitted reply to the Show Cause Notice issued by the Board which is not satisfactory.

AND WHEREAS, SRO Solapur vide e-mail dtd. 25.01.2016 submitted compliance report of Show Cause Notice and reported that industry has not up-graded existing APC system till today.

AND WHEREAS your application was resubmitted before Consent Appraisal Committee meeting held on 25.01.2016, during meeting it was noted that industry has not up-graded existing APC system till today. Hence it was decided to confirm the final Refusal of Consent to Operate.

In view of the above, your application for grant of Renewal of Consent to Operate is hereby refused under section 27 of the Water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981 and Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008.

You may prefer Appeal against the refusal order passed by Maharashtra Pollution Control Board, in case aggrieved by this order, to Appellate Authority within a period of 30 days from the date of receipt of the Refused order.


(Dr. P. Anbalagan, IAS)
Member Secretary

Copy to-

1. Law Officer, MPCB, Mumbai - for information.
2. Regional Officer, MPCB, Pune - for information and necessary action.
3. Sub Regional Officer, MPCB, Solapur – He is directed to serve this notice of refusal to the industry and ensure the compliance.