

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068
/4023516
Email : enquiry@mpcb.gov.in
Visit At <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E),

Mumbai - 400 022

RED/LSI

Consent order No: BO/JD (APC)/EIC No. PN-25428-15/R/CC- 6294 Date-12/10/2016.

To,

M/s. Paranjape Auto Cast Pvt Ltd.,
Vill Sanghavi, Zagadewadi Phata, Jawale Road,
Post Naigaon, Tal - Khandala,
Dist - Satara-412 801.

Subject: Consent to operate in Red category.

Ref : 1. Minutes of CC meeting held on 03.02.2016.
2. Earlier Consent to operate obtained vide No. BO/JD(APC)/EIC No. PN-21071-14/R
CC-8183 Dated 04.09.2014, valid upto 31.12.2015 and Consent to Establish vide
No. BO/JD(APC)/EIC No. PN-20428-14/ 9393 Dated 10.10.2014.

Your application: CR1505000039 Date 05.05.2015.
For: Consent to operate with amalgamation.

Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period from 31.12.2015 to 31.12.2020.
2. The actual capital investment of the industry is Rs. 40.23 Cr. (As per C.A. Certificate submitted by industry)
3. **The Consent is valid for the manufacture of -**

Sr. No.	Product / By-Product Name	Maximum Quantity	UOM
1	Aluminium Casting	1000.00	MT/M
2	Resin Coated Sand	1400.00	MT/M
3	Iron Casting & Components for internal Combustion Engines	950.00	MT/M

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	0.5	As per Schedule -I	Recycle up to maximum extent and dispose On land for gardening.
2.	Domestic effluent	35.0	As per Schedule -I	Recycle up to maximum extent and dispose On land for gardening.

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1	Sand Coating Unit	1	As per Schedule -II
2	Sand Dryer	1	
3	Furnace	1	
4	Furnace one stand by	1	
5	Shot Blasting unit	1	
6	Shot Blasting unit	1	
7	Bake Oven	1	
8	Paint booth	1	
9	DG Set-500 KVA	1	
10	DG Set -350 KVA	1	

6. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:


Sr. No.	Type Of Waste	Category	Qty	UOM	Treatment	Disposal
1	Wastes/residue containing oil	5.2	3.00	MT/Y	--	CHWTSDF
2	Used/Spent oil	5.1	4.80	KL/Y	--	Sale to authorised recycler /reprocessor
3	Wastes and residue	21.1	10.02	MT/Y	--	CHWTSDF
4	Wastes/residue containing oil	5.2	14.40	KL /Y	--	CHWTSDF/ Sale to authorised recycler /reprocessor
5	Chemical sludge from waste water treatment	34.3	2.00	MT/Y	--	CHWTSDF

7. Conditions under Non Hazardous and disposal of non hazardous waste:
NATURE, QUANTITY AND METHOD OF DISPOSAL OF NON-HAZARDOUS SOLID WASTE.

Sr.No.	Type of Waste	Disposed Quantity	Disposal Method and its destination
1	Aluminium Scrap	30.00 MT/M	By Sale
2	Burnt Sand	675.00 MT/M	By Sale
3	MS Scrap	148.00 MT/M	By Sale

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the
Maharashtra Pollution Control Board


(Dr. P. Anbalagan, IAS)
Member Secretary

Received Consent fee of –

Sr. No.	Amount (Rs.)	DD. No.	Date	Drawn On
1.	1,75,000/-	382927	02.04.2015	SBI Bank
2.	50,000/-	311436	21.01.2015	SBI Bank
3	1,50,000/-	313061	14.03.2016	SBI Bank

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer Satara, MPCB, Pune: They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided Effluent Treatment Plant for Trade effluent of Capacity 0.5 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
01	pH	5.5 to 9.0
02	Suspended Solids	100
03	BOD (3 days 27°C)	100
04	COD	250
05	Oil & Grease	10
06	Total Dissolved Solids	2100
07	Chloride	600
08	Sulphates	1000

C) The treated effluent shall be recycle up to maximum extent and remaining shall be used on land for gardening. In no case, effluent shall find its way for gardening/outside factory premises.

2) A.] As per your consent application, you have provided the Sewage Treatment Plant for Sewage effluent of Capacity 35.0 CMD.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

1	Suspended Solids.	Not to exceed	100 mg/l.
2	BOD 3 days 27°C.	Not to exceed	100 mg/l.

C] The treated sewage shall be disposed on land for gardening

3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	19.0
2.	Domestic purpose	50.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	-----

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

[Handwritten signature]

Maharashtra Pollution Control Board

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install/ provided the Air pollution control (APC) system and also proposed to erect / erected following stack (s) and to observe the following fuel pattern-


Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
1	Sand Coating Unit	Dust collector	8.00	Electricity	--	--	--
2	Sand Dryer	Dust collector	8.0	LDO	88.0 Ltrs/Day	1.8	3.16
3	Furnace	FES	15.00	Electricity	--	--	--
4	Furnace one stand by	FES	15.0	Electricity	--	--	--
5	Shot Blasting unit	Dust collector	11.0	Electricity	--	--	--
6	Shot Blasting unit	Dust collector	11.0	Electricity	--	--	--
7	Bake Oven	---	10.0	Electricity	--	--	--
8	Paint booth	Wet scrubber	10.0	--	--	--	--
9	DG Set-500 KVA	Stack	4.5 Above roof	HSD	70.0 Ltrs/Hrs	1.0	33.6
10	DG Set -350 KVA	Stack	4.0 Above roof	HSD	40.0 Ltrs/Hrs	1.0	19.2

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time.
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
SO ₂	Not to exceed	55.96 Kg/Day

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.

5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).


A handwritten signature in black ink, consisting of a stylized 'M' followed by a series of vertical lines and a long horizontal stroke at the bottom.

Maharashtra Pollution Control Board

Schedule-III

Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Renewal of consent	5.0 Lakhs.	15 days	Towards Operation and Maintenance of Pollution Control Systems	---	30.04.2021.



Maharashtra Pollution Control Board

Schedule-IV

General Conditions:

The following general conditions shall apply as per the type of the industry (Product wise).

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.

- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity (in case of Consent to establish).
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.