

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 / 24023515

Website: <http://mpcb.mah.nic.in>

E-mail: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd - 4th Floor

Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E)

BY RPAD/ Fax/ Hand/Delivery

Date - 10 / 06 / 2016.

Ref. No. BO/CAC-CELL/EIC No. -KP-17591-15/Refusal/CAC/B-576

To,

M/s Vasantdada Shetkari SSK Ltd. (Sugar Unit),

Madhavnagar Road, Sangli,

Tal. Miraj, Dist. Sangli.

Sub – Refusal of Renewal of Consent to Operate under section 27 of water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981.

Ref- 1. Consent to Operate granted by the Board to vide letter no. BO/JD (WPC) /EIC No. KP-15787-14/R/CC-12451 dtd. 26.12.2014.

2. Your application for grant of Renewal of Consent to Operate vide dtd. 09.09.2015

3. Minutes of the CAC meeting held on 23.11.2015.

4. Show Cause Notice for Refusal of Renewal of Consent to Operate issued by the Board vide dtd. 11.01.2016.

5. Reply submitted by you vide letter dtd. 17.01.2016.

6. Verification report of SCN submitted by SRO Sangli vide dtd. 21.04.2016.

7. Minutes of CAC meeting held on 27.04.2016.

.....

WHEREAS Board has granted Consent to Operate to your 7500 TCD Sugar unit vide above referred letter at sr. no. 1 with certain terms and conditions therein which was valid up to 31.05.2014.

AND WHEREAS, you have applied for grant of Renewal of Consent to Operate with increase in CI for your unit under the provisions of Section 26 of the Water (Prevention and Control of Pollution) Act, 1974; under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 and Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008.

AND WEHEREAS, your application for grant of Renewal of Consent was placed before Consent Appraisal Committee meeting held on 23.11.2015 and during meeting it was decided to issue SCN for Refusal of Renewal of Consent to Operate due to following non-compliances reported by Sub-Regional Officer –

1. You have failed to up-grade the existing APC system of the Boiler no. I, II, III, VI, VII & VIII within the stipulated time period i.e. up to 31.05.2015 as per the condition of consent granted vide dtd. 24.12.2014.
2. JVS results of the trade effluent collected on 15.12.2014 & 08.01.2015 & stack monitoring carried out on 21.02.2014 are exceeding the Consented limits.

AND WHEREAS, as per the decision of CAC, Show Cause Notice was issued vide dtd. 11.01.2016 to your unit.


AND WHEREAS, you have submitted reply to the Show Cause Notice vide dtd. 17.01.2016. AND WHEREAS, SRO Sangli vide e-mail dtd. 21.04.2016 submitted verification report of SCN and reported following non-compliance/ violation –

1. Industry has failed to up-grade APC system of boiler no. 1, 2 & 3.
2. JVS results of the trade effluent collected on 18.11.2015 & 12.01.2016 are exceeding the Consented limits.
3. Industry has failed to install online monitoring system as per the directions of CPCB & MPCB.

AND WHEREAS your application was again placed before Consent Appraisal Committee meeting held on 27.04.2016, during meeting it was decided to issue final Refusal of Renewal of Consent to Operate for 7500 TCD sugar unit on the basis of above non-compliances / violations reported by SRO Sangli.

In view of the above, your application for grant of Renewal of Consent to Operate with increase in CI is hereby refused under section 27 of the Water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981 and Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008.

You may prefer Appeal against the refusal order passed by Maharashtra Pollution Control Board, in case aggrieved by this order, to Appellate Authority within a period of 30 days from the date of receipt of the Refused order.


(Dr. P. Anbalagan, IAS)
Member Secretary

Copy to-

1. Law Officer, MPCB, Mumbai - for information.
2. Regional Officer, MPCB, Kolhapur - for information and necessary action.
3. Sub Regional Officer, MPCB, Sangli – He is directed to serve this notice of Refusal to the industry and ensure the compliance.