

MAHARASHTRA POLLUTION CONTROL BOARD

Phone: 4010437/4020781
/4037124/4035273
Fax: 24044532/4024068
/4023516
Email: enquiry@mpcb.gov.in
Visit At: <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion-
Matunga Scheme Road No. 8, Opp. Cine
Planet Cinema, Near Sion Circle, Sion (E),
Mumbai - 400 022

Consent order No: - Formate1.0/ BO/CAC-Cell/ EIC No KN-6884-16/ 2nd CAC/ 7861
Date- 15/06/2016

To,
M/s Gharda Chemicals Ltd.,
Plot No. B-22 to 24, 27 to 29 & A- 81 to 83,
MIDC, Ph-I, Dombivli.

Subject: Amendment in existing consent to operate for Change in product-mix under RED category

- Ref:** 1. Existing Consent granted vide No Formate1.0/BO/CAC-Cell/EIC no.- NG-12003-14/29th CAC/4253 dated 15/04/2015
2. Your application approved in CAC meeting held on 02.06.2016.

Your application: CO1602000204
Dated:03.02.2016


For: Amendment in existing consent to operate for Change in product-mix. under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III & IV annexed to this order:

- The consent is granted for a period from date of issue of consent upto 31.07.2019.
- The capital investment of the industry is Rs. 175.35 Crs. (As per CA's certificate submitted by an industry).
- The Consent is valid for the manufacture of -

Sr. No.	Product Names	Maximum Quantity in MT/ Annum
1	Oxyclozanide (Condensation & Purification)	120
	OR	
	Sulfosulfuran*	36
	OR	
	Acetamiprid*	72
	OR	
	Rafoxanide	96
	OR	
	Mepiquat Chloride	120
2	Cypermethrin*,Alphamethrin*. Lamda Cyhalothrin *, Permethrin*	120
	Isoproturon*, Diuron*, Cartap Hydrochloride*	4155
	OR	

	Bispyribac Sodium*, Cypermethrin*, Alphamethrin*, Deltamethrin* (Condensation & purification), Permethrin*	4164
	OR	
	Cypermethric Acid Chloride, Imazethapyr*, Mesotrione*, Azoxystrobin*, Pyraclostrobin*	645
3	Cypermethric Acid/ Cypermethric Acid Chloride, Diuron*, Cartap Hydrochloride*, Triclopyr Ester* / Triclopyr Acid*	2400
	OR	
	Cypermethric Acid/ Cypermethric Acid Chloride	600
	And	&
	Vanillin Technical	6000
	OR	
	Cypermethric Acid/ Cypermethric Acid Chloride	960
	And	&
	Pigment Red	1200
4	Clodinofof Propargyl*, Propiconazole*, Diuron*, Cartap Hydrochloride*,	72
	OR	
	Cypermethrin*, Alphamethrin*, Lambda Cyhalothrin*, Permethrin*	72
5	Diflubenzuron*, Pyriproxyfen*, Diuron*, Cartap Hydrochloride*	96
	OR	
	Cypermethrin*, Alphamethrin*, Lambda Cyhalothrin*, Permethrin*	48
	And	
	Chloro Hydroxy Benzo Phenone (CHBP)/ Poly Ether Ketone - PEK/PEKK/Poly Ether Imide (PEI) its monomer & Polymer	312
	OR	
	ABPBI	108
	And	
	DPSO2	120
	And	
	PTC	180
6	Fipronil*, Diuron*, Cartap Hydrochloride*, Diafenthiuron*, Thiophanate Methyl*	444
	OR	
	Cypermethrin*, Alphamethrin*, Lambda Cyhalothrin*, Permethrin*	444
	Total	22584
7	R&D Activities	--
8	Insecticide Formulations #	3000

4. Note: (*) Product along with its formulation
(#) Formulations from own technical products or by procuring
technical products from outside.



List of By-Products

Sr. No.	By Product Names	Maximum Quantity per Annum
1	Spent Acid	14767 MT/A
	Ortho Nitro Cumene	1692 MT/A
	OR	
2	Ortho Cumidine / Cumidine Derivatives	1008 MT/A
3	Sodium Salt of Methane Sulfinic Acid	648 MT/A
	Oil	33.6 KL / A
4	Cupric Chloride Solution	204 KL / A
	Sodium Sulphite / Sodium Bisulphite Solution	8596 KL / A
	OR	
	Sodium Sulphite / Sodium Bisulphite Solution	5497 KL / A
	AND	
5	Compressed Sulphur Dioxide gas	1080 MT/A
6	Ammonium Chloride Solution / Processed Chlorobutanones	8640 KL / A
7	Liq. Ammonia	1630 MT/A
8	Aluminum Chloride Solution	6728.4 MT/A
9	Spent HCl Solution	6208 MT/A
10	Spent Dimethyl Amine	728 MT/A
11	Methyl Chloride	2327 MT/A
12	Sodium Carbonate	536 MT/A
13	Dilute Nitric Acid	71 MT/A
14	Acetic Acide	449 MT/A
15	Zinc hydroxide	1814 MT/A
16	Succinimide	413 MT/A
17	Condensed product	0.701 MT/A
18	Mixture of HBr and KBr	305 MT/A

5. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	525	As per Schedule -I	CETP
2.	Domestic effluent	95	As per Schedule -I	CETP

6. Conditions under Air (P&CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boiler {2 Nos. - One is coal fired & another oil fired (standby)}	1	As per Schedule -II
2.	Process vents from	5	As per Schedule -II

	Scrubbers		
3.	DG set	4	As per Schedule -II

7. Conditions under Non hazardous Wastes

Sr. no.	Type of waste	Quantity	Treatm ent	Disposal
1	Metallic scrap	840 Kg/day	--	Sale
2	Waste Insulation material	30 Kg/day	--	Sale to Recycle
3	Civil Debris	330 Kg/day	--	Land filling
4	Stationary paper waste	160 Kg/day	--	Incineration/ Sale to recycle
5	Non Metallic scrap	30 Kg/day	--	Sale
6	Boiler Ash	21.8 Mt/day		Sale to cement/brick manufacturer

8. Conditions under 1) Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste. :

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Contaminated aromatic, aliphatic or naphthenic solvents not fit for originally intended use.	20.1	1000	MT/A	--	Incineration at their Lote unit/Incineration at CHWTSDF/Sale as a by-product/Sent to authorized recycler or re-processor
2	Distillation residue	20.3	80	MT/A	--	Incineration at their Lote unit/Incineration at CHWTSDF/Sale as a by-product/Sent to authorized recycler or re-processor
3	Chemical sludge including calcium sulfate from Waste Water Treatment	29.2	2200	MT/A	--	Sent to CHWTSDF
4	Discarded containers / barrels.	33.3	3000	Nos./A	--	Sale to party after decontamination.
5	Contaminated Cotton waste	5.2	4.8	MT/A	--	Incineration at Lote/ Incineration at


						CHWTSDF
6	Contaminated Saw Dust	29.1	4.8	MT/A	--	Incineration at Lote/ Incineration at CHWTSDF
7	Date expired and off specifications pesticides	29.3	10	MT/A	--	Incineration at Lote/ Incineration at CHWTSDF
8	Used / spent oil	5.1	7.5	MT/A	--	Incineration at Lote/ Incineration at CHWTSDF/Sale as a by-product/Sent to authorized recycler or re-processor
9	Spent activated carbon	28.2	48	MT/A	--	Incineration at Lote / Incineration at CHWTSDF/Sale as a by-product/Sent to authorized recycler or re-processor
10	Electronic wastes	Schedule IV	1.5	MT/A	--	Sent to MPCB/ CPCB authorized recycler

9. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
10. This consent should not be construed as exemption from obtaining necessary NOC / permission from any other Government authorities.
11. The consent is issued in accordance with MoEF, Govt. of India circular dated 14.12.2006 stating that in case of change in product mix, changes in the quantities or the number of products may be allowed without EC by the concerned SPCB provided such changes in the quantities of product are in the same category and are within the previously granted overall total limits.
12. The consent is granted as per "No increase in pollution load certificate dated 25.05.2016 granted by ICT, Mumbai and the product wise water, effluent and residue details due to change in product mix submitted by the industry.
13. Industry, the by product generator, should ensure that all the vehicles used to transport by-product to the vendor industry to be fitted with web based GPS system to record the origin to destination position and shall self monitor the compliance and submit monthly report to the Board.
14. Industry shall obtain affidavit from vendors stating that the by-product purchased from PP is used as raw material in their respective industries.



15. The consent is granted by overriding consent no Formate1.0/BO/CAC-Cell/EIC no.-NG-12003-14/29th CAC/4253 dated 15/04/2015

For and on behalf of the
Maharashtra Pollution Control Board


(Dr. P. Anbalagan, IAS)
Member Secretary

Received Consent form fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
The balance fees of Rs 121050/- as per the consent no Formate1.0/BO/CAC-Cell/EIC no.-NG-12003-14/29th CAC/4253 dated 15/04/2015 is considered at the time of this renewal.				
1	Rs.2,79,050	409144	11.01.2016	Canara Bank
Previous fees				
1	Rs 14,52,775	467973	29/10/14	Canara Bank

Copy to:

1. Regional Officer - Kalyan and Sub-Regional Officer- Kalyan 1, - Chief Accounts Officer, MPCB, Mumbai.
2. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the combined Effluent Treatment Plant (ETP) with the design capacity of 620 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Standards prescribed by Board (If any)
		Limiting Concentration in mg/l, except for pH
01	pH	5.5 to 9.0
02	Oil & Grease	10.0
03	BOD (3 days 27°C)	100
04	COD	250
05	SS	100
06	CN	0.2
07	Phenol	1.0
08	Pesticides	Shall be Nil
09	TAN	50.0
10	Copper	3.0


C] The treated effluent shall be discharged to the CETP - 620 CMD

2) A.] As per your consent application, the domestic effluent is treated in ETP.

B] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.

3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or/ and extension or addition thereto.


4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.



- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	645.0
2.	Domestic purpose	100.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	400.0
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	—
5	Agriculture / Gardening	30

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.



Maharashtra Pollution Control Board


Schedule-II

Terms & conditions for compliance of Air Pollution Control:

- As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity	S %	SO ₂ Kg/Day
1	Steam Boiler- 2 Nos., 1. Coal fired & 2. Oil fired (Standby)	ESP & Dust collection system, adequate high stack is provided	58 (Combined)	Coal (Imported or indigenous)/ OR FO	54.5 MT/day of coal /OR 22 T/day of Furnace oil	< 1.5 % in coal/ < 3 % in FO	Coal- 1635 FO- 1980
2	DG Set 1250 KVA	Acoustic enclosure	12.8	HSD	0.95 T/Hr. (In case of power failure)	< 1%	456
3	DG Set 1000 KVA	Acoustic enclosure	11.8	HSD			
4	DG Set 1000 KVA	Acoustic enclosure	11.8	HSD			
5	DG Set 1000 KVA	Acoustic enclosure	11.8	HSD			
Process Vents							
1	CMAC/CMA Filling Point (Plant 3)		26		NA	NA	NA
2	Process Vents Plant 1	Scrubbers are provided	20.5	NA, Electricity driven	NA	NA	NA
3	Process Vents Plant 2		37		NA	NA	NA
4	Process Vents Plant 3		26		NA	NA	NA
5	Process Vents (CMN process) in ETP		15.5		NA	NA	NA


- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)



3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³
HCl	Not to exceed	35 ppm
Cl ₂	Not to exceed	3 ppm
H ₂ S	Not to exceed	10 ppm
NH ₃	Not to exceed	50 ppm
NOx	Not to exceed	50 ppm

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).




Maharashtra Pollution Control Board

Schedule-III

Details of Bank Guarantees


Sr. No	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C TO R	Rs 5 Lakh	Submitted	O&M of Pollution Control Equipments	31.07.2019	30.11.2019
2	C TO R	Rs 2 lakh	Submitted	<p>Industry, the by product generator, should ensure that all the vehicles used to transport by-product to the vendor industry to be fitted with web based GPS system to record the origin to destination position and shall self monitor the compliance and submit monthly report to the Board.</p> <p>Also industry shall obtain affidavit from vendors stating that the by-product purchased from PP is used as raw material in their respective industries.</p>	31.07.2019	30.11.2019
3	C To R	Rs. 5.0 Lakh	Submitted	Carrying out VOC monitoring from ICT Matunga and submission of report	04.09.2015	31.03.2016



Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 13) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.



- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 17) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 18) The industry should not cause any nuisance in surrounding area.
- 19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20) The applicant shall maintain good housekeeping.
- 21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

