

## MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781  
/4037124/4035273  
Fax : 24044532/4024068 /4023516  
Email : enquiry@mpcb.gov.in  
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga  
Scheme Road No. 8, Opp. Cine Planet Cinema, Near  
Sion Circle, Sion (E),  
Mumbai - 400 022

Consent order No: B.O/MPCB/AST/CO1603000289 /O/CC-8360

Date- 24/06/2016

To,  
M/s Astec Life Sciences Ltd.  
Plot No- K-2/1/1, MIDC Mahad,  
Dist-Raigad.

Subject : Amendment in Consent to Operate for Change in Product Mix -  
RED category

- Ref : 1) Consent granted vide No-BO/AST/EIC No. RD-3131-  
15/R/CC- 01146 dtd-27/01/2016, valid upto-31/07/2019.  
2) Your online application for consent Dated: /06/2016.  
3) Minutes of the CC meeting held on 16/06/2016.

For Consent to Operate (amendment for change in product mix) under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for period up to 31/07/2019.
2. The actual capital investment of the industry is 45.45 Cr. (As per C.A Certificate submitted by industry)
3. Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
1	2,4-Dichlorophenoxy Acetic Acid Dimethyl Amine (2,4-DMA Salt)	484	MT/M
2	4 Chlorostyrene	25	MT/M
3	Dichloro Phenyl Oxirane	25	MT/M
4	Imazethapyr (IMZPR)	35	MT/M
5	Imazapyr (IMPR)	50	MT/M
6	3, Aminotriazole	25	MT/M
7	Siduron	33.50	MT/M
8	2-Ethyl 2-Methyl Butanoic Acid (new)	50	MT/M
9	DTX, Dextrinol (New)	5	MT/M
	<b>Total</b>	<b>732.5</b>	<b>MT/M</b>
	<b>By-Product Name</b>		
1	Inorganic Salts, K/Na/Zn of sulphate, phosphate, chloride	100	MT/M
2	Mg salts (sulphate/chloride/carbonate)	100	MT/M
3	Aliphatic hydrocarbon	20	MT/M
4	Hydrochloric acid	100	MT/M
5	20% Solution of DMA*	1.46	MT/M
	<b>Total</b>	<b>321.46</b>	<b>MT/M</b>
	<b>Total of Products + By-products</b>	<b>1053.96</b>	<b>MT/M</b>

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	137	As per Schedule-I	Zero Liquid Discharge (ZLD)
2.	Domestic effluent	15.00	As per Schedule-I	On land for gardening.

5. Conditions under Air (P & CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1	Boiler (6 TPH)(Existing)	1	As per Schedule -II
2	DG Set (500 KVA)	1	As per Schedule -II
3	DG Set (250 KVA)	1	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

Sr. No.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Paper Waste (Paper boxes & bags)	30 Kg/Day	---	Sale
2	Plastic liner	14 Kg/Day	---	Sale
3	Waste paper wrapping material	60 Kg/Day	---	Sale
4	Wooden pallets	30 Nos./Day	---	Sale
5	Coal ash from boiler	1000 Kg/Day	---	Sale


7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	5.1 Used/spent oil	50 Ltr/M	---	Sale to authorized recycler / CHWTSDF
2	28.1 Residues & wastes	50 MT/M	---	CHWTSDF
3	29.2 Chemical Sludge residue herbicides	18 MT/M	---	CHWTSDF
4	33.3 Discarded Containers	1245 Nos/M	---	Sale to Authorized recycler/CHWTSDF
5	34.3 Chemical Sludge from ETP	5 MT/M	---	CHWTSDF
6	35.1 Filter & Filter material having organic liquid	50 Kg/M	---	CHWTSDF
7	35.3 Spent Carbon	2.5 MT/M	---	CHWTSDF

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. The applicant shall install online continuous monitoring system to monitor effluent/air emission parameters and upload the data on MPCB & CPCB server as per the directives from CPCB for highly polluting industries.

11. The consent is issued in accordance with MoEF, GoI Circular dtd. 14.12.2006 stating that in case of change in product mix, changes in the quantities or the number of products may be allowed without EC by the concerned SPCB provided such changes in the quantities of product are in the same category and are within the previously granted overall total limit.
12. This consent is granted as per "No increase in Pollution Load" Certificate issued by Institute of Chemical Technology, Matunga vide letter dtd. 27.05.2016 and the product wise water, effluent and residue details due to change in product submitted by the industry.
13. This consent is issued based on self assessment made by you and submitted in prescribed Boards format. If any violation and submission of misleading information notices, then the consent issued under product mix circular issued by MoEF dtd. 14.12.2006 will stand automatically cancelled and you have to follow the procedure of EIA Notification for obtaining Environment Clearance.
14. Industry, by-product generator, should ensure that all the vehicles used to transport by-products to the vendor industry to be fitted with web based GPS system to record the origin to destination position and shall self monitor the compliance and submit monthly report to the Board.
15. Industry shall obtain affidavit from vendors stating that the by-products purchased from PP is used as raw materials in their respective industries.
16. Industry shall submit Bank guarantee of Rs. 2.0 Lakh for the compliance of condition No.(14) & (15)above.
17. This amendment in consent is issued with overriding effect on earlier consent to operate granted by the board vide no. BO/AST/EIC No. RD-3131-15/R/CC- 01146 dtd-27/01/2016, valid upto-31/07/2019.
18. The industry shall comply the conditions of EC granted by MoEF, GoI, vide letter F.No. J-11011/111/2011-IA II(I) dated 22/03/2013.
19. This consent is issued pursuant to the decision of the consent committee meeting held on 16/06/2016.

For and on behalf of the  
Maharashtra Pollution Control Board

  
(Dr. P. Anbalagan, IAS)  
Member Secretary

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	2,50,000/- (2.0 lakh balance with Board from previous fees)	023788	11/07/2014	IDBI
2	3,75,000/-	9201604200064970	02/04/2016	IDBI
3	75,000/-	IBKL160615138400	15/06/2016	SBI

Copy to:

1. Regional Officer Raigad, Sub-Regional Officer-Mahad, MPCB: - They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. Web site up-dation purposes.

### Schedule-I

#### Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 140.00 CMD.

B] The Applicant shall operate & maintain the effluent treatment plant (ETP)( ZLD Scheme comprising equalization/neutralization tank, psychrometric evaporator, steam evaporator and condenser system) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board.
	<b>I. Compulsory Parameters</b>	<b>Limiting Concentration in mg/l, except for pH</b>
01	pH	5.5 to 9.0
02	Suspended Solids	100
03	BOD 3 days 27 deg.0	100
04	COD	250
05	Oil & Grease	10
06	Total Dissolved Solids	2100
07	Chlorides	600
08	Sulphates	1000
09	Cyanide	0.2
10	Bio-assay Test	90% survival of fish after 96 hrs in 100% effluent
11	Phenol & Phenolic Compounds	1.0

C) The treated effluent shall be reused back into the process for other uses so as to achieve zero liquid discharge (ZLD). There shall be no discharge outside industry premises.

2) A] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

- |     |                   |               |     |       |
|-----|-------------------|---------------|-----|-------|
| (1) | Suspended Solids. | Not to exceed | 100 | mg/l. |
| (2) | BOD 3 days 27oC.  | Not to exceed | 100 | mg/l. |

B] The treated sewage shall be soaked in a soak pit, which shall be got cleaned periodically, excess if any sewage shall be disposed on land for gardening/irrigation.

3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.


4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.



- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	234
2.	Domestic purpose	20
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	53
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	00

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
- 7) The applicant shall operate & maintain effluent treatment plant with energy meter to achieve zero discharge and install online continuous monitoring system to monitor effluent parameters and upload the data on MPCB & CPCB server as per the directives given by CPCB time to time.



### Schedule-II

#### Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have install the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-


Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO <sub>2</sub> Kg/Day
1	Boiler (6 TPH)	Multi-Cyclone Dust collector	30.00	Coal	22.00 MT/D	0.5	220
2	D.G. Set (500 KVA)	Acoustic enclosures	3.50*	HSD	1000 Lit/Day	---	---
3	D.G. Set (250 KVA)	Acoustic enclosures	3.5*	HSD		---	---
3	Process vent (HCN emission)	Two Stage Scrubber	---	---	---	---	---

\*above the roof of building in which D.G set is installed.

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

TPM	Not to exceed	50 mg/Nm <sup>3</sup> .
Acid Mist/HCL	Not to exceed	35 mg/Nm <sup>3</sup>


4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



### Schedule-III

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to O	10 lakh	1Month	Towards O & M of pollution control system..	31/07/2019	30/11/2019
2	C to O	5 Lakh	1 Month	Towards compliance of consent conditions	31/07/2019	30/11/2019
3	C to O	2 Lakh	1 Month	Towards compliance of condition No.14 & 15 on page No. 3.	31/07/2019	30/11/2019

- Bank Guarantee shall be submitted at MPCB Regional Office, Raigad within one months period.



#### Schedule-IV

##### General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity (in case of Consent to establish).
- 13) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 14) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website ([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 15) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 16) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the



- pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 17) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
  - 18) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
  - 19) The industry should not cause any nuisance in surrounding area.
  - 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
  - 21) The applicant shall maintain good housekeeping.
  - 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end, with the Environment Statement.
  - 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
  - 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
  - 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
  - 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
  - 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
  - 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd: - 16.11.2009 as amended.

-----0000-----

