MAHARASHTRA POLLUTION CONTROL BOARD

Phone: 4010437/4020781

/4037124/4035273

Fax : 24044532/4024068/4023516

Email : enquiry@mpcb.gov.in Visit At : http://mpcb.gov.in



Kalpataru Point, 3rd & 4th floor, Sion-Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E),

Mumbai - 400 022

Consent order No 1.0/BO/CAC-Cell/EIC No:-PN-27350-15/CAC-8735

Date-02/07/2016

To

M/s BEL OPTRONIC DEVICES LTD.

(A Subsidiary of BEL, Govt. of India Enterprises)

EL - 30. 'J' Block, Bhosari Industrial Area,

Pune - 411 026.

Subject: Renewal of Consent to Operate with increase in CI in RED category.

Ref

: 1. Earlier Consent to operate granted vide no. BO/CAC-Cell/EIC No. PN-24269-15/CAC-15134 dated 05.12.2015.

2. Minutes of CAC meeting held on 02.02.2016.

Your application: CR1511000201

Dated: 19.10.2015

For: Renewal of consent to operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The consent is granted for a period from 01.01.2016 to 30.04.2018.
- 2. The actual capital investment of the industry is Rs. 140.69 Crs. (Existing CI-Rs. 139.59 Cr + Increased CI-Rs. 1.1 Cr as per C.A. Certificate submitted by industry).

3. The Consent is valid for the manufacture of:-

Sr. No.	Product Name	Maximum Quantity in Nos/Month
	Image Itensifier Tubes	1725
2	Power Supply Unit	2100

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	78	As per Schedule -I	100% recycle/reuse in the process
2.	Domestic effluent	15	As per Schedule -I	On land for gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.	Description of stack /	Number of Stack	Standards to be achieved
no.	source	3	As per Schedule -II
1.	DG set	1	As per Schedule -II
2.	Pickling section	1	As per Schedule -II
3.	Frit Furnace		C. L. Jule II

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
5.	Tube Assembly	1	As per Schedule –II
6.	Ultrasonic Machine	1	As per Schedule –II
7.	Tube Furnace	1	As per Schedule –II
8.	Conveyor Furnace	1	As per Schedule –II
9.	Blasting Machine	1	As per Schedule –II

6. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1.	ETP Sludge	34.3	25	Kg / Year	Nil	CHWTSDF
2.	Phosphor	12.5	3.0	Kg / Year	Nil	CHWTSDF
3.	Solder waste & Paste	9.1	5.0	Kg / Year	Nil	CHWTSDF
4.	Used oil	5.1	200	Lit / Year	Nil O	Authorized Recycler
5.	PCB	31.1	2.0	Kg/Year	Nil	CHWTSDF

7. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1.	Waste Paper	12 Kg /Year	Nil	Sale to authorized
2.	Hand Gloves	5.0 Kg/Year	Nil	vendor
3.	Mask	5.0 Kg/Year	Nil	
4.	Banian Cloth	5.0 Kg/Year	Nil	
5.	Plastic items	5.0 Kg /Year	Nil	
6.	Empty Glass Bottles	1800 Nos/Year	Nil	
7.	Empty Plastic Bottles	300 Nos /Year	Nil	
8.	Packing Material	100 Kg/Year	Nil	

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the Maharashtra Pollution Control Board

> (P. K. Mirashe) Member Secretary

Received Consent fee of -

Sr. No.	Amount (Rs.)	DD. No.	Date	Drawn On
1.	Rs. 2,81,494/-	097252	09.10.2015	Axis Bank
2.	Rs. 3,74,000/-	100154	03.05.2016	Axis Bank
3.	Rs. 16,187/-	320987	16.06.2016	State Bank of India

M/s. Bel Optoronic Devices Ltd., SRO Pimpri Chinchwad/I/R/S/02129000

Page 2 of 9

Copy to:

 Regional Officer -Pune and Sub-Regional Officer- Pimpri-Chinchwad, MPCB - Pune they are directed to ensure the compliance of the consent conditions.

2. Chief Accounts Officer, MPCB, Mumbai.

3. CC/CAC desk- for record & website updation purposes.

in

Schedule-I Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 80 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time,

The state of the s	Parameters	Standards as per EP Act,1986 Limiting Concentration in mg/l, except for pH
01	pH	5.5-9.0
02	Oil & Grease	10
03	BOD (3 days 27oC)	100
04	Total Dissolved Solids	2100
05	Iron (as Fe)	3.0
06	Suspended Solids	100
07	COD	250
08	Chloride	600
09	Sulphate	1000
10	Hexavalent Chromium as Cr	0.1
11	Nickel (as Ni)	3.0
12	Zinc (as Zn)	5.0
13	Total Metal	10.0
14	Cyanide (as CN)	0.2
15	Ammonical Nitrogen(as N)	50
16	Total Residue Chlorine (as Cl2)	
17	Cadmium (as Cd)	2.0
18	Copper (as Cu)	3.0
19	Lead (as Pb)	0.1

- C] The treated effluent shall be 100% recycled/reused in the process to achieve zero discharge. In no case effluent shall find its way for gardening/outside factory premises. Industry is not allowed to discharge the treated trade effluent on land for gardening.
- 2) A] As per your consent application, you have provided the sewage treatment system with the design capacity of 20 CMD
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

	Carranded Solide	Not to exceed	50	mg/l.
(1)	Suspended Solids.	Not to exceed	30	mg/l.
(2)	BOD 3 days 27oC.		100	mg/l.
(3)	COD	Not to exceed	100	8

C] The treated domestic effluent shall be used on land for gardening after confirming the above standards. There shall not be any discharge directly/indirectly outside the factory premises.

- D] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling	20
2.	Domestic purpose	20
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	80
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	NA

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

ins

Schedule-II Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
1.	DG set (320 KVA, 81.35 KVA & 500 KVA)		20 mtrs each	HSD	195 Lit/ hrs.	1	93.6
2.	Pickling Section	Acid scrubber	4.0	NA	NA	NA	NA
3.	Frit Furnace	Ex. fan	20	NA	NA	NA	NA
4.	Anamass Machine	Ex. fan	20	NA	NA V	NA	NA
5.	Tube Assembly	Ex. fan	20	NA	NA	NA	NA
6.	Ultrasonic Machine	Ex. fan	20	NA	NA	NA	NA
7.	Tube Furnace	Ex. fan	20	NA	NA	NA	NA
8.	Conveyor Furnace	Ex. fan	20	NA	NA	NA	NA
9.	Blasting Machine	Ex. Fan	20	NA	NA	NA	NA

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
Acid Mist	Not to exceed	35 mg/Nm3

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submissi on Period	Purpose of BG	Complian ce Period	Validity Date
1.	CtoR	Rs. 5 lakh (to be extende	15 days	Towards provision of 100% recycle/reuse of all treated trade effluent into the	30.04.2018	31.08.2018
		d)		process	120	Ma
					800	V.
				Y.	2,	
				COI		
				ijol'		
			00	Mr.		
			×19/			
		135	110			
	M's	13,				
	M					

Schedule-IV

General Conditions:

1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.

Industry should monitor effluent quality, stack emissions and ambient air quality

monthly/quarterly.

4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall

be stopped. 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or

otherwise, control production to abide by terms and conditions of this consent. The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection)

(Second Amendment) Rules, 1992.

8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.

The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every

10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.

11) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).

12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).

Environmental cell an constitute shall staff/personnel/agency to see the day to day compliance of consent condition towards

Environment Protection.

14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

15) Neither storm water nor discharge from other premises shall be allowed to mix with

the offluents from the factory.

- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 17) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 18) The industry should not cause any nuisance in surrounding area.
- 19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20) The applicant shall maintain good housekeeping.
- 21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 25) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 26) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 27) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.