MAHARASHTRA POLLUTION CONTROL BOARD

MAHARASHTRA

Phone : 4010437/4020781

/4037124/4035273

24044532/4024068 /4023516

Email : enquiry@mpcb.gov.in
Visit At : http://mpcb.gov.in

Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near

Sion Circle, Sion (E), Mumbai - 400 022

Consent No: Format 1.0/ BO/CAC-Cell/EIC No:-PN-28494-16/CAC-S731

Date- 106/2016 02/07/2016

To,

Fax

M/s Sigma Electric Manufacturing Corporation Pvt. Ltd.(Unit-II)

[Formally known as Semco Electric Pvt. Ltd.]

A-2, MIDC, Chakan Tal-Khed

Pune 410 501

Subject: Renewal of consent to Operate with increase in capital investment under RED category.

Ref : 1. Earlier Consent granted vide no Format 1.0/BO/CAC-Cell/EIC No:-PN-24541/CAC/CC-895, Dtd. 20.01.2016

2. Minutes of CAC meeting held on 02.06.2016

Your application: CR1602000382

Dated: 30.01.2016

For: Renewal of consent to Operate with increase in capital investment under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 as amended in 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III & IV annexed to this order:

1. The consent is granted for a period from 01/04/2016 to 31.03.2017

2. The actual capital investment of the industry is Rs. 152.45/- Crs. (As per C. A. Certificate submitted by industry)

3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity in MT/A
1.	Electrical wiring accessories in Aluminum-	700 MT/M
2.	Automobile components, Home Appliances (Gas burners, hinges, Door closers Etc)-	200 MT/M
3.	Fabrication of Electrical wiring Accessories in Steel	470 MT/M
4.	Aluminum Die-cast, machined & Painted components for Instrumentation (without Electro Plating Activity)	100 MT/M

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	97.7 CMD	As per Schedule -I	Recycle & on land for
2.	Domestic effluent	100.9 CMD	As per Schedule -I	gardening

Sigma Electric Manufacturing Corporation Pvt. Ltd (Unit-II), SRO Pune-II/I/R/L/05711000

Page 1 of 10

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	D.G Set (380 KVA)	1	As per Schedule -II
2.	D.G Set (725 KVA)- 2 nos	2	As per Schedule -II
3.	Powder curing Oven-03 Nos	3	As per Schedule -II
4.	Degreasing fume exhaust pretreatment	1	As per Schedule -II
5.	Water rinse fume exhaust	1	As per Schedule -II
6.	Central Melting Furnace- 02 Nos	2	As per Schedule -II
7.	Machine exhaust combine-03 Nos	3	As per Schedule -II
8.	Hanger cleaning oven 02 Nos	1	As per Schedule -II
9.	Burner Exhaust Baking Oven	1	As per Schedule -II
10.	Burner Exhaust Drying Oven-03 Nos	3	As per Schedule -II
11.	Burner Exhaust curing Oven	1 3	As per Schedule -II
12.	Paint Booth Exhaust	1 0	As per Schedule -II
13.	Flash off Zone Exhaust	100	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Ferrous Scrap	25.00 MT/M	-	Sale to authorized Reprocessor
2	Alluminium Chips	15.00 MT/M		Sale to authorized Reprocessor
3	Alluminium Dross	10.00 MT/M		Sale to authorized Reprocessor
4	Canteen Waste	1.00 MT/M		By Sale/composting
5	Factory Rubblish	24.00 MT/M		By Sale
6	Shot Blasting dust	100 Kg/M		By Sale to authorized Reprocessors

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Used/Spent oil	5.1	850.00	KG/M		Sale to authorized party
2	Waste/residue containing Oil	5.2	200.00	KG/M		CHWTSDF

3	Zinc fines/dust/ash/ski ming(dispersible form)	6.2	1	MT/M	Sale authorized party
4	Wastes and residues	21.1	1.00	MT/M	CHWTSDF
5	Chemical sludge from Waste water treatment	34.3	2.00	MT/M	CHWTSDF
6	Toxic metal containing water from water purification	34.2	0.60	MT/ YEAR	CHWTSDF
	Discarded containers/barrels iners/HZW/ chemicals	33,3	100	Nos/M	Sale authorized party

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the Maharashtra Pollution Control Board

> (P. K Mirashe) Member Secretary

Received Consent fee

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
	Rs 2,05,200/-	079556	25.01.2016	
	consent dtd 20.01	Rs.1, 75,005/- 1.2016 is consi	with the Boar	ICICI Bank Limited

Copy to:

- 1. Regional Officer –Pune and Sub-Regional Officer- Pune-II, MPCB, They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) cum sewage treatment system (STP) with the design capacity of 300 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
01	рН	5.5 to 9.0
02	Oil & Grease	10
03	BOD (3 days 27oC)	30
04	Total Dissolved Solids	2100
05	Copper	5.0
06	Zinc	5.0
07	Suspended Solids	100
08	COD	250
09	Chloride	600
10	Sulphate	1000

C) The treated effluent 85 CMD shall be recycled in the process & remaining 12.7 CMD shall be used on land for gardening.

2) A.] As per your application, you have provided the Effluent Treatment Plant (ETP) cum sewage treatment system (STP) with the design capacity of 300 CMD.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) Suspended Solids. Not to exceed 50 mg/l.
(2) BOD 3 days 27oC. Not to exceed 30 mg/l.
(2) COD. Not to exceed 100 mg/l.

C] The treated sewage shall be reused to the maximum extent & remaining shall be disposed on land for gardening

D] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.

3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

Page 4 of 10

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess eturns in Form-I and other provisions as contained in the said act.

r. no	Purpose for water consumed	Water consumption
Wales		quantity (CMD)
•	Industrial Cooling, spraying in mine pits or boiler feed	30 CMD
	Domestic purpose	103 CMD
	Processing whereby water gets polluted & pollutants are easily biodegradable	73 CMD
	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	
ondi	Applicant shall provide Specific Water Pollution tions of EP Act,1986 and rule made there under from ance / CREP guidelines.	control system as per to time to time/Environment
		110,
	Co	
	11/1/01	
	60/10	
	Mils.	
	1.921	
	Mylylys,	
1	Mo	
1	Mo.	

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
1	D.G Set (380 KVA)	NA	4.0 Mtrs	Diesel	8.5 KL/Day	1%	160
2	D.G Set (725 KVA)- 2 nos	NA	5.5 Mtrs	Diesel			
3	Powder curing Oven-03 Nos	NA	12.0 Mtrs	LPG/ Propane	8.0 T/D	6	
4.	Degreasing fume exhaust pretreatment		12.0 Mtrs		20	810	
5.	Water rinse fume exhaust	NA	12.0 Mtrs		-/0		
6.	Central Melting Furnace-02 Nos	Dust collector	14.0 Mtrs	CON	10.		
7.	Machine exhaust combine-03 Nos	NA	14.00	200		-	
8.	Hanger cleaning oven 02 Nos	NA	10.00		777		
9.	Burner Exhaust Baking Oven	NA NA	17.00				
10	Burner Exhaust Drying Oven- 03 Nos	NA	14.00				
11	Burner Exhaust curing Öven	NA	14.00			-	
12	Paint Booth Exhaust	Water certain	12.00				
13	Flash off Zone Exhaust	NA	12.00				

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)



3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
Acid Mist	Not to exceed	35 ppm

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III **Details of Bank Guarantees**

Sr.	Consent	Amt of BG	Submission	Purpose of BG	Compliance	Validity
No.	(C to E/O/R)	Imposed	Period		Period	Date
1	C to R (Existing to be extended	5/- Lakhs	15 days	Operation & Maintenance of Pollution Control System	31.03.2017	31.07.2017

Schedule-IV

General Conditions:

- The applicant shall provide facility for collection of environmental samples and samples
 of trade and sewage effluents, air emissions and hazardous waste to the Board staff at
 the terminal or designated points and shall pay to the Board for the services rendered in
 this behalf.
- If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker if applicable.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 19) The industry should not cause any nuisance in surrounding area.
- 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 21) The applicant shall maintain good housekeeping.
- 22) The applicant shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

----0000-----