

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781  
/4037124/4035273  
Fax : 24044532/4024068 /4023516  
Email : enquiry@mpcb.gov.in  
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion-  
Matunga Scheme Road No. 8, Opp. Cine  
Planet Cinema, Near Sion Circle, Sion (E),  
Mumbai - 400 022

Consent order No :- Formate I.0/ BO/CAC-Cell/ EIC No RD-3204-15/14thCAC - 9167  
Date-16/07/2016

To,  
M/s Sudarshan Chemicals Industries Ltd,  
44,44(part),45,46,46(part),  
MIDC Dhatav, Tal-Roha,  
Dist-Raigad-402116

Subject: Renewal of consent to operate under RED category.

Ref: 1. Existing Consent granted vide no BO/JD-PAMS/EIC NO RD-2500-13/R/CC-918 dated 30.01.2013.

2. Your application approved in CAC meeting held on 02.02.2016.

Your application: CR1511000187

Dated: 04.11.2015

For: Renewal of consent to operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period from 01.01.2016 to 31.07.2020.
2. The actual capital investment of the industry is Rs.98.56 Crs. (As per C.A.Certificate submitted by industry)
3. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity
1	Pigments (Organic pigments, Inorganic pigments, pearl pigments, pigment preparation, Fluorescent pigments, High performance pigments, HP dyes & intermediates)	20088 MT/A
2	Intermediates (For pigments, Agro Chemicals & Fine chemicals)	4824 MT/A
3	Pesticides Technical (Organo Phosphorous Pesticides, insecticides, herbicides, fungicides, bio products, rodenticides, plant growth regulators, herbicides)	5958 MT/M
4	Pesticide Formulation (Liquid)	5000 KL/A
5	Pesticide Formulation (Solid)	1200 MT/A

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	5688	As per Schedule -I	CETP
2.	Domestic effluent	170	As per Schedule -I	CETP

5. Conditions under Air (P & CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boiler-1 (Coal/FO)	1	As per Schedule -II
2.	Incinerator	1	As per Schedule -II
3.	Boiler-2 (coal)	1	As per Schedule -II
4.	DG sets 624 KVA, 1000 KVA, 1150 KVA, 250 KVA	4	As per Schedule -II
5.	Process stacks	12	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UOM	Treatment	Disposal
1	Boiler Ash	16 MT/D	NA	Sale to Brick Manufacturing
2	Paper, plastic seepages, fiber drum	310 Kg/D	NA	Incineration
3	Process Potatoes waste	80 Kg/D	NA	Bio Gas/Vermin Composting
4	Mica Waste	1500 MT/A	NA	Sale

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Categor y	Quanti ty	UOM	Disposal
1	Sludge and filters contamination with oil	3.3	200	Kg/A	CHWTSDF
2	Discarded asbestos	15.2	1	MT/A	CHWTSDF
3	Process waste sludge/residue from pigment manufacture	26.1	20	MT/A	
4	Wastes/residue containing oil	5.2	300	Ltrs/A	CHWTSDF/Incineration in own plant
5	Chemical waste from WWT	26.2	1500	MT/A	CHWTSDF
6	Discarded containers/barrels/liners	33.3	8000	Nos/A	Returned to suppliers or

					authorized recyclers
7	Date expired and off-specification pesticides	29.3	4	Nos/A	CHWTSDF/ Incineration in own plant
8	Ash from incineration	36.2	8	KL/A	CHWTSDF
9	Discarded containers/barrels/liners	33.3	3	MT/A	CHWTSDF
10	Filters and filter material who have organic liquid	35.1	3	MT/A	CHWTSDF
11	Spent carbon	35.3	3	MT/A	CHWTSDF
12	Flue gas cleaning residue	34.1	3	MT/A	CHWTSDF
13	Pesticides residue	29.1	200	Kg/A	CHWTSDF/ Incineration in own plant
14	Used/spent oil	5.1	800	Lts/A	CHWTSDF/Sale to authorized party approved by CPCB/MoEF

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the  
Maharashtra Pollution Control Board

*(Signature)*  
11/12/15

(P.K.Mirashe)  
Member Secretary

Received Consent fee of:

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	375000	687556	06.11.2015	Bank of Maharashtra
2	197916	687859	11.02.2016	Bank of Maharashtra

Copy to:

1. Regional Officer -Raigad and Sub-Regional Officer-RaigadII, MPCB: They are directed to ensure the compliance of the consent conditions..
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

## Schedule-I

### Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the Combined Effluent Treatment Plant (ETP) with the design capacity of 8000 CMD .

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent & domestic effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
		Limiting Concentration in mg/l, except for pH
1	pH	6.5-8.5
2	Oil & Grease	10
3	BOD (3 days 27oC )	100
4	Total Dissolved Solids	2100
5	Bioassay Test	90% survival of fish after first 96 hrs in 100% effluent
	Specific Pesticides	
1	Benzenl Hexachloride	10
2	Carbonl	10
3	DDT	10
4	Endosalfan	10
5	Diamethoate	450
6	Fenitrothion	10
7	Malathoin	10
8	Phorate	10
9	Methyl Parathion	10
10	Penathoate	10
11	Pyrethrums	9600
12	Copper Sulphate	50
13	Ziram	1000
14	Sulphur	30
15	Paraquat	2300
16	Proponil	7300
17	Nitogen	780
	Heavy Metals	
1	Copper	1
2	Maganese *	1
3	Zinc	1
4	Mercury	0.01
5	Tin	0.1
6	Any other metal like Nickel etc	Shall not to exceed 5 times the drinking water standards of BIS
	c) Organics	
1	Phenol and Phenolics as	1

	C6H5	
	d) In organics	
1	Arsenic (as As)	0.2
2	Cyanide (as CN)	0.2
3	Nitrate (as NO <sub>3</sub> )	50
4	Phosphates (as P)	5

C) The treated effluent shall be discharged into CETP.

2) A) As per your consent application, the domestic effluent is treated in ETP.

B) In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.

3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	288
2.	Domestic purpose	235
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	6063
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	300
5.	Gardening	10

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

**Schedule-II**

**Terms & conditions for compliance of Air Pollution Control:**

- As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO <sub>2</sub> Kg/Day
1	Boiler-1 (Coal/FO)	Cyclone separator	45	FO/Coal	475 Kg/Hr	4.5/0.2	1026 / 45
2	Incinerator (100 kg/hr)	5 % Caustic Venturi scrubber	35	LDO	15 kg/hr	1.8	13
3	Boiler-2 (coal)	ESP	45	Coal	3300Kg/Hr	0.2	316
4	DG set 624 KVA	Acoustic enclosure	6	HSD	124 Kg/Hr	1	60
5	DG set 1000 KVA	Acoustic enclosure	6.5	HSD	125 Kg/Hr	1	60
6	DG set 1150 KVA	Acoustic enclosure	6.7	HSD	230 Kg/Hr	1	110
7	DG set 250 KVA	Acoustic enclosure	4	HSD	50 Kg/Hr	1	24
8	Process stack for HPP Ammonia	Caustic scrubber	20	NA	NA	NA	NA
9	Process stack for scrubber for Organic pigment	Caustic water Scrubber	20	NA	NA	NA	NA
10	Process stack for scrubber for Inorganic pigment	Caustic water Scrubber	20	NA	NA	NA	NA
11	Process stack for scrubber for Lead Dissolution pigment	Water Scrubber	20	NA	NA	NA	NA
12	Process stack for scrubber for Calcinations	Caustic Scrubber	20	NA	NA	NA	NA
13	Process stack for scrubber for Cadmium/Dissolution	Caustic Scrubber	20	NA	NA	NA	NA
14	Process stack for scrubber for Cadmium	Caustic Scrubber	20	NA	NA	NA	NA
15	Air wash unit TTK-3000162	Water scrubber	16	NA	NA	NA	NA
16	Air wash unit TTK	Water	16	NA	NA	NA	NA

	-300163	scrubber					
17	MCP reaction	Caustic/ Water scrubber	25	NA	NA	NA	NA
18	PMN reaction	Water scrubber	25	NA	NA	NA	NA
19	Process stack for common scrubber CI2 2925	Caustic & water scrubber	25	NA	NA	NA	NA

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .
SO <sub>2</sub>	Not to exceed	50 ppm
HCl	Not to exceed	20 mg/Nm <sup>3</sup>
Cl <sub>2</sub>	Not to exceed	5 mg/Nm <sup>3</sup>
H <sub>2</sub> S	Not to exceed	5 mg/Nm <sup>3</sup>
P <sub>2</sub> O <sub>5</sub> (as H <sub>3</sub> PO <sub>4</sub> )	Not to exceed	10 mg/Nm <sup>3</sup>
NH <sub>3</sub>	Not to exceed	30 mg/Nm <sup>3</sup>
Particulate matter with pesticides compounds	Not to exceed	20 mg/Nm <sup>3</sup>
CH <sub>3</sub> Cl	Not to exceed	20 mg/Nm <sup>3</sup>
HBr	Not to exceed	5 mg/Nm <sup>3</sup>

4. Standards for Emissions of VOC Pollutants:

Sr.No	Compounds	Maximum emission limit ( mg/Nm <sup>3</sup> ), dry basis
1	MA,PA,Phenol	20
2	Ethyl benzene ( EB), Styrene, Toulene, Xylene, Aromatics, EG, PG	100
3	Non-methane HC (Paraffin), Acetone, olefins	150

5. Industry shall operate the incinerator as per the CPCB guidelines.

6. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.

7. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

**Schedule-III**  
**Details of Bank Guarantees**

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Rs 10 Lakhs*	Within 15 days from the date of issue of consent	O & M of PCS	31.07.2020	30.11.2020



#### Schedule-IV

##### General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.**
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution

control system. A register showing consumption of chemicals used for treatment shall be maintained.

16) Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel

17) The industry should not cause any nuisance in surrounding area.

18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

19) The applicant shall maintain good housekeeping.

20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end, with the Environment Statement.

21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.

24) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.

25) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

—0000—

