MAHARASHTRA POLLUTION CONTROL BOARD

4010437/4020781

/4037124/4035273

Fax

24044532/4024068 /4023516

Email Visit At :

Phone

enquiry@mpcb.gov.in

http://mpcb.gov.in

MAHARASHTRA

Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near

Sion Circle, Sion (E), Mumbai - 400 022

Consent No: Format 1.0/ BO/CAC-Cell/EIC No:-PN-28806-16/CAC- 9975

Date-

108/2016 01/09/2016

To.

M/s. Penna Cement Industries Ltd., Survey No. 594, Kangaon, Tal. Daund,

Dist. Pune.

Subject: Consent to Establish under RED category. : 1. Minutes of CAC meeting held on 08.07.2016

Your application: CE1603000288

Dated: 21.03.2016

For: Consent to Establish.

under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 as amended in 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The consent is granted for a period up to Commissioning of the unit or 5 years whichever is earlier.
- 2. The proposed capital investment of the industry is Rs. 210/- Crs. (As per undertaking submitted by industry).

3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity in MT/A
1	Ordinary Portland Cement	3,50,000/- MT/A
2	Portland Pozzolana Cement	3,00,000/- MT/A
3	Portland Slag Cement	50,000/- MT/A

r (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	Nil	As per Schedule –I	Na
2.	Domestic effluent	18	As per Schedule -I	Recycle

Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.	Description of stack /	Number of Stack	Standards to be achieved
1.	Separator Recirculation	1	As per Schedule -II
2.	Air Slides under Bag House +BE	1	As per Schedule -II
3.	Fly ash Bin at cement	1	As per Schedule -II

Penna Cements Industries Limited, SRO Pune-I/I/R/L/99999459

Page 1 of 10

	mill		
4.	Cement mill BE + Air Slides	1	As per Schedule -II
5	Fly ash Venting at Multi Compartment Silo	1	As per Schedule -II
6	GGBS/PSC Venting in Multi Compartment Silo	1	As per Schedule -II
7	Cement Silo -1 Top	1	As per Schedule -II
8	Cement Silo -3Top	1	As per Schedule -II
9	Silo - 2 PSC	1	As per Schedule -II
10	PSC Bin Silo NO -4	1	As per Schedule -II
11	Silo -4 Fly ash Bin	1	As per Schedule -II
12	Cement Mill Vent	1	As per Schedule -II
13	Silo No -3 GGBS Bin	1	As per Schedule -II
14	PPC Silo No - 2 Bin	1	As per Schedule -II
15	OPC Silo No - 1 Bin	1	As per Schedule -II
16	Packer at packing plant Building	1	As per Schedule -II
17	Packer at packing plant Building	1 ×	As per Schedule -II
18	Packing Plant Bulk Loading Bin	1 (0)	As per Schedule -II
19	Clinker Discharge Hopper	100	As per Schedule -II
20	Steep angle Conveyor	(1)	As per Schedule -II
21	Clinker Silo Top	I	As per Schedule -II
22	Clinker Dump Hopper	111111	As per Schedule -II
23	Gypsum / Slag Stock Pile	011 1	As per Schedule -II
24	Clinker Hopper + Feed Elevator + Belt Conveyor under Hoppers	1	As per Schedule -II
25	Roller Press (Feed Conv +BE)	1	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

LUDIANTITY & UNIVIT	Treatment	Disposal
	Of Quantity & UoM	LOUANTITY & UNIVEL THEATMENT

 Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

	Type Of Waste	Category	Quantity UOM	Treatment	Disposal
No.					
	Nil				

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

Penna Cements Industries Limited, SRO Pune-1/1/R/L/99999459

Page 2 of 10

- 9. Industry shall comply with the conditions of Environmental clearance granted vide No. SEAC-2014/CR-390/TC-2, dtd 16.03.2016.
- 10. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the Maharashtra Pollution Control Board

> (Dr. P Anbalagan, IAS) Member Secretary

Received Consent fee of -

Sr.	Amount(Rs.)	DD. No.	Date	Drawn On
No.	4,20,100/-	52016031800 002492	18.03.2016	Yes Bank

Copy to:

- Regional Officer Pune and Sub-Regional Officer Pune-I, MPCB, They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- A] As per your application, you have proposed to provide STP for domestic effluent generated.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1)Suspended Solids.Not to exceed50 mg/l.(2)BOD 3 days 27oC.Not to exceed30 mg/l.(3)COD.Not to exceed100 mg/l.

- C] The treated sewage shall be used on land for gardening/irrigation.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
	Industrial Cooling, spraying in mine pits or boiler feed	200
2.	Domestic purpose	20
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	Nil
4.	Agriculture Gardening	Nil

5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

r.	Dualen		Height	ITTUATED AND ADDRESS OF THE PARTY OF THE PAR	of Quantity	S %	SO ₂ Kg/Day
No.	Attached To	System	in Mtrs.	Fuel	& UoM		Rg/Day
	Saparator		40				
	Recirculation						
2	Air Slides		20				
1	under Bag						
	House+BE					1	
2	Flyash Bin at		40			12	1
3	cement mill					100	
	Cement mill		40		0	10	
4					1. 14	4	
	BE + Air				1 V		
	Slides		60		-01		
5	Flyash		00		8/0		
	Venting at				20		
	Multi			00	111		
	Compartment			(1)		
L	Silo		60	-			
6	GGBS/PSC		00	1			
	Venting in		0 (11			
	Multi		1X	Y			
	Compartment		1111	2			
	Silo		1112				
7	Cement Silo -	0	60				
	1 Top	0	V				
8	Cement Silo -	0	60				
0	3Top	150					
0	Silo - 2 PSC	11/2	60				
9		10	0				
10	PSC Bin Silo						
	NO -4	9	0				
11	Silo -4 Flyash						
	Bin		40				
12	Cement Mill		40				
-	Vent						
13	Silo No -3		0				
	GGBS Bin		-				
14	PPC Silo No	-	0				
	2 Bin						
15	NI-		0				
10	- 1 Bin						
16			32				
16	packing plan	t					
	Building						
100			32				
17	Packer at	+					
	packing plan						
	Building		24				
18	Packing Plan	nt		^			

Penna Cements Industries Limited, SRO Pune-I/I/R/L/99999459

Page 5 of 10

	Bulk Loading Bin						
19	Clinker Discharge Hopper	8					
20	Steep angle Conveyor	10					
21	Clinker Silo Top	41					
22	Clinker Dump Hopper	8					
23	Gypsum / Slag Stock Pile	6				6.	
24	Clinker Hopper + Feed Elevator + Belt Conveyor under Hoppers	60		ii,	180	9	
25	Roller Press (Feed Conv+BE)	40	0	2.			

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

PM10	Not to exceed	100 mg/Nm ³ .	
PM2.5	Not to exceed	60 mg/Nm ³ .	

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



Schedule-III **Details of Bank Guarantees**

Evicting RC

No.	(C to R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
	C to E	Rs. 10/- Lakhs	15 Days	Industry shall comply with the conditions of Environmental Clearance granted by SEIAA, vide dtd 16.06.2016	CoU	1 Year
				by SEIAA, vide dtd	5,	
				16.06.2016	208/	
				my)	80.	
			1	446),	
				colla		
				200		
			X	10,		
			0/11)		
			ha			
		- (
		171	0			
		Shi	0			
	13	18 Hil	0			
	Nghi	18 Hil	0			
4	Makis	18 Hil	0			
9	Nous	Noshi.	0			
4	Nous	18 Still	0			

Schedule-IV

General Conditions:

The applicant shall provide facility for collection of environmental samples and samples 1) of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in

If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not 2) discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker if

Industry should monitor effluent quality, stack emissions and ambient air quality 3)

monthly/quarterly.

The applicant shall provide ports in the chimney/(s) and facilities such as ladder, 4) platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

Whenever due to any accident or other unforeseen act or even, such emissions occur or is 5) apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be

The applicant shall provide an alternate electric power source sufficient to operate all 6) pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control

production to abide by terms and conditions of this consent.

The firm shall submit to this office, the 30th day of September every year , the 7) Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection)

(Second Amendment) Rules, 1992.

The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision 8) 2008, which HW(MH&TM) Rules contain recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.

The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and 9) submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.

An inspection book shall be opened and made available to the Board's officers during 10) their visit to the applicant.

The applicant shall obtain Consent to Operate from Maharashtra Pollution 11) Control Board before actual commencement of the Unit/ Activity.

Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 12) and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).

The industry shall constitute an Environmental cell with qualified staff/personnel/agency 13) to see the day to day compliance of consent condition towards Environment Protection.

Separate drainage system shall be provided for collection of trade and sewage effluents. 14) Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

Neither storm water nor discharge from other premises shall be allowed to mix with the

effluents from the factory.

Penna Cements Industries Limited, SRO Pune-1/1/R/L/99999459

Page 8 of 10

- The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be
- Conditions for D.G. Set 17)

Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by a.

treating the room acoustically.

- Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ b. acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- Industry should make efforts to bring down noise level due to DG set, outside industrial C. premises, within ambient noise requirements by proper sitting and control measures.
- Installation of DG Set must be strictly in compliance with recommendations of DG Set d. manufacturer.
- A proper routine and preventive maintenance procedure for DG set should be set and e. followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use

D.G. Set shall be operated only in case of power failure. f.

- The applicant should not cause any nuisance in the surrounding area due to operation of g. D.G. Set.
- The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding h. noise limit for generator sets run with diesel

The industry should not cause any nuisance in surrounding area. 18)

The industry shall take adequate measures for control of noise levels from its own 19) sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and

The applicant shall maintain good housekeeping. 20)

The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.

The non-hazardous solid waste arising in the factory premises, sweepings, etc. be 22) disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall

take necessary permissions from civic authorities for disposal of solid waste.

The applicant shall not change or alter the quantity, quality, the rate of discharge, 23) temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

The industry shall ensure that fugitive emissions from the activity are controlled so as to 24)

maintain clean and safe environment in and around the factory premises.

- The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- The industry shall submit official e-mail address and any change will be duly informed to 26) the MPCB.
- The industry shall achieve the National Ambient Air Quality standards prescribed vide 27) Government of India, Notification dt. 16.11.2009 as amended.
- The applicant shall install online continuous monitoring system for process stack 28) connected to MPCB website directly emission analysis & same shall be

MIN

http://mpcb.gov.in as well as to the respective Regional Office within 3 months period

and operate the same regularly.

The applicant shall install continuous automatic ambient air and micrometeorological 29) monitoring station at location indicated by State Board to be set up at its own cost measure SO2, NOx and particulate matter. These CAAQMS shall also have necessary provision of networking to the Air Quality Monitoring network of MPCB. ----0000-----

Marastra Polition Control Board

Penna Cements Industries Limited, SRO Pune-I/I/R/L/99999459