MAHARASHTRA POLLUTION CONTROL BOARD

4010437/4020781 Phone :

/4037124/4035273

Fax

24044532/4024068 /4023516

Email : Visit At:

enquiry@mpcb.gov.in http://mpcb.gov.in



Kalpataru Point, 3rd & 4th floor, Sion-Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E),

Mumbai - 400 022

1MO-6140-16

Consent order No:- Formate 1.0/ BO/CAC-Cell/ UAN No0000000601/3rd CAC - 9964 Date-01/09/2016

To,

M/s RPG Life Sciences Ltd,

Plot No 25, MIDC TTC, NaviMumbai-400705

Subject: Renewal of consent to operate under RED category.

Ref: 1. Earlier Consent granted vide no BO/PAMS/R/EIC No NM-2379-11/CC-31 dated 23.11.11.

2. Your application approved in CAC meeting held on 08.07.2016.

Your application: CR1602000648

Dated: 01.04.2016

For: Renewal of consent to operate

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period from 01.05.2016 to 30.04.2021.

2. The actual capital investment of the industry is Rs.77.39 Crs. (As per C.A.Certificate submitted by industry)

3. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity in MT/M
1	Diuretic - Spironolactone etc.	0.3333
2	Anti-Psychotic - Haloperidol, Haloperidol deconate, Olanzapine/ Risperidone/ Araipiprazol/Quetiapine Hemifumarate etc	0.3500
3	Anti Arrhythmic class I (Disopyramile phosphate etc)	0.0125
4	Anti-Emetic - Dimenhydrinate	0.0100
5	Anti Diarrheal - Diphenoxylate HCL etc.	1.0000
6	Immunosuppresant - Azathioprine, Fingolimod, Mycophenolate	1.6667
7	Collinergic Blockers - Propanthelene bromide etc.	0.1000
8	Anthelmentic - Quinfamide etc.	0.1667
9	Anti Thrombotic / Anti Platelet - Clopidogrel bisulphate F	1.1250

M/s RPG LifeSciences Ltd SRONavimumbail/I/R/L/48818000

Page 1 of 10

0	Anti Convusant - Lamotrigine	0.1250
11	etc. Anti Ulcerant - Pantoprazol	0.2000
	Sequehydrate, Lafutidine etc. Anti Depressant Setraline HCl,	0.0525
12	Escitalopram Oxalate etc	0.5000
13	Anti Anginal - Nicorandil, Ivabradin HCL etc.	
14	Other Bulk Drugs	0.0167
	a Anti Alzheimer - Donepezil etc.	0.1050
	b Anti Hypertensive - Irbesartan, Lercanidipine HCL, Epliren/Ephrenone/Candisarta n celextil/Tolvaptan/Cenivaptan	0.1250
-	c Anti Migrane - Eletriptan etc.	0.0167
-	d Anti gout - Febuxostat etc.	0.0167
+	e Anti Obesity - Orlistate etc	0.0167
-	f Anti Viral - Tamiflu etc.	0.0167

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr.	Description	quantity of discharge	Standards to be achieved	Disposal
1.	Trade effluent	(CMD) 120	As per Schedule	CETP
2.	Domestic effluent	100	As per Schedule	

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

r.	ons under Air (P& CP) Act, Description of stack /	Number of Stack	achieved
).	source	1	As per Schedule -II
	Boiler	1	As per Schedule -II
	DG set (625 KVA)	5	As per Schedule -II
	Process stack (5 nos)	9	1.00

6. Conditions about Non Hazardous Wastes:

Sr. 4	Type Of Waste	Quantity & UOM	Treatment	Disposal
1	Paper, Wood, Plastic and	1.8 MT/M	NA	Sale to authorized party
2	Metal Discarded, Detoxicated	685 Nos/M	NA	Reuse/ Sale to authorized party
	containers/ Barrels (M.S./HDPE			
	Drums 200 Ltrs. Cap.)			4

Page 2 of 10

1:1	36 MT/M	NA	Sale to authorize
Garbago	30 1111111		party
Paper,			
Corrugated			
Boxes,			
Plastics, Fibre			
drums,			
Brooms, Wipers,			
Floor			
cleaning mops,			
Tea			
cups, disposable			
aprons, head			
caps &			A
shoe covers etc.			1/2

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

ir.	Type Of Waste	Category	Quantit	UOM	Disposal
lo.	Sludge and filters	3.3	60	kg/M	CHWTSDF
2	contaminated with oil Used/spent oil	5.1	120	Kg/M	Sale to authorized recyclers/ CHWTSDF
	• 1	20.3	150	Kg/M	CHWTSDF
4	Distillation residue Residue and waste	28.1	450	Kg/M	Sale to authorized recyclers / CHWTSDF
	i de desente	28.2	450	Kg/M	CHWTSDF
5 6	Spent catalyst/spent carbon Date expired, discarded and off	28.4	60	Kg/M	CHWTSDF
7	specification drugs Spent organic solvents	28.5	2400	Kg/M	Reuse or sale to MPCB authorized party/ CHWTSDI
8	Discarded containers/liners	33.3	90	Kg/M	In-house decontamination & Reuse (Treat resulting effluent in ETP) /Sale to authorized scrap dealer after decontamination and puncture/ CHWTSDF
9	Chemical sludge from waste water treatment	34.3	450	Kg/M	CHWTSDF

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

10. Industry shall carry out hazardous waste audit from IIT/NEERI/ICT within a period of 2 months and submit BG of Rs 2 lakh to ensure the compliance of the

1 m

same. The amendment in consent in respect of hazardous waste quantities shall be considered after the submission of hazardous waste audit report.

> For and on behalf of the Maharashtra Pollution Control Board

> > (Dr. P. Anbalagan, IAS) Member Secretary

Received Consent fee of:

	Amount(Rs.)	DD. No.	Date	Drawn On
0.	005100	336188	02.03.2016	SBI Bank
	625100		20-07-2016	SBI Bank
	100000	SAA20876 5790	20-07-2010	200

Copy to:

- 1. Regional Officer -NaviMumbai and Sub-Regional Officer- NaviMumbai: They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 220 CMD

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time,

whichever is stringent.

	ichever is stringent. .Parameters	Standards prescribed by Board (If any)
51 140	.I at amove 2	Limiting Concentration in mg/l, except for pH
01	рН	5.5 to 9.0
02	Oil & Grease	10
03	BOD (3 days 27°C)	100
04	Total Dissolved Solids	2100
05	Suspended Solids	100
06	COD	250
07	Chloride	600
08	Sulphide	2
09	Free Ammonia	5
10	Copper	3

- C) The trade effluent shall be discharged to CETP.
- 2) A.] As per your consent application, you have provided the septic tank. The domestic sewage from septic tank is pumped to the aeration tank of ETP for further treatment.
 - B] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

in the said act. Sr. Purpose for water consumed no.	<u> </u>	Water consumption quantity (CMD)
M/s RPG LifeSciences Ltd SRONavimumbail/I/R/L/48818000	Tam	Page 5 of 10

meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr.	e said act. Purpose for water consumed	Water consumption quantity (CMD)
no.	Industrial Cooling, spraying in mine pits or	60
	boiler feed	140
2.	Domestic purpose	160
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	100
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
10.	Boiler	Stack	33.3	FO/PNG	41.6 Kg/Hr	4.5	89
0	DG set (625 KVA)	Stack	10	Diesel	25 kg/Hr	1 .	12
2		Scrubber	10 each	NA	NA	NA -	NA
3	Process stack (5 nos)	BCI ubbei	To each	* 1 * *		11)

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ . 50 ppm	
SO2 (Process)	Not to exceed		
NOx	Not to exceed	50 ppm	
HCL	Not to exceed	150 mg/Nm ³ .	
12S Not to exceed		10 ppm	
C12	Not to exceed	15 mg/Nm ³	

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacementalteration well before its life come to an end or erection of new pollution control equipment.

5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III **Details of Bank Guarantees**

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Complian ce Period	Validity Date
1	C to R	Rs 5 Lakhs*	Submitted	O & M of PCS	30.04.2021	30.08.2021
2.	C to R	Rs 2 lakh	Within 15 days from the date of issue of consent	0	30.09.2016	30.11.2016
3.	C to R	Rs 5 lakh	Within 15 days from the date of issue of consent	Industry shall install STP	30.10.2016	28.02.2017

Managas Aliva Politica *The BG of Rs 5 lakh obtained towards O & M of PCS shall be extended for a

period upto 30.08.2021.

Schedule-IV

General Conditions:

1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

2) Industry should monitor effluent quality, stack emissions and ambient air quality

monthly/quarterly.

3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or

otherwise, control production to abide by terms and conditions of this consent.

6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection)

(Second Amendment) Rules, 1992.

7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the the HW(MH&TM) Rules 2008, contain in recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.

8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every

9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.

10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.

11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).

industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards

Environment Protection.

13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution

control system. A register showing consumption of chemicals used for treatment shall be maintained.

16) Conditions for D.G. Set

a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and

control measures.

d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.

e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use

f) D.G. Set shall be operated only in case of power failure.

g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel

17) The industry should not cause any nuisance in surrounding area.

18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

19) The applicant shall maintain good housekeeping.

20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.

21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.

- 24) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 25) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

-0000-