

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 / 24023515

Website: <http://mpcb.mah.nic.in>

E-mail: jdwater@mpcb.gov.in



Kalpataru Point, 2nd - 4th Floor

Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E)

BY RPAD/ Fax/ Hand/Delivery

Date - 29/11/2016.

Ref. No. BO/JD(WPC)/CR1602000124/Refusal/CC/B-0744

To,

M/s. Yashwant Sahakari Glucose Karkhana Ltd.,
Siddheshwar Nagar, Shirala, Tal.- Shirala,
Dist.- Sangli. Pin -415 408.

Sub – Refusal of Consent to Operate under section 27 of water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981.

- Ref-**
1. Consent to Operate granted by the Board vide letter dtd. 04.12.2014.
 2. Your application for grant of Renewal of Consent dtd.04.01.2016.
 3. Minutes of CC meeting held on 16.06.2016.
 4. Show Cause Notice for Refusal of Renewal of Consent to Operate issued by the Board vide dtd. 02.07.2016.
 5. Your reply to the SCN dated. 04.08.2016.
 6. Minutes of CC meeting held on 03.10.2016.

WHEREAS Board has granted Consent to Operate to your unit vide above referred letter at sr. no. 1 with certain terms and conditions therein which was valid up to 30.11.2015.

AND WHEREAS you have applied for grant of Renewal of Consent to Operate, under the provisions of Section 26 of the Water (Prevention and Control of Pollution) Act, 1974; under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 and Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016.

AND WHEREAS, your application for grant of Renewal of Consent to Operate was placed before Consent Committee meeting held on 16.06.2016 and during meeting it was decided to issue Show Cause Notice for refusal of Renewal of Consent to Operate due to following non-compliances reported by Sub-Regional Officer –


1. JVS analysis results of the trade effluent collected on 23.06.2014, 30.07.2014, 27.01.2015, 19.02.2015, 19.03.2015, 28.05.2015, 21.12.2015 and 26.05.2016 are exceeding the Consented limits.
2. Some part of treated trade effluent is stored in unlined percolation tank.
3. You have not submitted bank Guarantees of Rs. 10.0 Lakhs towards O & M of ETP as per the previous consent condition.

2/-

4. You have not provided Wet Scrubber as an APC System as per the previous consent condition and not submitted B.G of Rs.5.0 lakhs towards compliance of same.

AND WHEREAS, as per the decision of CC, Show Cause Notice was issued vide letter dtd. 02.07.2016. AND WHEREAS, you have submitted reply to the Show Cause Notice issued by the Board vide letter dtd. 04.08.2016. AND WHEREAS your application was resubmitted before Consent Committee meeting held on 03.10.2016, during meeting it was decided to issue final Refusal of Renewal of Consent to Operate and issue Closure directions as the JVS analysis results are exceeding prescribed consented standards.

In view of the above, your application for grant of Renewal of Consent to Operate is hereby refused under section 27 of the Water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981 and Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.


(Dr. P. Anbalagan, IAS)
Member Secretary

Copy to-

1. Law Officer, MPCB, Mumbai - for information.
2. Regional Officer, MPCB, Kolhapur – He is directed to issue closure direction to the said industry as per the decision of the Consent Committee meeting dtd.03.10.2016.
3. Sub Regional Officer, MPCB, Sangli – He is directed to serve this notice of refusal to the industry and ensure the compliance.