

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781  
/4037124/4035273  
Fax : 24044532/4024068 /4023516  
Email : enquiry@mpcb.gov.in  
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga  
Scheme Road No. 8, Opp. Cine Planet Cinema, Near  
Sion Circle, Sion (E),  
Mumbai - 400 022

Consent order No :- Formate1.0/ BO/CAC-Cell/ EIC No NM-6117-16/5th CAC -0221  
Date- 18/01/2017

To,  
M/s VVF (India) Ltd,  
V - 41, MIDC Taloja,  
Tal - Panvel, Dist -Raigad 410208.

Subject: Consent to 1<sup>st</sup> operate for 2 nos of thermic fluid heater and amalgamation with existing consent under RED category.

- Ref: 1. Existing Consent granted vide no. Formate1.0/BO/CAC-Cell/EICNo NM-5329-14/24<sup>th</sup> CAC/4043 dtd 09.04.2015 which is valid upto 28.02.2019.  
2. Consent to establish granted vide no. Formate1.0/BO/CAC-Cell/EICNo NM-5750-15/10<sup>th</sup> CAC/398 dated 08.01.2016.  
3. Your application placed in CAC meeting held on 07.12.2016 .

Your application: CO1602000124  
Dated:21.01.2016

For: Consent to 1<sup>st</sup> operate for 2 nos of thermic fluid heater and amalgamation with existing consent under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (M & T ) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III & IV annexed to this order:

1. The consent is granted for a period from date of issue of consent to 28.02.2019.
2. The actual capital investment of the industry is Rs.756.34 Crs. (As per C.A.Certificate submitted by industry).
3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity in MVA
1	Fatty Acid	310,000
2	Fatty Alcohol	216,000
3	Glycerin	33,384
4	Soap Noodles	120,000
5	Toilet Soap	25,000
6	Captive Power Plant	7 MW

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	208.01	As per Schedule -I	8.5 CMD shall be recycled in process and remaining shall be
2.	Domestic effluent	73.04	As per Schedule -I	

				discharged to CETP
--	--	--	--	-----------------------

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boilers/Reformers/Thermic Fluid Heaters & Captive power plant	10	As per Schedule -II
2.	DG set (1500 KVA & 500 KVA)	2	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM Kg/Day	Treatment	Disposal
1	Metal scrap	150 MT/A		Sale
2	Paper waste	60 MT/A		Sale
3	Plastic waste	50 MT/A		Sale
4	Glass waste	3 MT/A		Sale
5	HDPE bags	15000 Nos/A		Sale
6	Fire wood	20 MT/A		Sale
7	Boiler Ash	10000 kgs/D		Sale to brick manufacturers


7. Conditions under Hazardous & Other Wastes (M & T ) Rules 2016 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UoM	Treatment	Disposal
1	Used/Spent oil	5.1	13	KL/A	—	Sale to authorized party
2	Used Thermic Fluid,	5.1	As & when generated		—	
3	Residue / Sludge & Filter Cake,	17.1 & 35.1	100	MT/A	—	
4	Spent Catalyst	17.2 & 35.2	150	MT/A	—	
5	Spent Carbon	35.3	20	MT/A	—	CHWTSDf
6	MS/drums	33.3	1000	No/A	—	Sale to authorized recycler
7	HDPE Barrels	33.3	1000	No/A	—	
8	ETP Sludge	34.3 & 34.4	35	MT/A	—	CHWTSDf
9	Nickel Compound	B-6	150	MT/A	—	Sale to authorized party
10	Copper Compound	B-3	30	MT/A	—	
11	Zinc Compound	C-14	10	MT/A	—	
12	Waste/Residue containing oil	5.2	5	MT/A	—	CHWTSDf

13	Used Batteries	—	As and when generated	—	Sale to authorized party
14	Electronic waste	—		—	Sale to authorized party
15	Bio-medical waste	—		—	CBMWTSDF

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. Reputed industry like VVF started the operation of coal fired thermic fluid heaters without the obtaining consent to operate of the Board. Hence Industry shall submit Board Resolution within one month stating that they have started the operation of coal fired thermic fluid heaters without the obtaining consent to operate of the Board and thus violated the provisions of Environmental law and in future, they will not do such violations.
11. Industry shall submit BG of Rs 25 lakhs towards compliance of consent conditions and not to carry out any expansion in future without prior permission of the Board.
12. Stringent standards for total particulate matter 100 mg/Nm<sup>3</sup> are prescribed instead of 150 mg/Nm<sup>3</sup> as industry has switched over from clean fuel (natural gas) to coal. After five years, industry shall achieve the standards of 50 mg/Nm<sup>3</sup> for TPM. The stringent standards are applicable as the same are achievable due to the APCs installed by the industry.
13. The consent is granted by overriding consent no Formate1.0/BO/CAC-Cell/EICNo NM-5329- 14/24<sup>th</sup> CAC/4043 dtd 09.04.2015.

For and on behalf of the  
Maharashtra Pollution Control Board

  
(Dr. P. Anbalagan, IAS)  
Member Secretary

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	225100	136469	08.01.2016	Bank of India
Previous consent fees				
1	71,70,571	016747	27.05.2014	ICICI Bank
2	14,19,880	000501	25.02.2015	ICICI Bank

The balance fees of Rs 660133/- shall be considered at the time of next renewal of consent.

Copy to:

1. Regional Officer -Navi Mumbai and Sub-Regional Officer-Taloja, MPCB, They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

## Schedule-I


### Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 400 CMD.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
		Limiting Concentration in mg/l, except for pH
01	pH	6.0-8.5
02	Oil & Grease	10
03	BOD (3 days 27°C )	100
04	Total Dissolved Solids	2100
05	Suspended Solids	100
06	COD	250
07	Chloride	600
08	Sulphate	1000

C ) The treated effluent of 8.5 CMD shall be recycled back in process and remaining shall be discharged to the CETP.

- 2) A.] As per your consent application, you have provided the septic tank. The overflow of the septic tanks gets treated in ETP.
- B] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or/and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.



- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	1788.2
2.	Domestic purpose	73.04
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	110
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0
5	Gardening	35

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

## Schedule-II

### Terms & conditions for compliance of Air Pollution Control:


1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity UoM	S %	SO <sub>2</sub> Kg/Day
1	Reformer 1	Stack	30.4	NG	328 SCM/Hr	Nil	Nil
2	Thermax Boiler -1 (SM 30/50)	Stack	44	FO/NG	480 Kg/Hr/ 536 SCM/Hr	4.5	1036.8
3	Vapour Boiler -1	Stack	30	NG	192 SCM/Hr	Nil	Nil
4	TFH (TP 45 A&B)	Stack	54	FO/NG	992 Kg/Hr/ 1024 SCM/Hr	4.5	2142.7
5	Reformer-2	Stack	30.4	NG	82 SCM/Hr	Nil	Nil
6	Thermax Boiler -2 (IEAC)	Stack	50	FO/NG	720 Kg/Hr/ 804 SCM/Hr	4.5	1555.2
7	TFH (TP45C) & Vapour Boiler 2	Stack	50	FO/NG	540 Kg/Hr/ 733 SCM/Hr	4.5	1166.4
8	TFH	Stack	45.3	FO/NG	496 Kg/Hr/ 512 SCM/Hr	4.5	1071.36
9	DG (1500KVA)	Stack	8 above the roof	HSD	300 Kg/Hr	1	14.4
10	Power generating set 7500 KW	Stack	30	NG	3200 SCM/Hr	Nil	Nil
11	10 Mkal/hr Thermic Fluid Heater (2 nos)	ESP	52	100 %Imported coal or mixture of 70 % of imported coal +30 % of Indian coal	2685 Kg/Hr to 2900 Kg/Hr	2.45	1705.2
12	DG (500KVA)	Stack	8 above the roof	HSD	85 Kg/Hr	1	40

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	100 mg/Nm <sup>3</sup> .
Acid mist	Not to exceed	35 mg/Nm <sup>3</sup>

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



**Schedule-III**  
**Details of Bank Guarantees**

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submissi on Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Rs 5 lakhs	Submitted	O & M of PCS	28.02.2019	30.06.2019
1	C to R	Rs 25 lakhs	Submitted	Compliance of consent conditions and not to carry out any expansion in future without prior permission of the Board	28.02.2019	30.06.2019



Maharashtra Pollution Control Board



#### Schedule-IV

##### General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous & Other Waste (M & T) Rules, 2016, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous & Other Waste (M & T) Rules, 2016 and submit the Annual Returns as per Rule 6(5) of Hazardous & Other Waste (M & T) Rules, 2016 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent .
- 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 13) The industry should comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Wastes (M,H &TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the

- pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
  - 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
  - 18) Conditions for D.G. Set
    - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
    - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
    - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
    - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
    - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
    - f) D.G. Set shall be operated only in case of power failure.
    - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
    - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
  - 19) The industry should not cause any nuisance in surrounding area.
  - 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
  - 21) The applicant shall maintain good housekeeping.
  - 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end.
  - 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
  - 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
  - 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
  - 26) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
  - 27) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

—0000—