

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781  
/4037124/4035273  
Fax : 24044532/4024068  
/4023516  
Email : [jdair@mpcb.gov.in](mailto:jdair@mpcb.gov.in)  
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga  
Scheme Road No. 8, Opp. Cine Planet Cinema,  
Near Sion Circle, Sion (E),

Mumbai - 400 022

RED/LSI

Consent order No: BO/JD (APC)/EIC No. PN-25783-15/R/CC-012

Date-02/01/2017

To,  
M/s. Badve Autcomps Pvt. Ltd.,  
A-3, MIDC Chakan, Mahalunge,  
Tal : khed, Dist- Pune- 410501.

Subject: Renewal of Consent to operate in Red category.

Ref : 1. Minutes of CC meeting held on 20.07.2016.  
2. Earlier Consent to operate obtained vide No. BO/JD(APC)/EIC No. PN-13766-12/O  
CC-00489 Dated 01.01.2012, valid upto 31.05.2015.

Your application: CR1506000290 Date 20.06.2015.  
For: Renewal of Consent to operate

Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period from 31.05.2015 to 31.05.2020.
2. The actual capital investment of the industry is Rs. 73.61 Cr. (As per C.A. Certificate submitted by industry)
3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity	UOM
1	Plated Components	500.00	MT/M
2	K-3 Silencer	200.00	MT/M
3	Paint Components/Silencer	479.00	MT/M
4	Brake Paddle	107.00	MT/M
5	Chassis	634.00	MT/M
6	Lock Assembly	75000.00	Nos/M
7	Inter Sub Assembly	50,000.00	Nos/M
8	Bolt Assembly	15,000.00	Nos/M

#### 4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	34.00	As per Schedule -I	Recycle up to maximum extent and dispose On land for gardening.
2.	Domestic effluent	44.00	As per Schedule -I	Recycle up to maximum extent and dispose On land for gardening.

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1	Hot Water generator	1	As per Schedule -II
2	Scrubber to plating section	1	
3	Fume Extractor to welding section	1	
4	Oven	1	
5	DG Set [500 KVA ]	1	
6	DG Set [30 KVA]	1	

6. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Qty	UOM	Treatment	Disposal
1	Used oil	5.1	300	Ltrs/Y	---	Sale to authorized re-processor.
2	Acid residues	12.1	1.00	T/Y	---	CHWTSDF
3	Alkali residues	12.2	1.00	T/Y	---	CHWTSDF
4	Chemical sludge from waste water treatment	34.3	2.00	T/y	---	CHWTSDF
5	Paint Sludge	21.1	15.00	T/Y	---	CHWTSDF


7. Conditions under Non Hazardous and disposal of non hazardous waste:

**NATURE, QUANTITY AND METHOD OF DISPOSAL OF NON-HAZARDOUS SOLID WASTE.**

Sr.No.	Type of Waste	Disposed Quantity	Disposal Method and its destination
1	MS Scrap	48.00 T/A	By out to reprocessor
2	Shot Blasting & buffing dust	15.00 T/A	By out to reprocessor

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the  
Maharashtra Pollution Control Board

  
(Dr. P. Anbalagan, IAS)  
Member Secretary

Received Consent fee of –

Sr. No.	Amount (Rs.)	DD. No.	Date	Drawn On
1.	3,75,100/-	000794	30.05.2015	Saraswat Co-op Bank
2	2,00,000/-	003765	08.09.2016	Saraswat Co-op Bank

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer Pune II, MPCB, Pune: They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided Effluent Treatment Plant for Trade effluent of Capacity 34.00 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade Effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is Stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
	<b>I. Compulsory Parameters</b>	<b>Limiting Concentration in mg/l, except for pH</b>
1	pH	5.5 to 9.0
2	BOD (3 days 27oC )	30
3	COD	250
4	Oil & Grease	10
5	Suspended Solids	100
6	Total Dissolved Solids	2100
7	Chloride	600
8	Sulphates	1000
9	Cyanide as CN	0.2
10	Ammonical Nitrogen as N	50.0
11	Total Residual Chlorine as Cl <sub>2</sub>	1.0
12	Cadmium as Cd	2.0
13	Nickel as Ni	3.0
14	Zinc as Zn	5.0
15	Chromium as Cr Hexavalent	0.1
16	Copper as Cu	3.0
18	Lead as Pb	0.1
19	Iron as Fe	3.0
20	Total Metal	10.0

C ) The treated effluent 25.0 CMD shall be recycled in the process and 9.0 CMD shall be used on land for gardening. In no case, effluent shall find its way for gardening/outside factory premises.

2) A.] As per your consent application, you have provided the Sewage Treatment Plant for Sewage effluent of Capacity 16.0 CMD.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there















