# MAHARASHTRA POLLUTION CONTROL BOARD

Phone :

/4037124/4035273

Fax 24044532/4024068 /4023516

Email: rohq@mpcb.gov.in Visit At : http://mpcb.gov.in



Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E),

Mumbai - 400022

Infrastructure /RED/LSI

Consent order No: Format1.0/BO/RO-HQ/TN-5987 & 6015-15/CO/CC- 0268

Date 09/02/2017

To,

M/s. Vijay Suraksha Realty LLP,

"Vijay Vilas Phase-I & Phase-II (Orion) ",

S. No. 238/11,238/12,238/16,238/4 & 9,238/10,238/1 &7,238/5 & 6,238/2 &8,238/13,238/14  $\&\ 15,252/3/1,3/2\ \&\ 3/3,252/4/1\ \&\ 2,254/4/1\ \&\ 2,254/6/1,2\ \&3,254/7/1\ \&\ 2,255/1/1,1/2,1/3,1/4$ 

Subject: Consent to 1st Operate (Part I & Part II) for Building/Construction Project. RED Category.

Ref : Minutes of Consent Committee meeting held on 06/12/2016

Your application C01508000152 Dtd: 16/07/2015 & CO1509000125 Dtd:07/09/2015

For: Consent to 1st Operate (Part I & Part II) for Building/Construction project under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous and Other Wastes (M & TM) Rules, 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The consent is granted for a period up to 31/01/2018.
- 2. The proposed capital investment of the project is Rs. 123.32 Crs. (As per C.A.Certificate submitted by project proponent)
- 3. The Consent to 1st Operate is valid for construction of Residential Cum Commercial Building Project named as M/s.Vijay Suraksha Realty LLP., "Vijay Vilas Phase-I & Phase-II (Orion) ", S. No. 238/11, 238/12, 238/16, 238/4 & 9, 238/10,  $238/1\ \&\ 7,\ 238/5\ \&\ 6,\ 238/2\ \&\ 8,\ 238/13,\ 238/14,\ \&\ 15,\ 252/3/1,\ 3/2\ \&\ 3/3,\ 252/4/1\ \&\ 2,$  $254/4/1 \ \& \ 2, \ 254/6/1, \ 2 \ \& \ 3, \ 254/7/1 \ \& \ 2, \ 255/1/1, \ 1/2,1/3, \ 1/4, \ \& \ 1/5, \ 255/2/1 \ \& \ 2/2,$ 255/2/3~&~2/4,~255/2/5~&~2/6 at Village-Kavesar, Dist-Thane for total plot area of 55,000.0 Sq. Mtrs and total construction build up area 56,213.0 Sq. Mtrs (38,621.0 sq.m + 17,592.0 sq.m) out of total construction built up area 1,06,051.0 sq. mtrs including utilities and services as per construction occupancy certificate

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. No.	Peron	Permitted quantity of discharge (CMD)	Standards to	Disposal Disposal
1.	Trade effluent	NIL	NA	NA
2.	Domestic effluent	189.0	A .	
. Co			Schedule -1	60% should be reused & recycled and remaining should be discharged in municipal sewer

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

100 (0) (0) (10) (10) (10) (10) (10) (10	Compaile	air emissions:	
Sr. Description of stack/ No. source	Сарасну	6/	Standards to be
M/s.Vijay Suraksha Realty LLP:SRO Th		Stack	achieved

Page 1 of 6

1	DG Set	250 KVA*2	0	
2	DG Set			As Per Schedule -II
0		500 KVA*2	2	As Per Schedule -II
3	DG Set	62.5 KVA	1	
		02.011111	1	As Per Schedule -II

6. Conditions under Solid Waste Management Rules, 2016:

Sr. no.		Quantity & UoM		
1	Wet garbage	294.0 Kg/Day	OWC	Used as Manure
2	Dry garbage	238.0 Kg/Day		Segregate and Hand over to Local
3	STP Sludge	103.0 Kg/Day		Body for recycling Used as Manure

- 7. Conditions under Hazardous and Other Wastes (M & TM) Rules, 2016 for treatment and disposal of hazardous waste; NIL.
- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same should be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10. Project Proponent shall comply the Construction and Demolition Waste Management Rules, 2016 which is notified by Ministry of Environment, Forest and Climate Change dtd.29/03/2016.
- 11. Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC/CRZ clearance and C to E.
- 12. Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the part of built up area/building for which application for consent to 1st & 2nd operate (Part) is made and that the same is included in the Environmental Clearance accorded.
- 13. This consent to 1st operate (Part I & Part) issued on the basis of certificate issued your architect dtd. 15/12/2016 stated that M/s. Vijay Suraksha Realty LLP, Thane has constructed total construction area is 67,202.0 sq.m
- 14. The applicant shall comply with the conditions stipulated in Environment Clearance granted by GOM, vide no: SEAC-2016/CR-20/TC-1 dtd.17/10/2016.
- 15. This consent is issued under signature of HOD, as HOD is authorized to sign the consent vide office order issued by Environment Department, GoM vide no. संकिर्ण २०१७/प्र.क २६ /आस्थापना Dated 23/01/2017.

For and on behalf of the Maharashtra Pollution Control Board

> (N.N.Gurav) Regional Officer (HQ)

#### Received Consent fee of -

Sr. No.	Amount (Rs.)	DD. No.	Date	Drawn On
1	1,50,000 /-	007856	03/09/2015	ICICI Bank
2	75,100 /-	007849		ICICI Bank
3	2,46,640 /-	ICICH17027883447		ICICI Bank

- 1. Regional Officer, MPCB, Thane and Sub-Regional Officer, MPCB, Thane-I. -- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

#### Schedule-I

## Terms & conditions for compliance of Water Pollution Control:

- A] As per your application, you have proposed to install of Sewage Treatment Plants (STP) with the design capacity of 420 CMD.
  - B] The Applicant shall operate the effluent treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No	Parameters	Standards prescribed by Board
		Limiting Concentration in mg/l, except for PH
01	BOD (3 days 27oC)	10
02	Suspended Solids	50
03	COD	100
04	Residual Chlorine	1ppm

C) The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, firefighting, on land for gardening etc and remaining shall be discharged in to the municipal sewerage system.

D] Project proponent shall operate STP for five years from the date of obtaining

occupation certificate.

The Board reserves its rights to review plans, Specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant should obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto

- 2) The industry should ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 3) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent should submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made there under for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent should submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

Sr. no.	Purpose for water consumed	Water consumption
1.	Domestic purpose	quantity (CMD)
	Bomestic purpose	226.0

will

#### Schedule-II

### Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install the Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type Of Fuel	Quantity	UOM	<b>S</b> %	SO <sub>2</sub>
1	DG Set (250 KVA*2)	Acoustic enclosure	4.0	HSD	96.89	Lit/Hr	-	-
2	DG Set (500 KVA*2)					2	-	-
3.	DG Set (62.5 KVA)	Acoustic enclosure	2.0	HSD	11.53	Lit/Hr	1	

<sup>\*</sup> Above roof of the building in which it is installed.

The applicant should operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Particulate matter N	ot to exceed	150 mg/Nm <sup>3</sup> .	

 The Applicant should obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement alteration well before its life come to an end or erection of new pollution control equipment.

The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

#### Schedule-III Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
	Consent to Operate	Rs. 10 lakh	15 Days	Towards O & M of pollution control systems & compliance of consent conditions		31/05/2018
				compliance of consent		.0
					8	Sum
					609/2	
				775	21,	
				Colle		
				loji		
			0011	ijo)		
			1890	jio)		
			1108011	jio"		
			1100			
	Mo		100			
	W.		1100			

#### Schedule-IV

General Conditions:

The following general conditions should apply as per the type of the industry.

 The applicant should provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and should pay to the Board for the services rendered in this behalf.

2) The firm should strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and environmental protection Act 1986 and Solid Waste Management Rules, 2016 and E-

Waste (Management) Rules, 2016.

3) Drainage system should be provided for collection of sewage effluents. Terminal manholes should be provided at the end of the collection system with arrangement for measuring the flow. No sewage should be admitted in the pipes/sewers downstream of the terminal manholes. No sewage should find its way other than in designed and provided collection system.

4) Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated

only during non-peak hours.

5) Conditions for D.G. Set

a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or

by treating the room acoustically.

b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) should also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

c) The industry should take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.

d) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.

e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.

f) D.G. Set should be operated only in case of power failure.

g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

h) The applicant should comply with the notification of MoEF dated 17.05.2002

regarding noise limit for generator sets run with diesel.

- 6) Solid Waste The applicant should provide onsite municipal solid waste processing system & should comply with Solid Waste Management Rules, 2016 & E-Waste (M) Rules, 2016.
- 7) Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.

 The industry should submit official e-mail address and any change will be duly informed to the MPCB.

- 9) The firm should submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.

M/s. Vijay Suraksha Realty LLP:SRO Thane I/I/O/L/66104480