

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 / 24023515

Website: <http://mpcb.mah.nic.in>

E-mail: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2nd - 4th Floor

Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E)

BY RPAD/ Fax/ Hand/Delivery

Ref. No. BO/CAC-CELL/EIC No. -PN-28058-16/Refusal/EAC-217 Date - 02/2017.  
20/03/2017

To,  
M/s. Shri Chhatrapati SSK Ltd.,  
A/p. Bhavaninagar, Tal. Indapur,  
Dist. Pune.

**Sub** - Refusal of Renewal of Consent to Operate under section 27 of water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981 and not to operate the plant till obtaining permission of the Board.

- Ref-**
1. Consent to Operate granted by the Board vide no. BO/JD (WPC)/ EIC No. PN-13942-12/O/CC/MPCB/12/0201 dtd. 17.10.2012.
  2. Directions issued by the Board vide dtd. 19.08.2014.
  3. Directions issued by the CPCB and MPCB for installation of online monitoring system.
  4. Your applications for grant of Renewal of Consent to Operate vide dtd. 30.12.2015.
  5. Minutes of the CAC meeting held on 02.06.2016.
  6. SCN for Refusal of Renewal of Consent to Operate was issued by the Board vide no. CAC-CELL/RO(Pune)/SCN/TB-2390 dtd. 20.06.2016.
  7. Minutes of CAC meeting held on 24.01.2017.

.....  
WHEREAS Board has granted Consent to Operate to your unit vide above referred letter at sr. no. 1 with certain terms and conditions therein which was valid up to 31.12.2013.

AND WHEREAS, Board had issued Directions vide above referred letter at sr. no. 2 for installation of flow meter at inlet of ETP, up-gradation of existing Air Pollution Control system.

AND WHEREAS, Central Pollution Control Board and Maharashtra Pollution Control Board had issued Directions vide above referred letter at sr. no. 3 for installation of online monitoring system.

AND WHEREAS, you have applied for grant of Renewal of Consent to Operate for 3500 TCD Sugar unit alongwith increase in capital investment under the provisions of Section 26 of the Water (Prevention and Control of Pollution) Act, 1974; under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 and Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016.

AND WEHEREAS, your applications for grant of Renewal of Consent to Operate for 3500 TCD Sugar alongwith increase in capital investment was placed before Consent Appraisal Committee meeting held on 02.06.2016, during meeting it was decided to issue SCN for Refusal of Renewal of Consent to Operate for 3500 TCD Sugar unit and forfeiture of Bank Guarantee due to following non-compliances / violations –


1. You have failed to provide online monitoring system as per the directions of CPCB & MPCB.
2. You have failed to up-graded existing APC system as per the directions issued by the Board vide dtd. 19.08.2014.
3. JVS results of trade effluent collected on 28.01.2015, 09.04.2015, & 20.11.2015 are exceeding the Consented limit.

AND WHEREAS, as per the decision of CAC, Show Cause Notice was issued vide dtd. 20.06.2016. AND WHEREAS, you have failed to submit reply to the SCN issued by the Board vide dtd. 20.06.2016.

AND WHEREAS your application was resubmitted before Consent Appraisal Committee meeting held on 24.01.2017, during meeting it was decided to issue final refusal of Renewal of Consent to Operate and directions not to operate the plant till obtaining permission from the Board for 3500 TCD sugar unit as industry has failed to submit reply to the SCN issued by the Board vide dtd. 20.06.2016.

In view of the above, your application for grant of Renewal of Consent to Operate for 3500 TCD sugar unit is hereby refused under section 27 of the Water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981 and Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016. You are also directed to not to operate the plant till obtaining specific permission from the Board.

**You may prefer Appeal against the refusal order passed by Maharashtra Pollution Control Board, in case aggrieved by this order, to Appellate Authority within a period of 30 days from the date of receipt of the Refused order.**

  
(Dr. P. Anbalagan, IAS)  
Member Secretary

Copy to-

1. Law Officer, MPCB, Mumbai - for information.
2. Regional Officer, MPCB, Pune - for information and necessary action.
3. Sub Regional Officer, MPCB, Pune - I - He is directed to serve this notice of refusal to the industry and ensure the compliance.