


# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701		Kalpataru Point, 2 <sup>nd</sup> - 4 <sup>th</sup> Floor
Fax: 24024068 / 24023515		Opp. Cine Planet Cinema,
Website: <a href="http://mpcb.mah.nic.in">http://mpcb.mah.nic.in</a>		Near Sion Circle, Sion (E) , Mumbai
E-mail: <a href="mailto:mpcb@vsnl.net">mpcb@vsnl.net</a>		

RED/SSI

Consent No. BO/JD.PAMS/EIC NO.TN-3039-11/R/CC- 132

Date: 13/09/2011

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution ) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Trans-boundry Movement) Rules 2008.

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s. Aum Adhesives Pvt. Ltd;  
6, Vishal Industrial Estate,  
Jawahar Road, Tal. Dahanu, Dist. Thane.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for a period up to- 31/07/2016.

2. The Consent is valid for the manufacture of -

Sr.No.	Products	Maximum Qty. (MT/M.)
1.	PVA Emulsions	20
2	Acrylic Emulsions	15

3. CONDITIONS UNDER WATER ACT:

(i) The daily quantity of trade effluent from the factory shall be- NIL.

(ii) The daily quantity of sewage effluent from the factory shall not exceed 0.1 M<sup>3</sup>.

(iii) **Trade Effluent :**  
Treatment :NA

(iv) **Trade Effluent Disposal :** NIL

(v) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

(1)	Suspended Solids	Not to exceed	100	mg/l.
(2)	BOD 3 days 27° C.	Not to exceed	100	mg/l.

(vi) **Sewage Effluent Disposal :** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(vii) **Non-Hazardous Solid Wastes :**

Type of Waste	Qty	Treatment	Disposal
NA	NIL	-	-----

*[Handwritten Signature]*



- (viii) **Other Conditions:** - The industry shall monitor effluent quality regularly.
4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution Cess Act, 1977 ( to be referred as Cess Act ) and Rules there under:  
The daily water consumption for the following categories is as under:

(i) Domestic	...	0.1	CMD
(ii) Industrial Processing	...	--	CMD
(iii) Industrial cooling/ Boiler	...	0.075	CMD
(iv) Agriculture/Gardening	...	----	CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. **CONDITIONS UNDER AIR ACT:**

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

**A) Control Equipment:**

- 1) Scrubber & dust collector of sufficient capacity shall be provided to control the emissions wherever necessary & shall be operate properly & continuously.
- 2) There shall not be any fugitive emission.

**B) Standards for Emissions of Air Pollutants :**

(i)	SPM/TPM	Not to exceed	150.0 mg/Nm <sup>3</sup>
(ii)	SO <sub>2</sub>	Not to exceed	0.15 Kg/Day.

- (ii) **The applicant shall observe the following fuel pattern:-**

<u>Sr.No.</u>	<u>Type of Fuel</u>	<u>Quantity</u>
1.	LDO	15 Ltrs/day

- (iii) **The applicant shall erect the chimney(s) of the following specifications:-**

<u>Sr.No.</u>	<u>Chimney attached to</u>	<u>Height in Mtrs.</u>
1	Bioler	11

- iv) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- v) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- (vi) **Other Conditions:**
- 1) The industry should not cause any nuisance in surrounding area.
  - 2) The industry should monitor stack emissions and ambient air quality regularly.

6. **CONDITIONS UNDER HW (M,H & T) RULES, 2008:**

- (i)The applicant shall handle hazardous waste as specified below:-

Sr. No.	Item No. of Process Generating H.W. as per Schedule-I	Type of Waste	Quantity	Disposal
--		NIL		---




7. Whenever due to any accident or release of gases, other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

#### 8. General Conditions-

- I. The applicant shall maintain good house keeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area/inhabitants.
- II. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation.
- III. Solid Waste – The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- IV. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent regarding pollution levels.
- V. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- VI. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- VII. The applicant shall make an application for renewal of the consent at least 60 days before the date of expiry to the consent.
- VIII. The firm shall submit to this office, the 30<sup>th</sup> day of September every year, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- IX. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- X. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- XI. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers down stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

- XII. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
09. The consent should not be construed as any exemption from obtaining necessary NOC from other Govt. agencies as may deemed fit necessary.
10. Capital investment of the industry is Rs.25.57/- Lacs.

Sd/-  
(Milind Mhaiskar ,IAS)  
Member Secretary

  
(Ajay A. Deshpande) 13/9/11  
Joint Director- PAMS

To,  
M/s. Aum Adhesives Pvt. Ltd;  
6, Vishal Industrial Estate,  
Jawahar Road, Tal. Dahanu, Dist. Thane.

Copy to:

- 1) Regional Officer, MPCB, Thane } They are directed to ensure the  
2) Sub-Regional Officer, MPCB, Tarapur-II } compliance of consent conditions.  
3) Chief Accounts Officer, MPCB, Mumbai

Received Consent fee of -

<u>Amount</u>	<u>D.D.No.</u>	<u>Date</u>	<u>Drawn on</u>
Rs. 7500/-	614114	29/06/2011	SBI..

4] Cess Branch, MPCB.

5] Master file.