

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014704

Fax: 24023515/24024088/24044534

Website: <http://mpcb.gov.in>

Email: [enquiry@mpcb.gov.in](mailto:enquiry@mpcb.gov.in)



Kaipataru Point, 2<sup>nd</sup>, 3<sup>rd</sup> & 4<sup>th</sup> Floor  
Opp. Cine Planet Cinema,  
Near Sion Circle, Sion (E)  
Mumbai- 400 022.

Red/LSI

Consent No. BO/ROPune/AST/EIC-PN-8729-11/E/CC-08

Date: 16/11/2011.

Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008. [To be referred as Water Act, Air Act and HW (M, H & TM) Rules respectively].

CONSENT is hereby granted to

M/s. Sparsh Infratech Private Ltd.,  
Atmantan Health Resort & Spa,  
S. No. 277(pt), 276(pt), 275(pt),  
Vill-Warak, Tal-Mulshi, Pune.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M,H&T) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Establish is granted for a period up to:  
Commissioning of the project or 5 years whichever is earlier.

2. The Consent is valid for -

Sr. No.	Products	Max. Quantity
1.	Health club and Spa (with laundry activity) (Total Built-up area - 13,798.32 sq.mtrs.)	

3. CONDITIONS UNDER WATER (PREVENTION & CONTROL OF POLLUTION) ACT, 1974:

- (i) The daily quantity of trade effluent from the Hotel shall be 34.4 M<sup>3</sup>.  
(ii) The daily quantity of sewage effluent from the Hotel shall not exceed 191.7 M<sup>3</sup>.

(iii) **Trade & Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system consisting of primary/secondary and/or tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards:

1) pH	Between	6.5 to 9.0	
2) Suspended Solids	Not to exceed	100	mg/l.
3) BOD 3 days 27 Deg. C.	Not to exceed	20	mg/l.
4) Fecal Coliform	Not to exceed	500/100	ml.
5) Residual Chlorine	Not to exceed	01	mg/l.
6) Detergent	Not to exceed	01	mg/l.
7) Floating matters	Not to exceed	10	mg/l.

(iv) **Trade & Sewage Effluent Disposal:** The treated trade effluent shall be 80% recycled and reused for flushing and remaining shall be used on land for gardening beyond a distance of 700 mtrs from the Mula river. In no case, treated sewage shall find its way into the Mula river.

(v) **Non-Hazardous Solid Wastes :**

Sr. No	Type of waste	Quantity	Treatment & Disposal
1.	Bio-degradable waste	375 kg/day	Use as manure after Vermi- Composting
2.	Non Bio-degradable waste	250 Kg/day	sale

(vi) **Other conditions:**

1. The Applicant shall segregate of solid wastes into biodegradable and non-biodegradable components. The biodegradable material shall be recycled through scientific in-house composting with the approval of local body and the inorganic material shall be disposed off at approved Municipal Solid Waste landfill site of local body environmentally acceptable location and method. It is clarified that the term solid waste includes domestic, commercial, and garden wastes, but does not include hazardous and bio-medical wastes. The activities of bio-composting and engineered land fill shall be as per the Municipal Solid Waste (M&H) Rules, 2000.

2. Applicant shall be responsible to take adequate precautionary measures as detailed in this consent
  3. No quarrying activities shall be commenced in the area unless appropriate permissions are obtained for a limited quarrying material required for construction of local residential housing and traditional road maintenance work, provided that such quarrying is not done on Forest Lands and the material is not exported to the outside area.
  4. There shall be no felling of trees whether on Forest, Government, Revenue or Private lands except as per prevailing Rules.
  5. Extraction of Groundwater for the project shall require prior permission of the State Ground Water Authority or other relevant authorities, as applicable;
  6. Near the activities that are related to water (like activity of water parks, water sports) and/or in the vicinity of lake, Dissolved Oxygen shall not be less than 5 mg/liter.
  7. In order to ensure that the water from this project do not enter into outside environment, the nallas crossing the township/complex premises, shall be lined, covered and made water tight by the applicant within the premises with intermittent inspection of chambers following good engineering practices as per the regulations of local body.
  8. **The Applicant shall prepare management plan for rain-water harvesting, roof-water reclamation, water/storm water conservation and implement the same before occupation of complex.**
  9. Vehicles hired for construction activities should be operated only during non peak hours.
  10. Ready mixed concrete used in building construction should apply separately for consent from the Board.
  11. The applicant, during the construction stage shall provide
    - a) Septic tank and soak pit of adequate capacity for the domestic effluent generated due to workers residing at site.
    - b) Proper loading and unloading of construction material, excavated material and its proper disposal as per MSW (M&H) Rules 2000.
    - c) Cutting of trees is not permitted, however in unavoidable conditions necessary permission from the local body shall be obtained.
    - d) Green belt of 33% of the open space shall be developed.
4. The applicant shall comply with the provisions of the **Water ( Prevention & Control of Pollution) Cess Act, 1977 as amended in 2003** ( to be referred as Cess Act ) and Rules thereunder:  
 The daily water consumption for the following categories is as under:
- |                                      |     |        |     |
|--------------------------------------|-----|--------|-----|
| (i) Domestic                         | ... | 215.25 | CMD |
| (ii) Industrial processing (laundry) | ... | 36     | CMD |
| (iii) Gardening                      | ... | -      | CMD |
- The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the cess as specified under Section 3 of the said Act which is also available on MPCB website at <http://mpcb.mah.nic.in/images/cessform1.pdf>
5. **CONDITIONS UNDER AIR (PREVENTION & CONTROL OF POLLUTION) ACT, 1981:**
- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:
    - A) **Control Equipments :-**The firm shall provide the following equipments to control air pollution:-
      - i) The kitchen shall be provided with Exhaust System with Oil catcher connected to chimney through ducting.
      - ii) The air conditioner shall be vibration proof and noise level shall not exceed 68 dBA.
    - B) **Standards for Emissions of Air Pollutants :**

(i) SPM/TPM	Not to exceed	150 mg/Nm <sup>3</sup>
(ii) SO <sub>2</sub>	Not to exceed	64.5 Kg/Day.
    - (ii) The applicant shall observe the following fuel pattern :-
 

Sr.No.	Type of Fuel	Quantity
1.	HSD	160 lit./hr
    - (iii) The applicant shall erect the chimney(s) of the following specifications :-
 

Sr.No.	Chimney attached to	Height in Mtrs.
1.	DG Set (500KVA) 2 nos.	4.5* each

 (\* above the roof of building where the DG set is installed)

- (iv) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- (v) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

C) Conditions for D.G. Set :-

- 1] Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- 2] Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB(A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 metres from acoustic enclosure/room and then average.
- 3] The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m. and night time is reckoned between 10 p.m. to 6 a.m.
- 4] Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- 5] Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- 6] A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- 7] D.G. Set shall be operated only in case of power failure.
- 8] The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

(vi) Other Conditions :

- 1) The applicant should not cause any nuisance in surrounding area.
- 2) The applicant should monitor stack emissions and ambient air quality regularly.

6. CONDITIONS UNDER HAZARDOUS WASTES (MANAGEMENT, HANDLING & TRANSBOUNDARY MOVEMENT) RULES 2008:

(i) The applicant shall handle hazardous wastes as specified below:

Sl.	Item No. of process generating HW as per Schedule-I	Type of Waste	Quantity	Disposal
1.	5.1	Used / Spent Oil	100 Lit/yr	Sale to authorized reprocessor

(ii) The authorization is hereby granted to operate a facility for collection, storage, transport and disposal of hazardous waste.


7. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

8. General Conditions :

- (i) The applicant shall maintain good house keeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area/inhabitants.
- (ii) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30<sup>th</sup> September every year on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end.

- (iii) The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent regarding pollution levels.
- (iv) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- (v) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- (vi) The firm shall submit to this office, the 30<sup>th</sup> day of September every year, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- (vii) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- (viii) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- (ix) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the Hotel premises.
9. The Hotel authorities shall not carry out expansion of the Hotel without prior permission of the Board.
10. The applicant shall adopt environmental friendly technology in development of the project.
11. The applicant shall take the proper remediation measures to ensure that the ground water and soil contamination is prevented and follow due diligence at the construction stage.
12. Energy conservation measures like installation solar panels for lighting the area outside the building should be integrated part of the project design.
13. The project proponent shall comply with para no. 8 stipulated in revised RRZ policy, dtd. 13/07/2009.
14. The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the project.
15. This is issued pursuant to the decision of Consent Committee of the Board in its meeting held on 04<sup>th</sup> November, 2011.
16. This Board reserves the right to revoke, amend or add any conditions in this consent and the same shall be binding on the Applicant.
17. The Capital Investment of the Hotel Industry is ₹ 50 Crs.

For and on Behalf of the  
Maharashtra Pollution Control Board

  
(Milind Mhaiskar, IAS)  
Member Secretary

To,  
Mr. Nikhil Kapur,  
Sparsh Infratech Pvt. Ltd.,  
122/1, Bramha Cottage, Koregaon Park,  
Dist -Pune-411 001.

Copy to: RO-Pune/ SRO-Pune-II / CAO / Cess Branch / Master File

Received Consent fee of -	Amount	D.D.No.	Date	Drawn on
	₹ 50,100/-	030581	20/12/2010	HDFC Bank
	₹ 25,000/-	018319	10/10/2011	HDFC Bank