MAHARASHATRA POLLUTION CONTROL BOARD

MAHARASHTRA

Sta (III)

CONTRACTO

24010437/24020781/24014701

Fax :

24024068/24023516

Vaccisite :

herp://mpcb.gov/in

E-mail :

impeli a vsnl.net

Kalpataru Point

Opp: Cine Planet Cinema

Near Sion Circle, Sion (E)

Mumbai- 400 022

RED/L.S.I

Consent No: BO/JD(APC)/EIC NO.NK - 9916-11/R/-CC- 14

19/11/2011

Date: / /2011

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management , Handling & Transboundry Movement) Rules 2008.

[To be referred as Water Act, Air Act and HW (M, H & TM) Rules

respectively].

CONSENT is hereby granted to

M/s. Eaton Industrial Systems Pvt. Ltd.

(Valve Plant)

Plot No. A-4, MIDC Ahmednagar,

Dist. Ahmednagar.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M,H & TM) Rules thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

The Consent to Operate is granted for a period up to- 31/08/2012.

2. The Consent is valid for the manufacture of -

St. Product Name No.	Maximum Quantity	UOM
I Engine Valves (with Electroplating Activity)	21,50,000	Nos./Month

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall not exceed: $59.5~M^3$
- (ii) The daily quantity of sewage effluent from the factory shall not exceed $30.0~{
 m M}^3$
- (iii) Trade EffluentTreatment: The applicant shall provide comprehensive treatment system consisting of primary / secondary and/or tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards:

Applications 	Parameters pH	Between	5.5 to 9.0
2	Suspended Solids	Not to exceed	100 mg/l
3	80D 3 days 27 Deg. C	Not to exceed	100 mg/l
1	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l
6	TDS	Not to exceed	2100 mg/

7	Chlorides	Not to exceed	600 mg/l
- 4	Sulphates	Not to exceed	1000 mg/l
9	Phosphate	Not to exceed	5.0 mg/l
10	Cyanide	Not to exceed	0.3 mg/l
11	Chromium as Cr Hexavalent	Not to exceed	0.1 mg/l
12	Cadmium (as Cd)	Not to exceed	2.0 mg/l
13	Nickel (as NI)	Not to exceed	3.0 mg/l
14	Zinc (as Cu)	Not to exceed	5.0 mg/l
15	Iron (as Fe)	Not to exceed	3,0 mg/l
16	Total Residual Chlorine (as Cl2)	Not to exceed	1.0 mg/l
17	Copper (as Cu)	Not to exceed	3.0 mg/l
18	Lead (as Pb)	Not to exceed	0.1 mg/l
19	Total Metal	Not to exceed	10.0 mg/l
	The second secon	SAME TO SAME THE SAME OF THE S	

- (iii) Trade Effluent Disposal: The treated effluent shall be reused in the process to the maximum extent and remaining shall be disposed on land for gardening/plantation in the premises only. There shall not be any discharge putside factory premises. The industry shall become member of CETP as and when required.
- (iv) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards:

(1)	Suspended Solids	Not to exceed	100	mg/l.
(2)	BOD 3 days 27° C.	Not to exceed	100	mg/l.

(v) Sewage Efficient Disposal: The treated effluent shall be reused in the process to the maximum extent and remaining shall be disposed on land for gardening/plantation in the premises only. There shall not be any discharge outside factory premises.

(vi) Non - Hazardous Solid Wastes:

	Type Of Waste	Quantity	UOM	Treatment	Disposal
211122	Ferrous Scrap	7.00	MT/Month		By Sale
2	Boring Scrap	8.5	MT/Month		By Sale
3	Grinding Dust	5.0	MT/Month		By Sale
4	Blasting matti with shot	2.5	MT/Month		By Sale
ā	Plastic, Rubber	0.5	MT/Month		By Sale
(3)	Paper Screp (Sarbage)	1.0	MT/Month		By Sale
7	Wooden Scrap	1.5	MT/Month	***	By Sale
8	Misc. Scrap	2.0	MT/Month		By Sale

(vii) Other Conditions: Industry should monitor effluent quality regularly.

 The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and Rules

The daily water consumption for the following categories is as under:

(i)	Domestic	40.0	CMD
	Industrial Processing	62.0	CMD
130000) Industrial cooling	05.0	CMD
	Aggiculture/Gardening	05.0	CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

CONDITIONS UNDER AIR ACT:

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:
 - a) Control Equipment:
 - Scrubber system provided to sursulf tank and extrusion forging shall be operated and maintain continuously so as to achieve the following standards of air emission.
 - Scrubber system provided to electroplating section shall be operated and maintain continuously so as to achieve the following standards of air emission.
 - Furne extraction system followed by dust collector of sufficient capacity shall be provided to furnace and dust/gaseous emission generating section and operated properly and continuously.
 - 4) There shall not be any secondary (fugitive) emissions

CONDITIONS FOR DG Set:

- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 75dB (A) during day time and 70 dB (A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
 - The applicant should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - 51 Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use:
 - 71 D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

Standards for Emissions of Air Pollutants:

(i) SPM/TPM

Not to exceed Not to exceed 150.0 mg/Nm³ 1035 Kg/Day 35 Kg/Day

(ii) SO2 (ii) Acid Mist

Not to exceed

(i) The applicant shall observe the following fuel pattern:-

Sp. Type of Fuel	Quantity	MON
1 HSD	90	Lit./Hrs.

(ii) The applicant shall erect the chimney (s) of the following specifications:-

ताः १०	Chimney Attached to	Height in Mtrs.
1	DG Sets (600 KVA) - 3 Nos. DG set (1 x 62.5 KVA)	12 (each)
2	Exhaust Blower (Quenching Tank & Extrusion Forging)	12
3	Sursulf Tank - 2 Nos.	10 (each)
4	Plating tanks-3Nos.	10 (each)

- (iii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- (iv) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

(v) Other Conditions:

- The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor stack emissions and ambient air quality Regularly.
- 7. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDRY MOVEMENT) RULES, 2008:

The Industry shall handle hazardous wastes as specified below.

Store	Type Of Waste	Quantity	U(0)Mi	Disposal
1	5.1 Used/ spent oil	20.0	KL/Annum	Sale to authorized recycler/reprocessor
2	5.2 Waste oil residues	2.4	KL/Annum	CHWTSDF
3	5.2 Oil Soaked Cotton Waste	51.0	MT/Annum	CHWTSDF
4	14.1 Cyanide Nitrate, Nitrite Sludge	30	MT/Annum	CHWTSDF
5	33.3 Empty containers/barrels/Cans	2500	Nos./Annu m	Sale to authorized recycler
6	34.4 Chemical Sludge from waste water	74	MT/Annum	CHWTSDF

	treatment		The second second	
73	E-Waste	2.0	MT/Annum	Sale to authorized recycler
3	12.1 Acid Residues	1.2	MT/Annum	CHWTSDF
O.	12.1 Alkali Residues	1.2	MT/Annum	CHWTSDF
0	12.3 Spent Chemicals	5.0	KL/Annum	CHWTSDF
1	12.8 Plating Metal Studge/Filters	1.8	MT/Annum	CHWTSDF
12	B-4 Used Batteries	12.0	Nos./Annu m	Return to party

The authorization is hereby granted to operate a facility for collection, storage, transport & disposal of hazardous waste.

The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2

- Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- The unit has to display and maintain the data online outside the factory main gate in Marathi & English both on a 6'x4' display board in the manner and the report of the compliance along with photograph shall be submitted to this office & concerned Regional Office/ Sub Regional Office.
- c. It shall be ensured that the Hazardous waste is handled, managed & disposed of strictly in accordance with the Hazardous Waste (Management, Handling & Transboundry Movement) Rules, 2008 and shown & submitted to the Board as & when asked for.

Industry shall comply with following additional conditions:

The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.

ii. The applicant shall bring minimum 33% of the available open land under green

coverage/ tree plantation.

Solid waste - The non hazardous solid waste arising in the factory premises, sweepings, etc., be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground,

is: The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by he applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.

The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipments provided for without previous written permission of the

Board.

vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf,

wile the applicant shall make an application for renewal of the consent at

least 60 days before the date of the expiry of the consent.

viii. The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.

IX As inspection book shall be opened and made available to the Board's officers

during their visit to the applicant.

the applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

xi. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes / sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection System.

Neither storm water nor discharge from other premises shall be allowed to mix

with the effluents from the factory.

- This consent is issued pursuant to the decision of the Consent Committee Meeting of the Board held on 4.11.2011 & with the approval of the Chairman of the Board.
- The applicant shall comply with the interim directions issued by Board vide letter no. BO/APAE/EIC No.NK-6818-10/Dir/TB-1/B-1973 dated 5,3,2011.
- The Board reserves the rights to add/amend/revoke any condition in this consent and the same shall be binding on the applicant.
- 12. The Total Capital investment of the industry is Rs. 60.13/- Crore .

(Milind Mhaiskar, IAS) Member Secretary

To..
M/s. Earon Industrial Systems Pvt. Ltd.,
(Valve Plant)Plot No. A-4, MIDC Ahmednagar,
Dist. Ahmednagar.
Received Consent fee of –

Sp.(10)	Amount (RG)	D,D, No.	Date	Drawn On
500000000000000000000000000000000000000	Rs.75, 100/-	009894	9.8.2011	HDFC
2	Rs.25/000/-*	010098	17/10/2011	HDFC

· Consent Fees received as per revised consent fee GR of Env Deptt, GoM, dated 25.8.2011.
Copy to:

1. CAO/Cess Branch/Master File:

2. RO- MPCB, Nashik/SRO-MPCB, Nashik

Master file.