

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 2402 0781 / 2401 0437

Fax : 2402 4068

Visit us at :

Website : <http://mpcb.mah.nic.in>

E-mail : [mpcb@vsnl.net](mailto:mpcb@vsnl.net)



Kalpataru Point,  
2nd, 3rd & 4th floor,  
Opp. Cineplanet,  
Near Sion Circle, Sion (E),  
Mumbai - 400 022.

Red/LSI

Consent No. MPCBHQ/RO-Raigad/AS(T)/EIC-RD-2080-11/E/CC- 36 Date: 25/11/2011

Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008.

[To be referred as Water Act, Air Act and HW(M,H & TM) Rules respectively].

CONSENT is hereby granted to

M/s. Laxmi Organics Ltd., (expansion)  
Plot no. B-2/2, B-3/1/1, MIDC Mahad,  
Dist-Raigad.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Establish is granted for a period up to Commissioning of the project or 5 years whichever is earlier

**"Consent to Establish will be operational only after obtaining Environmental Clearance from Competent Authority by the applicant and subject to the compliance of conditions stipulated in an Environmental Clearance including conditions which may be more stringent, if stipulated by / in the Environmental Clearance."**

2. The Consent is valid for the manufacture of -

Sr	Product	Max. Qty. (T/M)
1.	Diketene	750
2.	Esters	770
3.	Amides	25
4.	Arylides	320
5.	Ketene Derivatives: Acetic anhydride	1200

3. CONDITIONS UNDER WATER (PREVENTION & CONTROL OF POLLUTION) ACT, 1974:

- (i) The daily quantity of trade effluent from the factory shall not exceed 123 M<sup>3</sup>.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 5 M<sup>3</sup>.
- (iii) **Trade Effluent Treatment & Disposal:** The applicant shall provide the comprehensive treatment system consisting of primary/secondary and/or tertiary treatment and the treated effluent shall be 100% recycled/ reused in the process and thus achieve **Zero discharge**. In no case, trade effluent shall find its way to local nalla.
- (iv) **Sewage Effluent Treatment :** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards:
  - (1) Suspended Solids Not to exceed 100 mg/l.
  - (2) BOD 3 days 27° C. Not to exceed 100 mg/l.

(v) **Sewage Effluent Disposal** : The treated domestic effluent shall be soaked into soak pit which shall be got cleaned periodically. Overflow if any shall be used on land for gardening / plantation only.

(vi) **Non-Hazardous Solid Wastes** :

<u>Sr. No.</u>	<u>Type of waste</u>	<u>Quantity</u>	<u>Treatment &amp; Disposal</u>
1.	Coal ash	2 MT/day	to brick manufacturer

(qty is included in existing consent)

(vii) **Other conditions** : The industry should monitor effluent quality regularly.

4. The applicant shall comply with the provisions of the **Water ( Prevention & Control of Pollution ) Cess Act, 1977** ( to be referred as **Cess Act** ) and amendment Rules, 2003 thereunder:

The daily water consumption for the following categories is as under:

(i) Domestic	...	7	CMD
(ii) Industrial Processing	...	100	CMD
(iii) Industrial Cooling/Boiler	...	451	CMD
(iv) Agriculture/Gardening	...	5	CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. **CONDITIONS UNDER AIR (PREVENTION & CONTROL OF POLLUTION) ACT, 1981:**

(i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

A) **Control Equipment** :

1. Air pollution control equipments such as scrubber, cyclone dust collector, Bag filter of adequate capacity should be provided to limit the emissions.

B) **Standards for Emissions of Air Pollutants** :

(i) SPM/TPM	Not to exceed	150 mg/Nm <sup>3</sup>
(ii) SO <sub>2</sub>	Not to exceed	--- kg/day
(iii) HCl	Not to exceed	35 mg/Nm <sup>3</sup>
(iv) Cl <sub>2</sub>	Not to exceed	3 ppm

(C) **Conditions for DG Sets: -**

- Noise from DG Sets shall be controlled by providing acoustic enclosure or by treating the room acoustically.
- Applicant should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room shall be designed for minimum 25 dB(A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss shall be done at different points at 0.5 meters from acoustic enclosure/ room and then average.
- The Applicant should make efforts to bring down noise level due to DG Set, outside the premises, with ambient noise level requirements by proper setting and control measures.
- Installation of DG Set must be strictly in compliance with recommendations of DG set manufacturer;
- A proper routine and preventive maintenance procedure for DG Set shall be set and followed in consultation with the DG manufacturers, which would help to prevent noise levels of DG Sets from deteriorating with use.
- The DG set shall be operated only in case of power failure. The applicant shall make arrangement for regular electrical power.
- The Applicant shall not cause any nuisance in the surrounding area due to operation of DG sets.
- In case of problems, the D.G. set shall not be operated until it is set back to satisfactory position.

(ii) **The applicant shall observe the following fuel pattern :-**

<u>Sr.No.</u>	<u>Type of Fuel</u>	<u>Quantity</u>
1.	(Included in existing consent)	

- (iii)
- The applicant shall erect the chimney(s) of the following specifications :-**

<u>Sr.No.</u>	<u>Chimney attached to</u>	<u>Height in Mtrs.</u>
1.	(Included in existing consent)	

- (iv) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- (v) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- (vi) **Other Conditions :**
- 1) The industry should not cause any nuisance in surrounding area.
  - 2) The industry should monitor stack emissions and ambient air quality regularly.

**6. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDARY MOVEMENT) RULES, 2008:**

- (i) The applicant shall handle hazardous wastes as specified below:

Sl.	Item No. of process generating HW as per Schedule-I	Type of Waste	Quantity	Disposal
1.	26.1	Process sludge / Residue containing acid	30 MT/month	CHWTSDF
2.	34.3	ETP sludge	2 MT/month	CHWTSDF

- (ii) The authorization is hereby granted to operate a facility for collection, storage, transport and disposal of hazardous waste.

7. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

**8. General Conditions :**

- a. The applicant shall maintain good house keeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area/inhabitants.
- b. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30<sup>th</sup> September every year on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end.
- c. Solid Waste – The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- d. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent regarding pollution levels.
- e. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- f. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- g. The applicant shall make an application for renewal of the consent at least 60 days before the date of expiry to the consent.
- h. The firm shall submit to this office, the 30<sup>th</sup> day of September every year, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.

- i. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
  - j. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
  - k. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers down stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
  - l. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
  - m. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
9. The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the production activity.
10. The applicant shall not take any effective steps towards implementation of the project before obtaining Environmental Clearance as per EIA notification, 2006 and amendment thereto. If any non-compliance of the conditions of Consent to Establish observed, the Board will initiate appropriate legal action including forfeiture of bank guarantee, revocation of consent & further action.
11. This Board reserves the right to amend, revoke or add any conditions in this consent and same shall be binding on the applicant.
12. This consent is issued with the recommendation of Consent Committee Meeting held on 04.11.2011 of the Board and with the approval of the Hon'ble Chairman of the Board.
13. The Capital Investment of this expansion is ₹ 48.75/- Crores. Total capital investment is ₹ 96.53/- Crs.

For and on behalf of the  
Maharashtra Pollution Control Board

  
(Milind Mhaiskar, IAS)  
Member Secretary

To,  
M/s. Laxmi Organics Ltd., (expansion)  
Plot no. B-2/2, B-3/1/1, MIDC Mahad,  
Dist-Raigad.

Copy to:  
RO-Raigad / SRO-Mahad / CAO / Cess Branch / Master File

Received Consent fee of -

Amount	D.D. No.	Date	Drawn on
Rs. 50,100/-	567324	28/03/2011	SBI
Rs. 25,000/-	13867	19/11/2011	IDBI