

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 2402 0781/2401 0437

Fax : 2402 4068

Email : enquiry@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Kapataru Point
02nd, 03rd & 04th floor
Opp. Cineplanet,
Near Sion Circle, Sion(E),
Mumbai- 400 022

Red/LSI

Consent No. BO/JD(WPC)/EIC-NM-2188-10/O/CC- CAC-SS

Date: 9/12/2011

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008. [To be referred as Water Act, Air Act and HW (M, H & T) Rules respectively].

CONSENT is hereby granted to,

**M/s. Godfrey Phillips India Ltd.
Plot No. -19, MIDC, TTC Rabale
Navi Mumbai.**

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M, H & T) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for a period up to 30.06.2014.
2. The Consent is valid for the manufacture of -

Sr.No	Products	Max. Qty.
01	Cigarettes	1950 Unit Million Stick/Month
By Product		
01	Cut Tobacco	900 MT/M

3. CONDITIONS UNDER WATER ACT :

- (i) The daily quantity of trade effluent from the factory should not exceed 103 M³/day.
- (ii) The daily quantity of sewage effluent from the factory should not exceed 25 M³/day.

(iii) Trade Effluent :

Treatment : The applicant should operate comprehensive treatment system consisting of primary/secondary and/or tertiary treatment as is warranted with reference to influent quality and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards :

1	pH	Between	5.5 to 9
2	Suspended Solids	Not to exceed	100 mg/l
3	BOD 3 days 27 Deg. C	Not to exceed	100 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l

- (iv) **Trade Effluent Disposal** : The treated effluent should be recycled/ reused to the maximum extent and remaining should be send to CETP for further treatment.
- (v) **Sewage Effluent Treatment**: The applicant should operate comprehensive treatment system as is warranted with reference to influent quality and maintain the same continuously so as to achieve the quality of treated effluent to the following standards:
 - (1) Suspended Solids Not to exceed 100 mg/l.
 - (2) BOD 3 days 27 Deg. C. Not to exceed 100 mg/l.

- (vi) **Sewage Effluent Disposal:** The treated sewage effluent should be soaked into soak pit which should be got cleaned periodically. Overflow, if any be used on land for gardening only within factory premises only.

- (vii) **Non-Hazardous Solid Wastes:**

Type of Waste	Quantity	Disposal
Paper, Packaging Waste	50 MT/M	Sale to authorized party
Tobacco Dust	120 MT?M	Reuse/ Sale to authorized party.

- (viii) **Other conditions:** The industry should monitor effluent quality regularly from MoEF approved laboratory.

4. The applicant should comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and Rules there under:
The daily water consumption for the following categories is as under:

i	Domestic	30	CMD
ii	Industrial Processing	82	CMD
iii	Industrial Cooling / Boiler	232	CMD
iv	Agriculture/Gardening	44	CMD

The applicant should regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. **CONDITIONS UNDER AIR ACT:**

- (i) The applicant should operate a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and maintain the same continuously so as to achieve the level of pollutants to the following standards:

A] Control Equipment: Bag filter, Wet scrubber shall be operate and maintained properly to achieve following standards.

Standards for Emissions of Air Pollutants :

1	SPM/TPM	Not to exceed	150 mg/Nm ³
2	SO ₂	Not to exceed	1.8 T/day

- (ii) The applicant should observe the following fuel pattern :-

Sr	Fuel Type	Quantity
1	Furnace Oil	12 KL/Day
2	CNG	600 M3/Hr
3	HSD (For DG Set)	15 KL/Day

- (iii) The applicant should erect the chimney(s) of the following specifications :-

Sr.	Chimney attached to	Height in meter.
1	Boiler-I	44
2	Boiler-II (Stand By)	
3	PMD DRF	19.4
4	Wet Stack-PMD	19.4
5	SMD DRF	19.4
6	R & D pilot plant	7.5
7	QA Lab Oven	7.5
8	PMD- H & V	16
9	R & D Pilot Plant H & V	16
10	Tower Dryer (Wet Stack)	7.5
11	Tower Dryer (Wet Stack)	15
12	DG Set (1500 KVA-02 Nos, 1000 KVA-01 Nos)	7.75 *

*- Above the roof in which it is installed.

- (iv) The applicant should provide ports in the chimney/(s) and facilitates such as ladder, platform etc. For monitoring the air emissions and the same should be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission should be designated by numbers such as S-1, S-2, etc. And these should be painted / displayed to facilitate identification.

- (iv) The applicant should provide ports in the chimney/(s) and facilitates such as ladder, platform etc. For monitoring the air emissions and the same should be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission should be designated by numbers such as S-1, S-2, etc. And these should be painted / displayed to facilitate identification.
- (v) The industry should take adequate measures for control for noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. And 10 p.m. And night time is reckoned between 10 p.m. And 6 p.m.
- (vi) Other Conditions: 1) The industry should not cause any nuisance in surrounding area. 2) The industry should monitor stack emissions and ambient air quality regularly from MoEF approved laboratory.

6. CONDITIONS UNDER HAZARDOUS WASTE (Management, Handling & Transboundary Movement) RULES, 2008:

The applicant should handle hazardous wastes as specified below:

Sl.	Item No (Sch-I)	Type of Waste	Quantity	Disposal
1	5.1	Used/Spent Oil	100 Kg/M	CHWTSDf
2	5.2	Waste residue containing oil	210 Kg/M	CHWTSDf
3	33.3	Discarded containers/Barrels/Chemical	1.8 MT/M	CHWTSDf
4	34.1	Flue gas cleaning residue	240 Kg/M	CHWTSDf
5	34.3	Chemical sludge from waste water treatment	450 Kg/M	CHWTSDf

7. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information should be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it should be stopped.

8. General Conditions:

- (i) The applicant should bring minimum 33% of the available open land under green coverage/ plantation. The applicant should submit a yearly statement by 30th September every year on available open plot area, no. of trees surviving as on 31st March of the year and no. of trees planted by September end.
- (ii) The applicant should provide for an alternate electric power source sufficient to operate all pollution control facilities installed by he applicant and operate the same in case of power failure to maintain compliance with the terms and conditions of the consent. In the absence of same, the applicant should stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- (iii) The applicant should make an application for renewal of the consent at least 60 days before the date of the expiry of the consent. The applicant should not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent/ emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- (iv) The firm should submit MPCB, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 before 30th September every year.

- (v) The applicant should install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment should be maintained. The applicant should also submit a comparative statement of designed power and chemical consumptions vis-a vis actual power and chemical consumption along with Environmental statement.
- (vi) Separate drainage system should be provided for collection of trade and sewage effluents. Terminal manholes should be provided at the end of collection system with arrangement for measuring the flow. No effluent should be admitted in the pipes/sewers down- stream of the terminal manholes. No effluent should find its way other than in designed and provided collection system. Neither storm water nor discharge from other premises should be allowed to mix with the effluents from the factory.
- (vii) The applicant should provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and should pay to the Board for the services rendered in this behalf. An inspection book should be opened and made available to the Board's officers during their visit to the applicant.
- (viii) The industry should ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- (ix) The applicant should maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
9. This consent shall not be construed as any exemption from obtaining necessary No Objection Certificate from other Government agencies as may deemed fit necessary.
10. The capital investment of the industry is Rs. 396.85 Crore.
11. This Consent is issued pursuant to the decision of the Consent Appraisal Committee meeting of the Board held on 22/11/2011.

For and on Behalf of the
Maharashtra Pollution Control Board,


9.12
(Milind Mhaiskar)
Member Secretary

To
M/s. Godfrey Phillips India Ltd.
Plot No. -19, MIDC, TTC Rabale
Navi Mumbai.

Copy to: RO, MPCB, Navi Mumbai / SRO, MPCB, Navi Mumbai-II / CAO / Cess Branch/ Master File

Received Consent fee of -

Sr.No.	Amount	D.D. No.	Date	Bank Name
1	396850	811177	23.12.2010	Citi Bank
2	396850	674916	16.05.2011	SBI
3	396861	064412	01.11.2011	SBI
4	1190572	064224	19.10.2011	SBI