

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 2402 0781 / 2401 0437  
Fax : 2402 4068

Visit us at :

Website : <http://mpcb.mah.nic.in>  
E-mail : [mpcb@vsnl.net](mailto:mpcb@vsnl.net)



Kalpataru Point,  
2nd, 3rd & 4th floor,  
Opp. Cineplanet,  
Near Sion Circle, Sion (E),  
Mumbai - 400 022. Date: 12/2011

Consent No. BO/RONM/JD(PAMS)/AS(T)/EIC/No. 2393-11/R/CC  
CAC-58

Consent Establish & Operate under Section 25 & 26 of the Water (Prevention & Control of pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorisation / Renewal of Authorisation under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008. [To be referred as Water Act, Air Act and HW(M&H) Rules respectively].

CONSENT is hereby granted to

M/s. Galaxy Surfactants Ltd.,  
Plot No V-23, MIDC Talaja  
Tal-Panvel, Dist : Raigad

located in the area declared under the provisions of the Water Act, Air act and Authorisation under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

- 1(A). The Consent to Establish is granted for a period upto - Commissioning of the Unit or five years which ever is earlier.

**"Consent to Establish will be operational only after obtaining Environmental Clearance from competent authority by the applicant and subject to the compliance of conditions stipulated in an Environmental Clearance including conditions which may be more stringent, if stipulated by/in the Environmental Clearance."**

- 2(A). The Consent to Establish is valid for the manufacture of -

Sr.	Products	Max. Qty.
1	Ethylene oxide condensate	1300 MT/M.

There shall not be any increase in water consumption, effluent generation, fuel consumption, H.W. due to increase in production of above product as per industry letter dtd. 02.08.2011.

- 1(B). The Consent to Operate is granted for a period upto - 31/10/2012.

- 2(B). The Consent to Operate is valid for the manufacture of -

Sr.	Product	Max. Qty.
1	Fatty Alcohol Sulphate on 100% basis	700 MT/M.
2	Fatty Alcohol Ether Sulphate on 100% basis	1150 MT/M.
3	Ethylene oxide condensate	3500 MT/M.
4	Conc. H <sub>2</sub> SO <sub>4</sub> (By- Product)	40 MT/M

3. CONDITIONS UNDER WATER (PREVENTION & CONTROL OF POLLUTION) ACT, 1974:

- (i) The daily quantity of trade effluent from the factory shall not exceed 70.0 m<sup>3</sup>.  
(ii) The daily quantity of sewage effluent from the factory shall not exceed 16.0 m<sup>3</sup>.  
(iii) Trade Effluent:

**Treatment:** The applicant shall provide comprehensive treatment system consisting of primary/secondary and/or tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards :

1	pH	Between	5.5 to 9.0
2	Suspended Solids	Not to exceed	100 mg/L
3	BOD 3 days 27 Deg. C	Not to exceed	100 mg/L
4	COD	Not to exceed	250 mg/L

5	Oil & Grease	Not to exceed	10	mg/L
6	T.D.S.	Not to exceed	2100	mg/L
7	Chlorides	Not to exceed	600	mg/L
8	Sulphates	Not to exceed	1000	mg/L
9	% Sodium	Not to exceed	60 %	mg/L
10	Free ammonia	Not to exceed	100	mg/L

- (iv) **Trade Effluent Disposal:** The treated trade effluent shall be recycled/ reused to the maximum extent and remaining shall be disposed into CETP.
- (v) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.
- |     |                       |               |           |
|-----|-----------------------|---------------|-----------|
| (1) | Suspended Solids      | Not to exceed | 100 mg/l. |
| (2) | BOD 3 days 27 Deg. C. | Not to exceed | 100 mg/l. |
- (vi) **Sewage Effluent Disposal:** The treated sewage effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any shall be disposed into CETP.
- (ix) **Non-Hazardous Solid Wastes : NIL**
- (viii) **Other conditions:** The industry should monitor effluent quality regularly from MoEF approved laboratory.

4. The applicant shall comply with the provisions of the Water ( Prevention & Control of Pollution ) Cess Act, 1977 ( to be referred as Cess Act ) and Rules thereunder:

The daily water consumption for the following categories is as under:

i	Domestic	20.0	CMD
ii	Industrial Processing	---	CMD
iii	Industrial Cooling	320.0	CMD
iv	Agriculture/Gardening	10.0	CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. **CONDITIONS UNDER AIR (PREVENTION & CONTROL OF POLLUTION) ACT, 1981:**

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:
- A) **Control Equipment:** Air pollution control equipments of sufficient capacity shall be provided to limit the emissions. Scrubber of sufficient capacity shall be provided to the reactor.
- B) **Conditions for D.G. Set:-**
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB(A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 metres from acoustic enclosure/room and then average.
  - The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
  - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.

6. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
7. D.G. Set shall be operated only in case of power failure.
8. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

**C) Standards for Emissions of Air Pollutants :**

1	SPM	Not to exceed	150 mg/Nm <sup>3</sup>
2	SO <sub>2</sub>	Not to exceed	604 Kg/Day

- (ii) The applicant shall observe the following fuel pattern:-

<u>Sr.No.</u>	<u>Type of Fuel</u>	<u>Quantity</u>
1.	LDO	3.8 MT/Day
2.	F.O.	3.2 MT/Day
3.	Coal	18 MT/Day

- (iii) The applicant shall erect the chimney(s) of the following specifications :-

<u>Sr.No.</u>	<u>Chimney attached to</u>	<u>Height in mt.</u>
1.	Boiler (Steam)	32
2.	Boiler (Coal)	30
3.	Scrubber	30
4.	D.G.set (1000 KVA)	6* above roof

- (iv) The applicant shall provide ports in the chimney/(s) and facilitates such as ladder, platform etc. For monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. And these shall be painted/ displayed to facilitate identification.

- (ix) The industry shall take adequate measures for control for noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. And night time is reckoned between 10 p.m. and 6 p.m.

- (vi) **Other Conditions:**

- 1) The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor stack emissions and ambient air quality regularly from MoEF approved laboratory.

**6. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDARY MOVEMENT) RULES, 2008:**

The applicant shall handle hazardous wastes as specified below:

Sl.	Item No.	Type of Waste	Quantity	Disposal
1	34.1 (Sch-I)	Flue gas cleaning residue	3 MT/M.	MWML Taloja
2	34.3 (Sch-I)	Chemical sludge from waste water treatment	4.2 MT/M.	

7. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

**8. General Conditions :**

- (i) The applicant shall maintain good house keeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area/inhabitants.
- (ii) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30<sup>th</sup> September every year on

- available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end.
- (iii) Solid Waste – The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
  - (iv) The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent regarding pollution levels.
  - (v) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
  - (vi) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
  - (vii) The applicant shall make an application for renewal of the consent at least 80 days before the date of expiry to the consent.
  - (viii) The firm shall submit to this office, the 30<sup>th</sup> day of September every year, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
  - (ix) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
  - (x) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
  - (xi) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers down stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
  - (xii) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
  - (xiii) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
9. The applicant shall not take any effective steps towards implementation of the project mentioned at this consent condition no. 2(A) before obtaining Environmental Clearance as per EIA notification 2006 and amendments thereto. If any non-compliance of the conditions of consent to Establish observed, the Board will initiate appropriate legal action including forfeiture of bank guarantee, revocation of consent & further action.
10. The applicant shall obtain Consent to Operate before Actual Commencement of the production activity of product mentioned at this consent condition no. 2(A).
11. The consent is issued pursuant to the decision of Consent Appraisal Committee meeting of Board held on 22.11.2011.
12. The Industry shall submit Bank Guarantee of Rs. 5 lakhs valid for one year in favour of Regional Officer, MPCB, Navi-Mumbai within 15 days period, against the operation & maintenance of ETP so as to achieve the consent standards.
13. This Board reserves the right to amend, revoke or add any conditions in this consent and the same shall be binding on the Applicant.
14. The total capital investment of the industry is Rs. 101.29 Crs.

  
9.12  
(Milind Mhaiskar)  
Member Secretary

: 5 :

To,  
M/s. Galaxy Surfactants Ltd., Plot No.- V-23 MIDC, Taloja, Dist. Raigad.

Copy to: Regional Officer, MPCB, Navi-Mumbai / Sub-Regional Officer, MPCB, NM-III / CAO

Received Consent fee of –	<u>Amount</u>	<u>D.D.No.</u>	<u>Date</u>	<u>Drawn on</u>
	1,01295/-	003623	1/03/2011	IDBI
	100/-	003561	26/02/2011	IDBI
	1,01295/-	005135	4/10/2011	IDBI
	5000/-	005136	4/10/2011	IDBI